



PROFESSIONAL-GRADE
ILLUMINATION TOOLS

NEW


TLR-7® SUB
pg. 6



TLR-7® A
pg. 7



TLR-8® A
pg. 7



TLR-8® A G
pg. 8



TLR-7® A
Contour Remote
pg. 8



TLR-7®
pg. 9



TLR-8®
pg. 9



TLR-8® G
pg. 10



TLR-9™
pg. 11

NEW
UPGRADED
UPGRADED
UPGRADED
NEW


TLR-1 HL®
pg. 16



TLR-2 HL®
pg. 17



TLR-2 HL® G
pg. 17



TLR-1 HPL®
pg. 18



TLR-1®
Game Spotter
pg. 19



TLR-6®
pgs. 20-21



TLR-VIR® II
pg. 22



TLR-VIR®
pg. 23



TLR® RM 1
pg. 24



PROTAC® RAIL MOUNT
HL-X LASER
pg. 32



SIDEWINDER®
MILITARY
pg. 34



SIDEWINDER®
RESCUE
pg. 35



SIDEWINDER
COMPACT® II
MILITARY
pg. 36



SIDEWINDER®
BOOT
pg. 37



SL-B26™ Li-Ion
USB Battery Pack
pgs. 38-39



PROTAC® 90
pg. 40



PROTAC® 90 X USB
PROTAC® 90 X
pg. 41



PROTAC® HL-X USB
PROTAC® HL-X
pg. 42

NEW


PROTAC® 1L-1AA
pg. 46



PROTAC® 2AA
pg. 47



PROTAC® 1AAA
pg. 47



PROTAC® 2AAA
pg. 48



POLYTAC® X USB
POLYTAC® X
pg. 49



STINGER® 2020
pg. 50



STINGER® LED
STINGER DS® LED
pg. 51



STINGER LED HL®
STINGER DS LED HL®
pg. 52



STINGER HPL®
STINGER DS HPL®
pg. 53



SIEGE® AA
pg. 60



SUPER SIEGE®
pg. 61



THE SIEGE®
pg. 61



BANDIT®
pg. 62



BANDIT® Pro
pg. 62



QB®
pg. 63



ENDURO® PRO
pg. 63



ENDURO® PRO USB
pg. 63

UPGRADED
UPGRADED


STYLUS PRO®
USB UV
pg. 68



STYLUS PRO® USB
pg. 68



STYLUS PRO®
pg. 68



STYLUS PRO® 360
pg. 69



STYLUS PRO® COB
pg. 69



STYLUS®
STYLUS® UV
pg. 69



STREAMLIGHT JR.® LED
pg. 70

NEW



TLR-10™
pg. 11



TLR-1®
TLR-1®s
pg. 12



TLR-1 IR®
pg. 12



TLR-2®
TLR-2®s
pg. 13



TLR-2® G
pg. 13



TLR-2® IRW
pg. 13



TLR-2® IR
EYE SAFE
pg. 13



TLR-3®
pg. 15



TLR-4®
pg. 15



TLR-4® G
pg. 15

NEW



TLR® RM 2
pg. 25



TLR® RM 1 Laser
pg. 26



TLR® RM 2 Laser
pg. 26

NEW



TL-RACKER®
pg. 27

UPGRADED



PROTAC®
RAIL MOUNT 1
pg. 30



PROTAC®
RAIL MOUNT 2
pg. 31



PROTAC®
RAIL MOUNT HL-X
pg. 31



PROTAC HL® USB
pg. 42



PROTAC® 2L-X USB
PROTAC® 2L-X
pg. 43



PROTAC HL®
pg. 43



PROTAC® HPL USB
pg. 44



PROTAC HL® 5-X USB
PROTAC HL® 5-X
pg. 44



PROTAC HL® 4
pg. 45



PROTAC HL® 3
pg. 45



PROTAC® 1L
pg. 46



PROTAC® 2L
pg. 46



ULTRASTINGER® LED
pg. 53



STRION® LED
STRION DS® LED
pg. 54



STRION LED HL®
STRION DS HL®
pg. 55



STRION HPL®
STRION DS HPL®
pg. 56



WAYPOINT 300®
pg. 58



WAYPOINT®
pg. 59



DUALIE WAYPOINT®
pg. 59



SIEGE® X USB
pg. 60

NEW



PORTABLE SCENE LIGHT II
pg. 64



PORTABLE SCENE LIGHT
PORTABLE SCENE LIGHT EXT
pg. 64



SYCLONE®
pg. 65



FLIPMATE®
pg. 65



WEDGE®
pg. 66



MACROSTREAM® USB
pg. 67



MICROSTREAM® USB
pg. 67



MICROSTREAM®
pg. 67



STREAMLIGHT JR.
F-STOP® pg. 70



CLIPMATE® USB
pg. 71



KEYMATE® USB
pg. 71



NANO LIGHT®
pg. 71

STAY CONNECTED WITH US:

#STREAMLIGHTSTRONG



TACTICAL WEAPON-MOUNTED SERIES

LIGHT ONLY

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-7®



TLR-7®A



NEW
TLR-7®A
Contour Remote



TLR-9™



TLR-1 HL®



TLR-1® // TLR-1®s



TLR-3®

SUB-COMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-7®



TLR-7®A



NEW
TLR-7® SUB



TLR-6®
NON-LASER



TLR-3®

LONG GUN/AR SHOTGUN FOREND & RAIL MOUNT MODELS



TL-RACKER®



TLR® RM 1



TLR® RM 2



PROTAC®
RAIL MOUNT HL-X



PROTAC®
RAIL MOUNT 1



PROTAC®
RAIL MOUNT 2



TLR-1 HL®
[Long Gun Kit]



TLR-1 HPL®
[Long Gun Kit]

SPECIALTY/IR LONG GUN/AR & FULL FRAME PISTOLS



TLR-VIR®
[Long Gun Kit]



TLR-VIR® PISTOL



TLR-1® IR

LIGHT/LASER COMBO

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-8®

TLR-8® G

TLR-8® A

TLR-8® A G

TLR-10™

TLR-2® // TLR-2®s

TLR-2 HL®

TLR-2® G

TLR-2 HL® G

SUB-COMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-8®

TLR-8® G

TLR-8® A

TLR-8® A G

TLR-6®

TLR-6®
RAIL MOUNT

TLR-6®
1911

TLR-4®

TLR-4® G

LONG GUN/AR RAIL MOUNT MODELS



TLR® RM1
LASER

TLR® RM2
LASER

PROTAC® RAIL MOUNT
HL-XLASER

TLR-2® // TLR-2®s

TLR-2 HL®

TLR-2 HL® G

SPECIALTY/IR LONG GUN/AR & FULL FRAME PISTOLS



TLR-VIR® II

TLR-2® IRW

TLR-2® IR EYE SAFE

TACTICAL WEAPON-MOUNTED SERIES

ULTRA LOW PROFILE

RAIL MOUNT LIGHTS

DURABILITY, POWER & LONG RUN TIME

TLR-7® SUB RAIL MOUNTED LIGHT
WHITE LIGHT ILLUMINATOR / HIGH SWITCH POSITION

Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-7 sub weapon light fits on most railed subcompact pistols. IPX7 waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium
SIZE: 1.16" x 1.24" x 2.51" (2.95 x 1.24 x 2.51 cm)
WEIGHT: 2.39 oz. (67.8g)
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	141m
RUN TIME:	1h 30m

[(STROBE)]
Double tap
switch to activate



Safe Off feature prevents
accidental activation;
saves batteries

PART#	DESCRIPTION	COO	TAA
69400	(FOR GLOCK® 43X/48 MOS 43X/48 RAIL MODELS ONLY) INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY – BLACK – BOX	US	YES
69401	(FOR SIG SAUER® P365/XL MODELS) – INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY – BLACK – BOX	US	YES
69402	(FOR 1913 SHORT MODELS) – INCLUDES MOUNTING KIT WITH KEYS AND CR123A LITHIUM BATTERY – BLACK – BOX	US	YES



TLR-7[®] A RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / TWO SWITCH POSITION OPTIONS

The TLR-7 A includes customized ergonomic switches featuring a low or high position to match your shooting style. It features an ambidextrous on/off rear switch and a rail clamp that is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX7 waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium

SIZE: 2.52" x 1.28" x 1.16" (6.40 x 3.25 x 2.95 cm)

WEIGHT: 2.47 oz (70 g)

COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

PART#	DESCRIPTION	COO	TAA
69422	INCLUDES LOW SWITCH – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES
69423	INCLUDES HIGH SWITCH – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES
69424	FLEX – INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



High
Switch



Low
Switch

TLR-8[®] A RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / **RED LASER** / TWO SWITCH POSITION OPTIONS

The TLR-8 A includes a red laser and customized ergonomic switches featuring a low or high position to match your shooting style. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4 water-resistant.

BATTERY: (1) CR123A lithium

SIZE: 2.52" x 1.47" x 1.16" (6.40 x 3.73 x 2.95 cm)

WEIGHT: 2.58 oz (73g)

COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

Laser mode: 18 hours of run time

PART#	DESCRIPTION	COO	TAA
69412	INCLUDES LOW SWITCH – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES
69413	INCLUDES HIGH SWITCH – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES
69414	FLEX – INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



High
Switch



Low
Switch

TACTICAL WEAPON-MOUNTED SERIES

TLR-8® A G RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / GREEN LASER / TWO SWITCH POSITION OPTIONS

The TLR-8 A G with a green laser includes customized ergonomic switches featuring a low or high option to match your shooting style. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons. IPX4 water-resistant

BATTERY: (1) CR123A lithium
SIZE: 2.58" x 1.50" x 1.18" (6.55 x 3.81 x 2.98 cm)
WEIGHT: 2.64 oz (75g)
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

Laser mode: 11 hours of run time

PART#	DESCRIPTION	COO	TAA
69432	INCLUDES LOW SWITCH – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES
69433	INCLUDES HIGH SWITCH – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES
69434	FLEX – INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE – LITHIUM BATTERY – KEY KIT – BLACK – BOX	US	YES



Safe Off feature prevents accidental activation; saves batteries



TLR-7® A CONTOUR REMOTE RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / HIGH SWITCH POSITION

The TLR-7 A Contour Remote is designed for one-handed shooting - ideal for dog handlers, SWAT teams, door breaching and close quarter operations. IPX7 waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium
SIZE: 1.16" x 1.79" x 4.6" (2.95 x 4.55 x 11.68 cm)
WEIGHT: 2.69 oz (76.3 g)
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

PART#	DESCRIPTION	COO	TAA
69428	FOR GLOCK® INCLUDES MOUNTING KEY – CR123A LITHIUM BATTERY – BLACK – BOX	US	YES



Securely fits GLOCK® Gen 4 or Gen 5 models with rails. Designed to fit snugly around the trigger guard

Note: Cannot be retrofitted with existing TLR-7 A products



TLR-7® RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

Experience the TLR in a new light. The small and mighty TLR-7 securely fits a broad range of full-size and compact handguns. Low-profile design prevents snagging and a “safe off” feature prevents accidental activation, saving batteries. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons. IPX7 waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium

SIZE: 2.15" x 1.18" x 1.27" (5.46 x 2.98 x 3.22 cm)

WEIGHT: 2.4 oz (68.1 g)

COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

PART#	DESCRIPTION	COO	TAA
69420	INCLUDES LITHIUM BATTERY – BLACK – BOX	US	YES



[(STROBE)]

Double tap
switch to activate



Safe Off feature prevents
accidental activation;
saves batteries



TLR-8® RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / RED LASER

Experience the TLR in a new light. The small and mighty TLR-8 with a red laser securely fits a broad range of full-size and compact handguns. Low-profile design prevents snagging and a “safe off” feature prevents accidental activation, saving batteries. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons. IPX4 water-resistant.

BATTERY: (1) CR123A lithium

SIZE: 2.15" x 1.18" x 1.50" (5.46 x 2.98 x 3.81 cm)

WEIGHT: 2.64 oz (75 g)

COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

Laser mode: 18 hours of run time

PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69410	6230-01-682-9564	INCLUDES LITHIUM BATTERY – BLACK – BOX	US	YES



[(STROBE)]

Double tap
switch to activate



Safe Off feature prevents
accidental activation;
saves batteries



TACTICAL WEAPON-MOUNTED SERIES

TLR-8® G RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / GREEN LASER

Performance night and day. The small and mighty TLR-8 G with a green laser securely fits a broad range of full-size and compact handguns. The green laser is visible even in daylight. Low-profile design prevents snagging and a “safe off” feature prevents accidental activation, saving batteries. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons. IPX4 water-resistant.

BATTERY: (1) CR123A lithium
SIZE: 2.15" x 1.18" x 1.50" (5.46 x 2.98 x 3.81 cm)
WEIGHT: 2.64 oz (75 g)
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

Laser mode: 11 hours of run time

PART#	DESCRIPTION	COO	TAA
69430	INCLUDES LITHIUM BATTERY – BLACK – BOX	US	YES



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



TLR-9™ RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

The TLR-9 includes customized ambidextrous switches with either a low or high position to match your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX7 waterproof to 1m for 30 minutes.

BATTERY: (2) CR123A lithium

SIZE: 3.87" x 1.18" x 1.27" (9.82 x 2.98 x 3.22 cm)

WEIGHT: 4.26 oz (120.9 g)

COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1h 30m



[(STROBE)]

Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries

PART#	DESCRIPTION	COO	TAA
69462	INCLUDES LOW SWITCH – INCLUDES LITHIUM BATTERIES – KEY KIT – BLACK – BOX	US	YES
69463	INCLUDES HIGH SWITCH – INCLUDES LITHIUM BATTERIES – KEY KIT – BLACK – BOX	US	YES
69464	FLEX – INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE – LITHIUM BATTERIES – KEY KIT – BLACK – BOX	US	YES



High Switch



Low Switch

TLR-10™ RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR/ **RED LASER** / TWO SWITCH POSITION OPTIONS

The TLR-10 with integrated red laser includes customized ambidextrous low and high switches to match your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4 water-resistant.

BATTERY: (2) CR123A lithium

SIZE: 3.87" x 1.18" x 1.50" (9.82 x 2.98 x 3.81 cm)

WEIGHT: 4.62 oz (131 g)

COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1h 30m

Laser mode: 60 hours of run time



[(STROBE)]

Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries

PART#	DESCRIPTION	COO	TAA
69470	FLEX – INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE – LITHIUM BATTERIES – KEY KIT – BLACK – BOX	US	YES
69471	INCLUDES LOW SWITCH – INCLUDES LITHIUM BATTERIES – KEY KIT – BLACK – BOX	US	YES
69472	INCLUDES HIGH SWITCH – INCLUDES LITHIUM BATTERIES – KEY KIT – BLACK – BOX	US	YES



High Switch



Low Switch

TACTICAL WEAPON-MOUNTED SERIES

A TRADITION OF TLR TACTICAL LIGHTS DURABILITY, POWER, & LONG RUN TIME

TLR-1® // TLR-1s® WHITE LIGHT ILLUMINATOR

TRADITION SERIES

Intensely bright, durable, tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 (Picatinny) rails. IPX7-rated waterproof to 1 meter for 30 minutes. Impact resistant. Strobe mode (TLR-1s only). Strobe can be disabled.

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)
WEIGHT: 4.18 oz (118.6 g)
COLOR: Black

LUMENS:	300
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	2h 30m

[(STROBE)]
Double tap
switch to activate



PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69110	1005-01-525-2118	TLR-1 – INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES
69210	6230-01-601-5130	TLR-1S – STROBE MODEL INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES

TLR-1® IR IR ILLUMINATOR

Lightweight, compact, lithium battery powered gun-mounted active illuminator featuring the latest in high power infrared LED technology. The illuminator is built with a shock-proof LED and provides at least 7.5 hours of continuous run time. Rail clamp designed to rapidly attach/detach from side of weapon.

BATTERY: (2) CR123A lithium
SIZE: 3.26" x 1.47" x 1.44" (8.28 x 3.73 x 3.65cm)
WEIGHT: 4.18 oz (118.6 g) with batteries
COLOR: Black

IR OUTPUT:	125mW/sr
IR RUN TIME:	7h 30m



PART#	DESCRIPTION	COO	TAA
69150	INCLUDES RAIL LOCATING KEYS FOR USE WITH SIG®P320, GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES

TLR-2® // TLR-2® s

WHITE LIGHT ILLUMINATOR / RED LASER

TRADITION SERIES

The same great features as the TLR-1 lights with a 650-660nm red laser for accurate aiming. Strobe mode (TLR-2s only). Strobe can be disabled. IPX4 water-resistant.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

WEIGHT: 4.72 oz (133.8 g)

COLOR: Black

LUMENS:	300
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	2h 30m

Laser mode: 48 hours of run time

[(STROBE)]

Double tap
switch to activate



PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69120	6230-01-5441663	TLR-2 – RED LASER – INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES
69230	6230-01-601-5128	TLR-2S – RED LASER/STROBE MODEL – INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BOXED	US	YES

TLR-2® G

WHITE LIGHT ILLUMINATOR / GREEN LASER

TRADITION SERIES

The highly visible (even in daylight) green laser assists in target acquisition. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4 water-resistant. Strobe can be disabled.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

WEIGHT: 4.72 oz (133.8 g)

COLOR: Black

LUMENS:	300
CANDELA:	12,000
RUN TIME:	2h 30m

Laser mode: 17 hours of run time

[(STROBE)]

Double tap either
switch to activate



PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69250	1005-01-633-4225	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERY – BLACK	US	YES



TACTICAL WEAPON-MOUNTED SERIES

A TRADITION OF TLR TACTICAL LIGHTS DURABILITY, POWER, & LONG RUN TIME

TLR-2® IRW

WHITE LIGHT ILLUMINATOR // EYE SAFE IR LASER

Features a Class 1 “Eye Safe” Infrared laser along with an impressive bright white light for long-range targeting. User programmable strobe enable/disable. Mounts directly to handguns with Glock® style rails and to all MIL-STD-1913 rails. Operates in extreme temperatures. IPX4 rated for water-resistance.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

WEIGHT: 4.72 oz (133.8 g)

COLOR: Black

LUMENS:	300
CANDELA:	12,000
IR LASER OUTPUT:	Less than .8mW
DISTANCE:	219m
RUN TIME:	2h 30m

Laser mode: 45+ hours of run time

[(STROBE)]

Double tap
switch to activate



PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69165	1005-01-525-2118	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES

TLR-2® IR EYE SAFE

WHITE LIGHT ILLUMINATOR // EYE SAFE IR LASER

Lightweight, compact, lithium battery powered gun-mounted infrared active illuminator with Class 1 “Eye Safe” integrated IR aiming laser. The Illuminator features the latest in shock-proof high power infrared LED technology providing at least 7.5 hrs of continuous run time when in dual mode with the infrared laser. Rail clamp designed to rapidly attach/detach from side of weapon. IPX4 rated for water-resistance.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

WEIGHT: 4.72 oz (133.8 g)

COLOR: Black

IR LED OUTPUT:	120mW
IR LASER OUTPUT:	Less than .8mW
IR RUN TIME:	7h 30m

IR Laser mode: 45+ hours of run time

[(STROBE)]

Double tap
switch to activate



PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69166	1005-01-525-2118	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES

TLR-3®

WHITE LIGHT ILLUMINATOR

Lightweight and powerful, this super-bright light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR2 lithium

SIZE: 2.71" x 1.18" x 1.51" (6.88 x 3.00 x 3.84 cm)

WEIGHT: 2.32 oz (66.8 g)

COLOR: Black

LUMENS:	170
CANDELA:	3,300
DISTANCE:	115m
RUN TIME:	1h 30m



PART#	DESCRIPTION	COO	TAA
69220	STANDARD MODEL – INCLUDES RAIL LOCATING KEYS FOR USE WITH PICATINNY OR GLOCK® STYLE RAILS – LITHIUM BATTERIES – BLACK	US	YES
69221	H&K USP COMPACT MODEL – BLACK	US	YES
69222	H&K USP FULL-SIZE MODEL – BLACK	US	YES

TLR-4®

WHITE LIGHT ILLUMINATOR / RED LASER

Designed for sub-compact and compact weapons, this white light illuminator features a red laser to guide your aim. Operates in extreme temperatures. IPX4 rated water-resistant.

BATTERY: (1) CR2 lithium

SIZE: 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)

WEIGHT: 2.81 oz (79.7 g)

COLOR: Black

LUMENS:	170
CANDELA:	3,300
DISTANCE:	115m
RUN TIME:	1h 30m

Laser only mode: 15 hours of run time



PART#	DESCRIPTION	COO	TAA
69240	STANDARD MODEL INCLUDES RAIL LOCATING KEYS FOR USE WITH PICATINNY OR GLOCK® STYLE RAILS – LITHIUM BATTERY – BLACK	US	YES
69241	H&K USP COMPACT MODEL – BLACK	US	YES
69242	H&K USP FULL-SIZE MODEL – BLACK	US	YES

TLR-4® G

WHITE LIGHT ILLUMINATOR / GREEN LASER

Designed for sub-compact and compact weapons, this white light illuminator features a red laser to guide your aim. Operates in extreme temperatures. IPX4 rated water-resistant.

BATTERY: (1) CR2 lithium

SIZE: 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)

WEIGHT: 2.81 oz (79.7 g)

COLOR: Black

LUMENS:	160
CANDELA:	3,200
DISTANCE:	113m
RUN TIME:	1h 45m LED Only
RUN TIME:	1h 45m LED + Laser

Laser only mode: 4 hours of run time



PART#	DESCRIPTION	COO	TAA
69245	STANDARD MODEL INCLUDES RAIL LOCATING KEYS FOR USE WITH PICATINNY OR GLOCK® STYLE RAILS – LITHIUM BATTERY – BLACK	US	YES
69246	H&K USP COMPACT MODEL – BLACK	US	YES
69247	H&K USP FULL-SIZE MODEL – BLACK	US	YES

TACTICAL WEAPON-MOUNTED SERIES

TLR HL[®] FAMILY OF LIGHTS HIGH-LUMEN DOMINATION THROUGH MAXIMUM ILLUMINATION

TLR-1 HL[®] WHITE LIGHT ILLUMINATOR

HL SERIES HL[®]

UPGRADED

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)

WEIGHT: 4.18 oz (118.6 g)

COLORS: Black, Flat Dark Earth or Brown

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1h 30m



[(STROBE)]
Double tap
switch to activate

TLR-1 HL[®] Available
in Black, Flat Dark
Earth and Flat Dark
Earth Brown

PART#	DESCRIPTION	COO	TAA
69260	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES
69266	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – FLAT DARK EARTH	US	YES
69267	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – FLAT DARK EARTH BROWN	US	YES
69262	LONG GUN KIT INCLUDES: SAFE OFF REMOTE DOOR SWITCH, REMOTE PRESSURE SWITCH, MOUNTING CLIPS, STANDARD DOOR SWITCH – LITHIUM BATTERIES – BOXED – BLACK	US	YES
69888	LONG GUN KIT INCLUDES: SAFE OFF REMOTE DOOR SWITCH, REMOTE PRESSURE SWITCH, MOUNTING CLIPS, STANDARD DOOR SWITCH – LITHIUM BATTERIES – BOXED – FLAT DARK EARTH	US	YES
69889	DUAL REMOTE KIT INCLUDES DUAL REMOTE PRESSURE SWITCH, "SAFE OFF" DOOR SWITCH, MOUNTING CLIPS – LITHIUM BATTERIES – BOXED – BLACK	US	YES



Long Gun Kit



Dual Remote Switch Kit

TLR-2 HL®

WHITE LIGHT ILLUMINATOR / RED LASER

HL SERIES HL®

UPGRADED

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4 rated for water resistant operation and features a 640-660nm red laser.



[(STROBE)]
Double tap
switch to activate

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.78 oz (135.5 g)
COLOR: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1h 30m

Laser only mode: 45 hours of run time

PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69261	6920-01-661-9705	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES

TLR-2 HL® G

WHITE LIGHT ILLUMINATOR / GREEN LASER

HL SERIES HL®

UPGRADED

We added a direct drive green laser to this powerful high-lumen weapon light. The green is clearly visible to guide your aim even in bright sunlight. You can count on the light and laser even in extreme temperatures. IPX4 rated for water resistance.




[(STROBE)]
Double tap
switch to activate

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.78 oz (135.5 g)
COLOR: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1h 30m

Laser mode: 17 hours of run time

PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69265	6230-01-659-3699	INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES



TACTICAL WEAPON-MOUNTED SERIES

TLR-1 HPL® HIGH-LUMEN + LONG-DISTANCE SEE EVERYWHERE

TLR-1 HPL® WHITE LIGHT ILLUMINATOR

HPL SERIES HL®

This high lumen, long-range, rail-mounted tactical light has an intensely bright, far-reaching beam with a large hotspot. It throws a wide beam to illuminate your target downrange, while illuminating everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. Operates in extreme temperatures. IPX7-rated waterproof to 1 meter for 30 minutes. Impact-resistant. Easy, fast battery replacement.

BATTERY: (2) CR123A lithium

SIZE: 4.83" x 1.44" x 2.2"
(12.27x 3.66 x 5.59 cm)

WEIGHT: 5.3 oz (150.3 g)

COLOR: Black

W/REMOTE

BATTERY: (2) CR123A lithium

SIZE: 5.25" x 1.44" x 2.2"
(13.34x 3.66 x 5.59 cm)

WEIGHT: 5.6 oz (158.8 g)

COLOR: Black

LUMENS:	1,000
CANDELA:	60,000
DISTANCE:	490m
RUN TIME:	1h 30m

UPGRADED



PART#	DESCRIPTION	COO	TAA
69215	STANDARD MODEL INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES
69216	REMOTE MODEL INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA® 90TWO – REMOTE SWITCH – LITHIUM BATTERIES – BLACK	US	YES
69219	LONG GUN KIT WITH THUMBSCREW, "SAFE OFF" DOOR SWITCH AND REMOTE PRESSURE SWITCH – INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA® 90TWO – 1913 KEY – LITHIUM BATTERIES – BLACK	US	YES

TLR-1® GAME SPOTTER®
GREEN LIGHT ILLUMINATOR

A long-gun/long-range light with a green LED that preserves night vision and won't spook game. Mounts directly to long-guns with MIL-STD-1913 rails. Unbreakable, scratch-resistant, O-ring sealed lens. Operates in extreme temperatures. IPX7 rated waterproof to 1 meter for 30 minutes. Impact resistant.

BATTERY: (2) CR123A lithium
SIZE: 4.83" x 1.44" x 2.2"
(12.27 x 3.66 x 5.59 cm)
WEIGHT: 5.3 oz (150.3 g)
COLOR: Black

W/ REMOTE
BATTERY: (2) CR123A lithium
SIZE: 5.25" x 1.44" x 2.2"
(13.34 x 3.66 x 5.59 cm)
WEIGHT: 5.6 oz (158.8 g)
COLOR: Black


LUMENS:	150
CANDELA:	31,000
DISTANCE:	350m
RUN TIME:	1h 45m




PART#	DESCRIPTION	COO	TAA
69227	STANDARD MODEL INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES
69228	REMOTE MODEL INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA® 90TWO – REMOTE SWITCH – LITHIUM BATTERIES – BLACK	US	YES

DIFFERENT KINDS OF BEAMS FOR DIFFERENT KINDS OF TASKS.


WANT TO SEE THESE BEAMS IN ACTION?
Visit Streamlight's beamdemo.com and see the differences for yourself.



TRADITION_{SERIES}
This family of flashlights delivers the optimal balance of bright, far-reaching beam, ample peripheral light, and long run times. When you're out in the field or on any job that requires light for long periods, these are the flashlights you want by your side. Their brightness, power, performance, cost, and extended run times make them perfect for a variety of tasks.



HPL_{SERIES}
These High Performance, High Lumen flashlights throw bright light a long distance. They have a bigger hot spot that casts more light on the target with more peripheral light. They're great for illuminating the entire length of a dark alley, for any task that requires a far-reaching beam.



HL_{SERIES}
These High Lumen flashlights have a wide, side-to-side beam. They illuminate an entire area, including what may be hiding in corners. They perform like floodlights, illuminating a whole room, vehicle, or any area with bright, revealing light.

TACTICAL WEAPON-MOUNTED SERIES

TLR-6[®] ULTRA-COMPACT LIGHTS FOR COMPACT, SUB-COMPACT & CONCEALED CARRY WEAPONS

TLR-6[®] RAIL MOUNT // FOR COMPACT PISTOLS WITH RAILS

Designed to securely attach to the rail and the trigger guard of GLOCK[®] compact railed handguns, SIG SAUER[®], Springfield Armory[®] XD[®], XD(M)[®] and M&P[®] standard and compact railed handguns. The compact TLR-6 rail mount weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Durable, Impact-resistant polymer construction.

BATTERY: (2) CR-1/3 N Lithium

SIZE: 2.20" x 1.20" x 1.47"
(5.58 x 3.04 x 3.73 cm)

Size & Weight vary by model

WEIGHT: 1.16 oz (33 g)

COLOR: Black

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h

Laser mode: 11 hours of run time

Red Laser #69290
Glock[®] 17/19/21



Red Laser #69291
SA XD



Red Laser #69293
S&W M&P[®]



PART#	DESCRIPTION	COO	TAA
69290	(GLOCK [®] 17/19/21) WITH WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69291	(SA XD [®]) WITH WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69293	(S&W M&P [®]) WITH WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69277	UNIVERSAL KIT – INCLUDES LED/LASER MODULE AND SELECT TLR-6 BODY HOUSINGS – BLACK	US	YES

Universal Kit #69277

Universal Kit includes one LED/laser Aiming module and the following shells: Glock 42, Glock 26, M&P Shield, Kahr Arms, SIG SAUER, Kimber Micro. (Flat Dark Earth, Rail Mount, 1911 & Non Laser models not included.)



TLR-6® FOR SUBCOMPACT HANDGUNS

An industry first, the ultra-compact TLR-6 weapon light with white LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes — Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction.

BATTERY: (2) 3V CR-1/3 N lithium

SIZE: 2.30" x .85" x 1.42" (5.84 x 2.16 x 3.61 cm)

Size & Weight vary by model

WEIGHT: 1.27 oz (36 g)

COLORS: Black or Flat Dark Earth

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h

Laser mode: 11 hours of run time

PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69270		(GLOCK® 42/43) WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69272	6230-01-682-9566	(GLOCK® 26/27/33) WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69273		(M&P® SHIELD™ 40/9) WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69278		(GLOCK® 42/43) WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – FLAT DARK EARTH	US	YES
69280		(GLOCK® 42/43) WITHOUT LASER – WHITE LED – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69282		(GLOCK® 26/27/33) WITHOUT LASER – WHITE LED – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69283		(M&P® SHIELD™) WITHOUT LASER – WHITE LED – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69284		(SIG SAUER® P365/XL) WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69285		(SIG SAUER® P365/XL) WITHOUT LASER – WHITE LED – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69286		(GLOCK® 43X/48 MOS AND GLOCK® 43X/48 RAIL) WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES
69287		(SA HELLCAT®) WHITE LED AND RED LASER – INCLUDES TWO CR 1/3N LITHIUM BATTERIES – BLACK	US	YES

All Rights Reserved. M&P Shield®, GLOCK®, SIG SAUER®, KIMBER®, & KAHR® are registered trademarks of Smith & Wesson, Glock, Inc., SIG SAUER, KIMBER, IP LLC & Saeilo Enterprises, Inc. Streamlight has not sought endorsement of this product from Smith & Wesson®, GLOCK®, SIG SAUER®, KIMBER®, KAHR® Arms or Saeilo Enterprises, Inc.

Red Laser #69270

Glock® 42/43



Red Laser #69272

Glock® 26/27/33



Red Laser #69273

M&P® Shield™ 40/9



Red Laser #69278

Glock® 42/43



Non Laser #69280

Glock® 42/43



Non Laser #69282

Glock® 26/27/33



Non Laser #69283

M&P® Shield™ 40/9



Red Laser #69284

SIG SAUER® P365/XL



Non Laser #69285

SIG SAUER® P365/XL



Red Laser #69286

Glock® 43X/48MOS
Glock® 43X/48Rail



Red Laser #69287

SA Hellcat®



TACTICAL WEAPON-MOUNTED SERIES

STREAMLIGHT OFFERS A COMPLETE RANGE OF IR ILLUMINATORS AND LASERS FOR USE WITH NIGHT VISION GOGGLES

TLR-VIR® II GUN LIGHT

WHITE LIGHT ILLUMINATOR / IR ILLUMINATOR & IR LASER COMBO

Designed to be used with a pistol or long gun. Features a White LED Illuminator and Combo IR Illuminator/IR Laser. Has a seamless design so you can easily switch from white light to IR all while keeping your eyes on the target or the threat. Class 1 eye safe IR Laser, 850 nm, output power less than 0.8mW, with 3 mrad adjustment increment markings and tactile indicator on housing identifying IR Illumination position. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR123A lithium

SIZE: 3.82" x 1.47" x 2.03" (9.70 x 3.73 x 5.16cm)

WEIGHT: 3.82 oz (108 g) with batteries

COLORS: Coyote or Black

LUMENS:	300
CANDELA:	12,000
IR OUTPUT:	600mW/sr
VISIBLE RUN TIME:	1h 30m
IR RUN TIME:	12h



PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69191	5855-01-688-6850	VISIBLE LED/IR ILLUMINATOR/IR LASER – INCLUDES RAIL LOCATING KEYS – CR123A LITHIUM BATTERY – COYOTE – BOX	US	YES
69192	5855-01-689-3350	VISIBLE LED/IR ILLUMINATOR/IR LASER – INCLUDES RAIL LOCATING KEYS – CR123A LITHIUM BATTERY – BLACK – BOX	US	YES

TLR-VIR® GUN LIGHT

WHITE LIGHT ILLUMINATOR / IR ILLUMINATOR

[(STROBE)] Double tap switch to activate



Designed to be used with a long gun, includes both a white LED and an Infrared (IR) illuminator. Also features programmable strobe. Momentary/steady On-Off switch with plug port for momentary remote switch. Switch between white and IR as needed. IPX7-rated waterproof to 1 meter for 30 minutes. Designed to fit all long guns with MIL-STD-1913 rails.

BATTERY: (2) CR123A lithium

SIZE: 3.82" x 1.47" x 2.03" (9.70 x 3.73 x 5.16cm)

WEIGHT: 6.0 oz (170 g) with batteries, retained lens cap and remote switch

COLOR: Black

PART#	NSN/MCN#	DESCRIPTION	COO	TAA
69180	6230-01-589-4887	INCLUDES OPAQUE LENS COVER, REMOTE SWITCH, 1913 KEY – LITHIUM BATTERIES – BLACK	US	YES

LUMENS:	300
CANDELA:	12,000
IR OUTPUT:	1000mW/sr
VISIBLE RUN TIME:	2h 30m
IR RUN TIME:	20h

TLR-VIR® PISTOL

WHITE LIGHT ILLUMINATOR / IR ILLUMINATOR

This combination bright white LED and infrared (IR) illuminator is designed for use with a pistol. It has a lower profile than the original TLR-VIR, and it's waterproof to 66 ft for 2 hours in its standard configuration. The IR illuminator is within the same lens as the white light. You can easily transition from white light to IR with a switch at the bottom of the light. There's no need to remove your eyes from the target or alter your firing grip. It has the standard momentary and constant-on ambidextrous switch as well.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65cm)

WEIGHT: 4.2 oz (119 g) with batteries

COLOR: Black

LUMENS:	300
CANDELA:	11,000
IR OUTPUT:	1000mW/sr
VISIBLE RUN TIME:	2h 30m
IR RUN TIME:	32h




[(STROBE)]
Double tap switch to activate



PART#	DESCRIPTION	COO	TAA
69190	INCLUDES RAIL LOCATING KEYS FOR USED WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO – LITHIUM BATTERIES – BLACK	US	YES



TACTICAL WEAPON-MOUNTED SERIES



TLR® RM 1 COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

The low-profile TLR RM 1 features independently operating push-button and remote pressure switches to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: (1) CR123A lithium

SIZE: 3.20" x 1.27" x 1.18" (8.12 x 3.22 x 2.98 cm)

WEIGHT: 2.74 oz (77.9 g)

COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries

PART#	DESCRIPTION	COO	TAA
69440	INCLUDES REMOTE PRESSURE SWITCH KIT – KEY KIT – ONE CR123A LITHIUM BATTERY – BLACK	US	YES
69441	LIGHT ONLY INCLUDES KEY KIT – ONE CR123A LITHIUM BATTERY – BLACK	US	YES
69442	DUAL REMOTE SWITCH – BOX – BLACK	–	–



TLR RM 1 with Remote
Pressure Switch: 69440



#69138 – TLR Dual Remote Pressure Switch, Mounting Clips,
Adhesive pad, and Cable Ties:

Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Laser Weapon lights (sold separately) and accompanying external aiming device

COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEMS



TLR[®] RM 2 COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

The low-profile TLR RM 2 features independently operating push-button and remote pressure switches to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR123A lithium

SIZE: 4.55" x 1.27" x 1.18" (11.55 x 3.22 x 2.98 cm)

WEIGHT: 4.55 oz (129 g)

COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1h 30m



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



**TLR RM 2 with Remote
Pressure Switch: 69450**

PART#	DESCRIPTION	COO	TAA
69450	INCLUDES REMOTE PRESSURE SWITCH KIT – KEY KIT – TWO CR123A LITHIUM BATTERIES – BLACK	US	YES
69451	LIGHT ONLY INCLUDES KEY KIT – TWO CR123A LITHIUM BATTERIES – BLACK	US	YES



**#69138 – TLR Dual Remote Pressure Switch, Mounting Clips,
Adhesive pad, and Cable Ties:**

Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Laser Weapon lights (sold separately) and accompanying external aiming device

TACTICAL WEAPON-MOUNTED SERIES

TLR[®] RM 1 LASER COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 1 Laser features independently operating push-button and remote pressure switch to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX4 water-resistant 1m impact resistance tested.

BATTERY: (1) CR123A lithium

SIZE: 3.20" x 1.27" x 1.18" (8.12 x 3.22 x 2.98 cm)

WEIGHT: 2.74 oz (77.9 g)

COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME:	1h 30m

PART#	DESCRIPTION	COO	TAA
69445	INCLUDES REMOTE PRESSURE SWITCH KIT – KEY KIT – ONE CR123A LITHIUM BATTERY – BLACK	US	YES
69446	LIGHT ONLY INCLUDES KEY KIT – ONE CR123A LITHIUM BATTERY – BLACK	US	YES

[(STROBE)]

Double tap switch to activate

NEW



TLR RM 1 Laser with Remote Pressure Switch: 69445

TLR[®] RM 2 LASER COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 2 Laser features independently operating push-button and remote pressure switch to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX4 water-resistant 1m impact resistance tested.

BATTERY: (2) CR123A lithium

SIZE: 4.55" x 1.27" x 1.18" (11.55 x 3.22 x 2.98 cm)

WEIGHT: 4.55 oz (129 g)

COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1h 30m

PART#	DESCRIPTION	COO	TAA
69447	INCLUDES REMOTE PRESSURE SWITCH KIT – KEY KIT – TWO CR123A LITHIUM BATTERIES – BLACK	US	YES
69448	LIGHT ONLY INCLUDES KEY KIT – TWO CR123A LITHIUM BATTERIES – BLACK	US	YES

NEW



TLR RM 2 Laser with Remote Pressure Switch: 69447

[(STROBE)]

Double tap switch to activate

#69138 – TLR Dual Remote Pressure Switch, Mounting Clips, Adhesive pad, and Cable Ties:

Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Laser Weapon lights (sold separately) and accompanying external aiming device



TACTICAL WEAPON-MOUNTED SERIES

TL-RACKER FOREND LIGHT THE ULTIMATE WEAPON LIGHT FOR COMBAT SHOTGUNS

TL-RACKER®

The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 1,000 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses two CR123A lithium batteries. The customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR123A lithium

SIZE: 8.00" x 1.95" x 2.64" (20.32 x 4.95 x 6.71cm)

WEIGHT: 12.1 oz. (343 grams) with batteries

COLOR: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1h 30m



Mossberg 590®
Shockwave model

UPGRADED



Models available for Mossberg 500®/590®
and Remington 870™

PART#	DESCRIPTION	COO	TAA
69600	MOSSBERG 500/590, 12 GAUGE – 7 3/4 – INCLUDES CR123A LITHIUM BATTERIES – BOX – BLACK	US	YES
69601	REMINGTON 870, 12 GAUGE – INCLUDES CR123A LITHIUM BATTERIES – BOX – BLACK	US	YES
69602	MOSSBERG 590 SHOCKWAVE – CR123A LITHIUM BATTERIES – BOX – BLACK	US	YES
69610	MOSSBERG 500/590 – CR123A LITHIUM BATTERIES – BOX – ORANGE	US	YES
69611	TL-RACKER – REMINGTON 870 - CR123A LITHIUM BATTERIES – BOX – ORANGE	US	YES



TACTICAL WEAPON-MOUNTED SERIES

TLR SERIES ACCESSORIES

At Streamlight, we engineer the highest performing, most rugged, durable and innovative lights for tactical use. Streamlight also builds accessories that provide the options, configurations and quality that you can depend on.

	TLR-1 HL/ TLR-2 HL	TLR-2 G/ TLR-2 HL G	TLR-1/ TLR-1s	TLR-2/ TLR-2s	TLR-1 HPL	TLR-3	TLR-4/ TLR-4 G	TLR-1 Game Spotter
Remington 870 Mount 	69906	69906	69906	69906	69906	69906	69906	69906
TLR 12 ga. Mag Mount 	69901	69901	69901	69901	69901	—	—	69901
AR-15 M16 Mount 	69902	69902	69902	69902	69902	69902	69902	69902
Mag Tube/Mossberg Rail 						69903	69903	—
Ambidextrous Vert. Grip w/Rail 	69114	69114	69114	69114	69114	69114	69114	69114
TLR-1/TLR-2 Key Kit 	69175	69175	69175	69175	69175	—	—	69175
TLR-3/TLR-4 Key Kit 	—	—	—	—	—	69176	69176	—
TLR-7/TLR-8 Key Kit 	—	—	—	—	—	—	—	—
Contour Remote -Glock® 	69300	69300	69300	69300	—	—	—	—
Contour Remote -M&P 	69310	69310	69310	69310	—	—	—	—
TLR-1/TLR-2 Remote Door Switch 	69130	69130	69130	69130	69130	—	—	69130
Door Switch w/Safe Off 	69161	69161	69161	69161	69161	—	—	69161
Tape Switch 	69132	69132	69132	69132	69132	—	—	69132
Coil Pressure Switch 	69134	69134	69134	69134	69134	—	—	69134
Straight Press Switch 	69135	69135	69135	69135	69135	—	—	69135
TLR Dual Remote Switch 	69138	69138	69138	69138	69138	—	—	—
Red Flip Lens 	69115	69115	69115	69115	—	—	—	—
Blue Flip Lens 	69116	69116	69116	69116	—	—	—	—
Green Flip Lens 	69117	69117	69117	69117	—	—	—	—
IR Flip Lens 	69118	69118	69118	69118	—	—	—	—
Opaque Flip Lens 	69124	69124	69124	69124	—	—	—	—
Remote Retaining Clips 	88178	88178	88178	88178	88178			88178
CR123A Batteries 	2 Pk. // 85175 6 Pk. // 85180 12 Pk. // 85177 400 Pk. // 85179							
CR1/3N Batteries 	2 Pk. // 69271 12 Pk. // 69281 — For use in TLR-6							
CR2 Lithium Batteries 	2 Pk. // 69223 — TLR-3/TLR-4							

Streamlight offers the widest array of weapon mounted lights and accessories on the market. Whether you are LED, SWAT, Military or into home defense, we can accommodate all of your weapon mounted needs.

TLR-VIR	TLR-VIR Pistol	TLR-VIR II	TLR-2 IR EYE SAFE	TLR-2 IRW	TLR-7 TLR-8 TLR-8G	TLR-7 A TLR-8 A TLR-8 A G	TLR-7 SUB	TLR-7 [®] A Contour Remote	TLR-9 TLR-10	TLR RM 1 TLR RM 1 Laser	TLR RM 2 TLR RM 2 Laser
69906	69906	—	69906	69906	69906	69906	—	—	69906	—	—
69901	—	—	69901	69901	69901	69901	—	—	69901	—	—
69902	69902	—	69902	69902	69902	69902	—	—	69902	—	—
69903	69903	—	—	69903	—	—	—	—	—	—	—
69114	69114	—	69114	69114	—	—	—	—	—	—	—
69175	69175	—	69175	69175	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	69177	69177	—	—	69177	69177	69177
69300	—	—	69300	69300	—	—	—	—	—	—	—
69310	—	—	69310	69310	—	—	—	—	—	—	—
69130	69130	—	69130	69130	—	—	—	—	—	—	—
69161	—	—	69161	69161	—	—	—	—	—	—	—
69132	69132	—	69132	69132	—	—	—	—	—	—	—
69134	69134	—	69134	69134	—	—	—	—	—	—	—
69135	69135	—	69135	69135	—	—	—	—	—	69135	69135
69138	—	—	—	—	—	—	—	—	—	69138	69138
—	69115	69115	69115	69115	—	—	—	—	—	—	—
—	69116	69116	69116	69116	—	—	—	—	—	—	—
—	69117	69117	69117	69117	—	—	—	—	—	—	—
—	69118	69118	69118	69118	—	—	—	—	—	—	—
69124	69124	69124	69124	69124	—	—	—	—	—	—	—
88178	88178	88178	88178	88178	88178	88178	88178	88178	88178	88178	88178

TACTICAL WEAPON-MOUNTED SERIES

THE PROTAC RAIL MOUNT LIGHTS SHATTER THE DARK WITHOUT BREAKING THE BANK

PROTAC® RAIL MOUNT 1 LONG GUN LIGHT

This 350 lumen light features a dedicated fixed-mount for MIL-STD 1913 rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. Can run on either a lithium battery or an easy-to-find alkaline battery, both included. IPX7 rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4 rated with the Remote Pressure Switch installed.

BATTERY: (1) CR123A lithium or (1) "AA" Alkaline

SIZE: 4.25" x 1.50" x 1.20" (10.8 x 3.81 x 3.04 cm)

WEIGHT: 4.3 oz (121.9 g) w/CR123 // 4.5 oz (127.57 g) w/Alkaline

COLOR: Black



PART#	DESCRIPTION
88058	INCLUDES REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS, MOUNTING HARDWARE, AND (1) LITHIUM & (1) "AA" BATTERY – BLACK

CR123	HIGH	LOW
LUMENS:	350	40
CANDELA:	12,000	1,380
DISTANCE:	219m	19m
RUN TIME:	1h 45m	14h 30m

Strobe runs 2.75 hours

ALKALINE	HIGH	LOW
LUMENS:	150	40
CANDELA:	4,950	1,380
DISTANCE:	141m	19m
RUN TIME:	1h 30m	8h

Strobe runs 2.75 hours

[(STROBE)]
Double tap
switch to activate

MULTI-FUEL DESIGN:
Runs on one "AA" alkaline or
CR123A lithium battery
— both included.

TEN-TAP® Programmable switch
allows user selection of one of three
different programs:

- high/strobe (factory default)
- high only
- low/high

PROTAC® RAIL MOUNT 2 LONG GUN LIGHT

Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a dedicated fixed-mount for MIL-STD 1913 rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. IPX7 rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4 rated with the Remote Pressure Switch installed.

BATTERY: (2) CR123A lithium
SIZE: 5.00" x 1.50" x 1.20" (12.7 x 3.81 x 3.04 cm)
WEIGHT: 5.00 oz (141.7 g)
COLOR: Black

PART#	DESCRIPTION
88059	INCLUDES REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS MOUNTING HARDWARE, AND (2) LITHIUM BATTERIES – BLACK

CR123	HIGH	LOW
LUMENS:	625	60
CANDELA:	22,000	2,000
DISTANCE:	297m	89m
RUN TIME:	2h	21h

Strobe runs 2.75 hours



[(STROBE)]
 Double tap
 switch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:
 • high/strobe (factory default)
 • high only
 • low/high

PROTAC® RAIL MOUNT HL-X LONG GUN LIGHT

The ProTac series expands its weapon-mounted lights with this 1,000 lumen light featuring a dedicated fixed-mount for MIL-STD 1913 rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button tail switch. IPX7 rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4 rated with the Remote Pressure Switch installed.

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack
SIZE: 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)
WEIGHT: w/2X CR123: 6.4 oz (181.4 g) w/ SL-B26 battery pack: 6.9 oz (195.6 g)
COLOR: Black

PART#	DESCRIPTION
88066	INCLUDES REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS MOUNTING HARDWARE, AND (2) LITHIUM BATTERIES – BLACK
88071	INCLUDES REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS MOUNTING HARDWARE, AND (1) SL-B26 BATTERY PACKS & USB CORD – BLACK

CR123	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	27,600	1,600
DISTANCE:	332m	80m
RUN TIME:	1h 15m	20h

Strobe runs 2.5 hours



[(STROBE)]
 Double tap
 switch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:
 • high/strobe (factory default)
 • high only
 • low/high

MULTI-FUEL DESIGN:
 Runs on CR123 or SL-B26 Li-Ion USB rechargeable battery pack

SL-B26	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	27,600	1,600
DISTANCE:	332m	80m
RUN TIME:	1h 30m	23h

Strobe runs 3.25 hours

TACTICAL WEAPON-MOUNTED SERIES

PROTAC® RAIL MOUNT HL-X LASER

The ProTac Rail Mount HL-X Laser is a 1,000 lumen long gun light with integrated red aiming laser with windage and elevation adjustments. It has unique functionality with its double switches; push button tailcap or remote pressure switch and multi-fuel fuel options. Available as the USB rechargeable system that includes our Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB charging port or the lithium battery version. Either model includes all that you need to mount to your long gun.

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack

SIZE: 6.625" x 1.45" (16.83 x 3.75 cm)

WEIGHT: w/ SL-B26 battery pack: 10.8 oz (306 g)

COLOR: Black

PART#	DESCRIPTION
88089	INCLUDES (2) LITHIUM BATTERIES, REMOTE PRESSURE SWITCH, REMOTE HARDWARE KIT – BLACK
88090	INCLUDES SL-B26 BATTERY PACK & 22" USB CORD, REMOTE PRESSURE SWITCH, REMOTE HARDWARE KIT – BLACK

CR123	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	27,600	1,600
DISTANCE:	332m	80m
RUN TIME:	1h 15m	20h

Strobe runs 2.5 hours

SL-B26	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	27,600	1,600
DISTANCE:	332m	80m
RUN TIME:	1h 30m	23h

Strobe runs 3.25 hours



[(STROBE)]
Double tap
switch to activate

MULTI-FUEL DESIGN:
Runs on CR123 or SL-B26 Li-Ion USB
rechargeable battery pack

TEN-TAP® Programmable switch
allows user selection of one of three
different programs:

- high/strobe (factory default)
- high only
- low/high



PROTAC ACCESSORIES

	PART #	GOES WITH
CR123A Lithium Batteries 2pk/6pk/12pk/400pk 	85175 85177 85179 85180	PROTAC RAIL MOUNT 1 PROTAC RAIL MOUNT 2 PROTAC RAIL MOUNT HL-X PROTAC RAIL MOUNT HL-X LASER
SL-B26 Li-Ion USB Battery Pack Charge Cradle (batteries & cord sold separately) 	22100 22010 22011	PROTAC RAIL MOUNT HL-X PROTAC RAIL MOUNT HL-X LASER
8-Unit Li-ion Bank Charger - 12V DC 	20220	PROTAC RAIL MOUNT HL-X PROTAC RAIL MOUNT HL-X LASER
120V AC USB Charge Cord 	22071	PROTAC RAIL MOUNT HL-X PROTAC RAIL MOUNT HL-X LASER
SL-B26 Battery Packs - 1pk/2pk 	22101 22102	PROTAC RAIL MOUNT HL-X PROTAC RAIL MOUNT HL-X LASER
40" (101.6 cm) USB Cord 22" (55.88CM) USB Cord 	22070 22081	PROTAC RAIL MOUNT HL-X PROTAC RAIL MOUNT HL-X LASER
Remote Retaining Clips 	88178	PROTAC RAIL MOUNT 1 PROTAC RAIL MOUNT 2 PROTAC RAIL MOUNT HL-X PROTAC RAIL MOUNT HL-X LASER
Filters 	69115 (red) 69116 (blue) 69117 (green) 69118 (IR) 69124 (Opaque Filter)	PROTAC RAIL MOUNT 1 PROTAC RAIL MOUNT 2
Remote Switch 	88059	PROTAC RAIL MOUNT 1 PROTAC RAIL MOUNT 2

POLYTAC ACCESSORIES

	Holsters	Red Flip Lens	Green Flip Lens	Blue Flip Lens	Infrared Lens	SL-B26 Battery Kit	USB Cords	CR123A Batteries	SL-B26 Battery Packs	Safety Wands
PolyTac X	85905 85909	85115	85117	85116	74039	22100 - USB 22071 - 120V 22072 - 230V	22070 (40" USB Cord) 22081 (22" USB Cord)	85175 (2 Pack) 85180 (6 Pack) 85177 (12 Pack) 85179 (400 Pack)	—	75902 (Blue) 75903 (Red) 75904 (Yellow) 75908 (White) 75913 (Glow in the Dark)
PolyTac X USB	85905 85909	85115	85117	85116	74039	22100 - USB 22071 - 120V 22072 - 230V	40" USB Cord 22" USB Cord	85175 (2 Pack) 85180 (6 Pack) 85177 (12 Pack) 85179 (400 Pack)	22101 (1 Pack) 22102 (2 Pack)	75902 (Blue) 75903 (Red) 75904 (Yellow) 75908 (White) 75913 (Glow in the Dark)

SEE POLYTAC SERIES P. 49

SIDEWINDER SERIES



SIDEWINDER... THE MOST VERSATILE MILITARY LIGHT IN THE WORLD

APPROVED & ISSUED BY EVERY
BRANCH OF THE US MILITARY

SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7-rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

BATTERY: (2) "AA" alkaline or (2) "AA" lithium for extended operation in extreme temperatures (-40° F to +150°F)
SIZE: 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm)
LITHIUM WEIGHT: 4.38 oz (124 g)
ALKALINE WEIGHT: 5.02 oz (142 g)
COLOR: Coyote

WHITE LED	HIGH
LUMENS:	55
CANDELA:	1,175
DISTANCE:	69m
RUN TIME:	5h 30m

MILITARY MODEL (WHITE, RED, BLUE, IR LEDS)				
PART#	NSN/MCN#	DESCRIPTION	COO	TAA
14000	6230-01-556-0487	INCLUDES ALKALINE – COYOTE – CLAM	US	YES
14027	6230-01-571-8752	INCLUDES ALKALINE – HELMET MOUNT – COYOTE – CLAM	US	YES
14031	–	INCLUDES ALKALINE – E-MOUNT – COYOTE – CLAM	US	YES

AVIATION MODEL (WHITE, GREEN, BLUE, IR LEDS)				
PART#	NSN/MCN#	DESCRIPTION	COO	TAA
14008	–	INCLUDES ALKALINE – COYOTE – CLAM	US	YES
14024	6230-01-572-6216	INCLUDES ALKALINE – HELMET MOUNT – COYOTE – BOX	US	YES



SIDEWINDER® RESCUE

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the “Slide-in-Place” diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two “AA” alkaline batteries or two “AA” lithium batteries for maximum versatility in the field. IPX7 waterproof to 1 meter for 30 minutes.

BATTERY: (2) “AA” alkaline or (2) “AA” lithium for extended operation in extreme temperatures (-40° F to +150°F)
SIZE: 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm)
LITHIUM Weight: 4.38 oz (124 g)
ALKALINE Weight: 5.02 oz (142 g)
COLOR: Coyote




RESCUE MODEL (WHITE, GREEN, BLUE, IR LEDS)				
PART#	NSN/MCN#	DESCRIPTION	COO	TAA
14069	–	KIT INCLUDES MOLLE RETAINER, PARACORD AND ALKALINE BATTERIES – COYOTE – CLAM	US	YES
14067	–	INCLUDES 2 “AA” ALKALINE BATTERIES–LIGHT ONLY – COYOTE – CLAM	US	YES
14065	6230-01-581-2486	KIT INCLUDES MOLLE RETAINER, PARACORD AND 2 “AA” ALKALINE BATTERIES – COYOTE – BOX	US	YES



Cord attachment for paracord lanyard, which provides extra security from loss of light and allows it to be worn around the neck

SIDEWINDER® LIGHT OUTPUT & BATTERY RUN TIME						
	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
WHITE LED	55 Lumens	100 Hrs+	45 Hrs	11 Hrs	5.5 Hrs	10 Hrs
IR	25mW/sr (min) radiant intensity	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
RED	1 Lumens	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
BLUE	1.8 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs
GREEN	4.5 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs
All run time to 10% of initial output level. Illumination output electronically regulated.						



Securely attaches to MOLLE or other straps using MOLLE retainer



Attaches to back of helmet



Aluminum plate provides flat surface to adhere Velcro® for attaching to helmet

SIDEWINDER SERIES

SIDEWINDER COMPACT® II

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Entire body rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7-rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

BATTERY: (1) "CR123A" lithium, or (1) "AA" Alkaline, or (1) "AA" lithium

SIZE: 3" x 1.07" x 2.04" (7.62 x 2.72 x 5.21 cm)

WEIGHT: 2.4 oz (68 g) // 3.3 oz (94 g) w/Helmet Mount

COLOR: Coyote

	HIGH W/CR123 LITHIUM	HIGH W/"AA" LITHIUM	HIGH W/"AA" ALKALINE
LUMENS:	55	47	47
CANDELA:	1,175	1,000	1,000
DISTANCE:	69m	63m	63m
RUN TIME:	6h	6h	2h

The Sidewinder Compact II is designed for versatility. It can operate on a "AA" Lithium, "AA" alkaline or CR123 Lithium battery.



Attaches to side of helmet



NVG Mount - Aviation


Attaches to front of helmet




Attaches to strap



Military Model
White LED
Blue LED
IR/IFF LED
Red LED



Aviation Model
White LED
Blue LED
IR/IFF LED
Green LED



Aviation Model with Diffuser
White LED
Blue LED
IR/IFF LED
Green LED
Diffuser

MILITARY MODEL (WHITE, RED, BLUE, IR LEDS)				
PART#	NSN/MCN#	DESCRIPTION	COO	TAA
14512	—	INCLUDES HELMET MOUNT AND ELASTIC HEADSTRAP – COYOTE – CLAM	US	YES
14513	6230-01-613-4312	INCLUDES E-MOUNT – COYOTE – CLAM	US	YES
14515	—	GREEN, BLUE, IR LEDS WITH NIGHT VISION GOGGLE MOUNT – COYOTE – BOX	US	YES

AVIATION MODEL (WHITE, GREEN, BLUE, IR LEDS)				
PART#	NSN/MCN#	DESCRIPTION	COO	TAA
14531	—	INCLUDES RAIL MOUNT AND ELASTIC HEADSTRAP	US	YES
14533	6230-01-626-6789	INCLUDES NIGHT VISION GOGGLE MOUNT – BOX	US	YES

AVIATION MODEL (WHITE, GREEN, BLUE, IR LEDS WITH DIFFUSER)				
PART#	NSN/MCN#	DESCRIPTION	COO	TAA
14534	—	WHITE LED WITH SLIDEABLE DIFFUSER – MAILER	US	YES

SIDEWINDER COMPACT® II BATTERY RUN TIME					
CR123 LITHIUM/"AA" LITHIUM BATTERY					
	Low 10% Output	Medium 1 25% Output	Medium 2 45% Output	High 100% Output	Strobe 100% Output
WHITE LED	70 Hrs	28 Hrs	16 Hrs	6 Hrs	10 Hrs
IR OR RED	100 Hrs+	72 Hrs	36 Hrs	16 Hrs	24 Hrs
BLUE OR GREEN	100 Hrs+	60 Hrs	24 Hrs	12 Hrs	18 Hrs
"AA" ALKALINE BATTERY					
WHITE LED	40 Hrs	16 Hrs	8 Hrs	2 Hrs	4 Hrs
IR OR RED	100 Hrs+	48 Hrs	18 Hrs	9 Hrs	14 Hrs
BLUE OR GREEN	100 Hrs+	36 Hrs	12 Hrs	6 Hrs	10 Hrs
All run time to 10% of initial output level. Illumination output electronically regulated.					

SIDEWINDER BOOT®

The Sidewinder Boot is the new standard light for boot camp, recruit/basic training and wherever extra military instruction occurs. It's a durable hands-free task light that features a high-impact, super-tough, polymer case that offers exceptional durability and weather resistance. IPX7 waterproof to 1m for 30 minutes and 1M drop tested and includes an integrated red filter that slides into place when needed.



BATTERY: [2] "AA" alkaline batteries & also accepts two "AA" lithium batteries for extended operation in extreme temperatures

SIZE: 1.86" x 0.96" x 4.29" (4.72 x 2.44 x 10.90 cm)

WEIGHT: 3.52oz (100g) with alkaline batteries; 2.88 oz (82g) with lithium batteries

COLOR: Coyote

	HIGH	LOW
LUMENS:	55	7
CANDELA:	1,000	140
DISTANCE:	63m	24m
RUN TIME:	8h	90h

PART#	DESCRIPTION
14975	INCLUDES TWO "AA" ALKALINE BATTERIES – COYOTE – BOX



SIDEWINDER ACCESSORIES

	SIDEWINDER	SIDEWINDER COMPACT II	SIDEWINDER BOOT
Helmet Mount - Coyote 	14055	14055	14055
Rail Mount for Helmet - Coyote 	14057	14057	14057
NSN-8470-01-633-3996			
Night Vision Goggle Mount - Tactical [works with DoD, NATO, & ISAF combat helmets] 	14155	14155	14155
Night Vision Goggle Mount - Aviation [works with HGU-84 rotary wing aircrew helmets] 	14135	14135	14135
NSN-5340-01-641-3916			
Safety Wand - Glow in the dark 	14902	14902	—
Elastic Headstrap 	—	14059	14059
E-Mount [ACH, ECH, MICH, LWH compatible] 	14136	14136	14136
NSN-5340-01-641-3930			
E-Mount Access. Kit [Includes E-Mount, MOLLE Retainer and paracord] 	14137	14137	14137
Paracord 	14138	14138	14138
Sidewinder Rescue Access. Kit [Includes MOLLE Retainer and paracord] 	14139	14139	14139
Helmet Mount Kit-Coyote Helmet Mount, Headstrap, and MOLLE plate 	14112	14112	14112
Rail Mount Kit-Coyote Rail Mount, Headstrap and MOLLE plate 	14113	14113	14113
MOLLE Retainer Replacement	14030	—	—
CR123 Batteries 	2 PK. 85175 6 PK. 85180 12 PK. 85177 400 PK. 85179	2 PK. 85175 6 PK. 85180 12 PK. 85177 400 PK. 85179	—

USB RECHARGEABILITY

THE BATTERY THAT REINVENTS RECHARGEABILITY

TURN YOUR HIGH-PERFORMANCE LIGHTS INTO RECHARGEABLE SYSTEMS.



You know how you make the best performing, brightest lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B26™ Protected Lithium Ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional charge cradle. Flexibility for however and wherever you use your light.

SL-B26™ PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

BATTERY CAPACITY: 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack

BATTERY SIZE: 2.75" x .744" (.7 x 1.89cm)

BATTERY WEIGHT: 1.7 oz (48 g)

CRADLE SIZE: 4.5" (11.4cm)

CRADLE WEIGHT: 2.4 oz (68 g)

Features integrated USB port.
Charge status LEDs:

Red = charging

Green = charged



USB Rechargeable 2600mAh SL-B26
Lithium Ion Battery — Charges in 5 hours.

PART#	DESCRIPTION
22102	SL-B26 BATTERY PACK - 2 PACK
22100	LI-ION CHARGE CRADLE
22010	LI-ION BATTERY PACK KIT - USB CORD, (2) SL-B26 BATTERY PACKS
22011	LI-ION BATTERY PACK KIT - 120V AC, (2) SL-B26 BATTERY PACKS
22070	40" (101 CM) USB CORD
22081	22" (55.88 CM) USB CORD



Charger temperature safety circuit prevents
damage to batteries while charging.

ORGANIZE, STORE AND CHARGE YOUR SL-B26 BATTERIES

EIGHT-UNIT LI-ION BANK CHARGER

Charge up to eight batteries with Streamlight's lithium ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.

BATTERY CAPACITY: 8

SIZE: 10.45" x 4.74" x 1" (26.54 x 12.06 x 2.54cm)

WEIGHT WITH BATTERIES: 7.6 oz (216 g)

WEIGHT WITHOUT BATTERIES: 20.88 oz (592 g)



NFPA Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position

PART#	DESCRIPTION	COO	TAA
20221	8-UNIT BANK CHARGER – 120V AC	US	YES
20220	8-UNIT BANK CHARGER – 12V DC	US	YES
20224	8-UNIT BANK CHARGER W/SL-B26 BATTERY PACKS – 120V AC	US	YES
20223	8-UNIT BANK CHARGER W/SL-B26 BATTERY PACKS – 12V DC	US	YES
44909	120V AC CORD	–	–
44923	12V DC CORD	–	–



120V AC Charge Cord



12V DC Charge Cord

MULTI-FUEL LIGHTING SYSTEMS:

ALSO WORKS WITH:



ProTac®
90 X USB
Pg. 41



ProTac®
HL-X USB
Pg. 42



ProTac®
2L-X USB
Pg. 43



ProTac HL®
5-X USB
Pg. 44



PolyTac® X
USB
Pg. 49



Stinger® 2020
Pg. 50



Siege® X USB
Pg. 60



ProTac®
HL USB
Pg. 42



ProTac®
HPL USB
Pg. 44



ProTac HL® 4
Pg. 45

PROTAC SERIES

OUR TACTICAL LIGHTS JUST GOT MORE VERSATILE INTRODUCING USB MULTI-FUEL OPTIONS

PROTAC® 90

The ProTac 90 is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

BATTERY: (1) 3V "CR123A" lithium or 1"AA" alkaline/lithium

SIZE: 3.78" x 1.05 x .86" (9.6 x 2.67 x 2.18 cm)

WEIGHT W/ CR123A: 2.8 oz (79 grams)

WEIGHT W/AA ALKALIN: 3.1 oz (88 grams)

WEIGHT W/AA LITHIUM: 2.7 oz (77 grams))

COLOR: Black

CR123	HIGH	LOW
LUMENS:	300	40
CANDELA:	5,400	700
DISTANCE:	147m	53m
RUN TIME:	1h 45m	14h

Strobe runs 2.5 hours

AA alkaline/lithium	HIGH	LOW
LUMENS:	125	40
CANDELA:	2,150	10,000
DISTANCE:	93m	53m
RUN TIME:	2h 45m (alk)	8h 15m (alk)
	5h 30m (lith)	15h 15m (lith)

Strobe runs 3.5 hours (alk) & 8 hours (lith)

PART#	DESCRIPTION
88087	INCLUDES ONE CR123A LITHIUM & ONE AA ALKALINE BATTERY & NYLON HOLSTER – CLAM
88088	INCLUDES ONE CR123A LITHIUM & ONE AA ALKALINE BATTERY & NYLON HOLSTER – BOX



[(STROBE)]

Double tap
switch to activate

MULTI-FUEL DESIGN:

Runs on [1] CR123A,
[1] "AA" Alkaline or
[1] "AA" Lithium battery

TEN-TAP® Programmable switch
allows user selection of one of three
different programs:

- high/strobe/low (factory default)
- high only
- low/high



Securely attaches to MOLLE,
turnout gear, harnesses, etc.

PROTAC® 90 X USB / PROTAC® 90 X

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

BATTERY: (1) Streamlight SL-B26 Protected Li-Ion USB Rechargeable Battery Pack or (2) CR123A Lithium

SIZE: 4.39" x 1.14 x .940" (11.1 x 2.9 x 2.4 cm)

WEIGHT W/ SL-B26 USB BATTERY PACK: 4.9 OZ (139 grams)

WEIGHT W/ CR123A: 4.4 oz (125 grams)

COLOR: Black

CR123	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME:	2h 30m	4h	21h

Strobe runs 2.5 hours

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME:	1h 45m	4h 45m	24h

Strobe runs 3.5 hours

PART#	DESCRIPTION
88094	INCLUDES TWO CR123A LITHIUM BATTERIES & NYLON HOLSTER – BOX – BLACK
88095	INCLUDES ONE SL-B26 BATTERY PACK – USB CORD & NYLON HOLSTER – BOX – BLACK



Securely attaches to MOLLE, turnout gear, harnesses, etc.



[(STROBE)]

Double tap
switch to activate



MULTI-FUEL DESIGN:
Runs on (1) SL-B26
battery pack or (2)
CR123A

TEN-TAP® Programmable switch
allows user selection of one of
three different programs:

- high/strobe/low
(factory default)
- high only
- low/medium/high



PROTAC SERIES

PROTAC® HL-X USB // PROTAC® HL-X

HL SERIES HL®

The ProTac HL-X is a 1,000 lumen tactical light that comes in 2 versions. The ProTac HL-X USB is a rechargeable system. It comes with our Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB charging port. The ProTac HL-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable battery is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) 3V "CR123A" lithium

SIZE: 5.43" x 1.44" x 1.0" (13.8 x 3.7 x 2.54 cm)

WEIGHT W/SL-B26: 6.2 oz (176 g)

WEIGHT W/(2) CR123A: 5.7 oz (162 g)

COLOR: Black



[(STROBE)]

Double tap
tailswitch to activate

MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME:	1h 30m	3h 30m	23h

Strobe runs 3.25 hours

CR123	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME:	1h 15m	3h	20h

Strobe runs 2.5 hours

	PART#	DESCRIPTION	COO	TAA
HL-X	95313	INCLUDES TWO CR123A LITHIUM BATTERIES AND NYLON HOLSTER — BOX	US	YES
HL-X	88064	INCLUDES TWO CR123A LITHIUM BATTERIES AND NYLON HOLSTER — CLAM	—	—
HL-X	88065	INCLUDES TWO CR123A LITHIUM BATTERIES AND NYLON HOLSTER — BOX	—	—
HL-X USB	95314	INCLUDES SL-B26 BATTERY PACK, USB CORD & NYLON HOLSTER — BOX	US	YES
HL-X USB	88084	INCLUDES SL-B26 BATTERY PACK, USB CORD & NYLON HOLSTER — CLAM	—	—
HL-X USB	88085	INCLUDES SL-B26 BATTERY PACK, USB CORD & NYLON HOLSTER — BOX	—	—

PROTAC HL® USB

HL SERIES HL®

The ProTac HL USB is incredibly bright and features new multiple power source capability; Streamlight SL-B26™ rechargeable lithium ion battery, two CR123A batteries, or lithium ion batteries. It recharges by connecting to a USB port, so it's easy to charge on the go. The anti-rattle battery compartment keeps batteries securely and quietly in place and doesn't need a battery carrier. TEN-TAP® programming lets you choose the selection of operating modes (high/strobe/low, high only or low/medium/high). IPX4 rated for water resistance.

BATTERY: Lithium-ion, Lithium-ion SL-B26 or (2) 3V "CR123A" lithium

SIZE: 6.5" x 1.23" x 1.07"(16.5 x 3.1 x 2.7 cm)

WEIGHT: 7.2 oz (204 g) with Lithium Ion battery

COLOR: Black

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



Recharge by plugging into USB port or optional AC wall adapter

CR123	HIGH	MEDIUM	LOW
LUMENS:	1,000	380	65
CANDELA:	12,000	4,420	700
DISTANCE:	219m	133m	53m
RUN TIME:	1h 30m	3.5h	23h

Strobe runs 1.5 hours

PART#	DESCRIPTION
88052	INCLUDES USB CORD AND HOLSTER — BLACK
88054	INCLUDES 120V/DC AND HOLSTER — BLACK

[(STROBE)]

Double tap
tailswitch to activate

MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A batteries

PROTAC® 2L-X USB // PROTAC® 2L-X

The ProTac 2L-X is a 500 lumen EDC light that comes in 2 versions. The ProTac 2L-X USB is a rechargeable system. It comes with our Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB charging port. The ProTac 2L-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable battery is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) 3V "CR123A" lithium

SIZE: 5.14" x 1.06" x .94" (13.0 x 2.7 x 2.4 cm)

WEIGHT W/SL-B26: 4.4 oz (125 g)

WEIGHT W/(2) CR123A: 3.9 oz (111 g)

COLOR: Black

SL-B26	HIGH	Low
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME:	3h 15m	30h

Strobe runs 4.5 hours

CR123	HIGH	LOW
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME:	2h 45m	30h

Strobe runs 3.25 hours



[(STROBE)]

Double tap
tailswitch to activate

MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

	PART#	DESCRIPTION
2L-X	88062	INCLUDES TWO CR123A LITHIUM BATTERIES AND NYLON HOLSTER — CLAM
2L-X	88063	INCLUDES TWO CR123A LITHIUM BATTERIES AND NYLON HOLSTER — BOX
2L-X USB	88082	INCLUDES SL-B26 BATTERY PACK, USB CORD & NYLON HOLSTER — CLAM
2L-X USB	88083	INCLUDES SL-B26 BATTERY PACK, USB CORD & NYLON HOLSTER — BOX

PROTAC HL® HL SERIES HL®

One of the brightest tactical personal carry lights of its size, with a far-reaching beam. TEN-TAP® Programming lets you choose the order of operating modes (high, strobe, low). IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested.

BATTERY: (2) 3V "CR123A" lithium

SIZE: 5.4" x 1.375" x 1.0" (13.72 x 3.49 x 2.54 cm)

WEIGHT: 5.6 oz (158 g)

COLOR: Black

	HIGH	LOW
LUMENS:	750	35
CANDELA:	18,300	900
DISTANCE:	270m	60m
RUN TIME:	1h 15m	18h

Strobe runs 2.5 hours



[(STROBE)]

Double tap
tailswitch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/med/high

PART#	NSN/MCN#	DESCRIPTION
88040	6230-01-626-6796	INCLUDES LITHIUM BATTERIES AND HOLSTER — BLACK

PROTAC SERIES

PROTAC® HPL USB

HPL SERIES

The ProTac HPL® USB is a versatile tactical light designed for down range applications, that can charge from multiple sources and uses three battery types; Streamlight rechargeable lithium ion battery, two CR123A batteries, or Streamlight SL-B26 rechargeable lithium ion battery. This light will charge from a laptop or most USB wall chargers. Multi-battery versatility means you can always use disposable cells to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. TEN-TAP® Programming lets you choose the selection of operating modes (high, strobe, low). IPX4 rated for water resistance.

BATTERY: Lithium-ion, Lithium-ion SL-B26 or (2) 3V "CR123A" lithium

SIZE: 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm)

WEIGHT: 9.24 oz (262 g) with Li-On battery

COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	35,000	14,100	2,250
DISTANCE:	374m	237m	95m
RUN TIME:	1h 30m	3h	20h

Strobe runs 3 hours



[(STROBE)]

Double tap
tailswitch to activate

MULTI-FUEL DESIGN:
Runs on (2) SL-B26 Battery
Packs or (2) CR123A batteries



Recharge by plugging into
USB port or optional AC wall
adapter

TEN-TAP® Programmable switch
allows user selection of one of three
different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

PROTAC HL® 5-X USB // PROTAC HL® 5-X

HL SERIES HL®

The ProTac HL 5-X is a 3,500 lumen tactical light that comes in 2 versions. The ProTac HL 5-X USB is a rechargeable system. It comes with our two Streamlight SL-B26™ protected Li-Ion USB rechargeable battery packs. The ProTac HL 5-X comes with four CR123A batteries. Multi-battery versatility means the user can always use disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. This is the brightest addition to the ProTac® series. The output from the LED results in one of the brightest tactical lights available. The "sure grip rubber sleeve" ensures you'll never lose your grip. IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested.

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery pack or (4) 3V "CR123A" lithium

SIZE: 9.53" x 2.35" x 1.24" (23.65 x 5.97 x 3.15 cm)

WEIGHT W/(2) SL-B26: 1 lb 3.4 oz (550 g)

WEIGHT W/(4) CR123A: 1 lb 2.4 oz (522 g)

COLOR: Black

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	3,500	1,000	250
CANDELA:	51,000	14,100	3,620
DISTANCE:	452m	237m	120m
RUN TIME:	1h 15m	3h	11h 30m

Strobe runs 1.25 hours

CR123	HIGH	MEDIUM	LOW
LUMENS:	2,500	1,000	250
CANDELA:	37,000	14,100	3,620
DISTANCE:	385m	237m	120m
RUN TIME:	1h 30m	2h 30m	10h 30m

Strobe runs 1.5 hours



[(STROBE)]

Double tap
tailswitch to activate

MULTI-FUEL DESIGN:
Runs on (2) SL-B26 Battery
Packs or (4) CR123A batteries

TEN-TAP® programmable switch
allows user selection of one of
three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

	PART#	DESCRIPTION
HL 5-X	88074	INCLUDES FOUR CR123A BATTERIES AND WRIST LANYARD — CLAM
HL 5-X	88075	INCLUDES FOUR CR123A BATTERIES AND WRIST LANYARD — BOX
HL 5-X USB	88080	INCLUDES TWO SL-B26 BATTERY PACKS, USB CORD & AND WRIST LANYARD — CLAM
HL 5-X USB	88081	INCLUDES TWO SL-B26 BATTERY PACKS, USB CORD & WRIST LANYARD — BOX

PROTAC HL® 4 HL SERIES HL®

The ProTac HL® 4 features 2,200 lumens of blinding light. It offers the latest in power LED technology and three different user selectable programs. The output from the white LED results in one of the brightest tactical lights available. The “sure grip rubber sleeve” and included lanyard ensures you’ll never lose your grip. IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested.

BATTERY: (4) 3V “CR123A” lithium or (2) SL-B26 Li-Ion USB rechargeable battery pack

SIZE: 8.63" x 2.35" x 1.24" (21.92 x 5.97 x 3.15 cm)

WEIGHT: 17 oz (482 g)

COLOR: Black

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	2,200	600	60
CANDELA:	30,000	8,300	800
DISTANCE:	346m	182m	56m
RUN TIME:	1h 45m	4h 15m	43h

Strobe runs 3.5 hours

CR123	HIGH	MEDIUM	LOW
LUMENS:	2,200	600	60
CANDELA:	30,000	8,300	800
DISTANCE:	346m	182m	56m
RUN TIME:	1h 30m	4h	40h

Strobe runs 2.5 hours

PART#	DESCRIPTION
88060	INCLUDES LITHIUM BATTERIES AND WRIST LANYARD — BLACK



[(STROBE)]

Double tap
tailswitch to activate

DUAL FUEL DESIGN:
Runs on (4) CR123 or
(2) SL-B26 battery packs

TEN-TAP® Programmable switch
allows user selection of one of
three different programs:

- high/strobe/low (factory default)
- high only
- low/med/high

PROTAC HL® 3 HL SERIES HL®

Put 1,100 lumens in the palm of your hands with a wide beam pattern that illuminates an entire area. TEN-TAP® Programming lets you choose the order of operating modes (high, low, strobe). IPX7-rated waterproof to 1 meter for 30 minutes. 1 meter impact-resistance tested.

BATTERY: (3) 3V “CR123A” lithium

SIZE: 7.1" x 1.73" x 1.0" (18.03 x 4.39 x 2.54 cm)

WEIGHT: 9.3 oz (263 g)

COLOR: Black

	HIGH	LOW
LUMENS:	1,100	35
CANDELA:	36,000	1,200
DISTANCE:	379m	69m
RUN TIME:	2h	43h

Strobe runs 2 hours

PART#	DESCRIPTION
88047	INCLUDES LITHIUM BATTERIES AND HOLSTER — BLACK



[(STROBE)]

Double tap
tailswitch to activate

TEN-TAP® Programmable switch
allows user selection of one of three
different programs:

- high/strobe/low (factory default)
- high only
- low/high

PROTAC SERIES

PROTAC® 1L // PROTAC® 2L

They're both compact and lightweight, yet powerful and bright, with long run times and important features. TEN-TAP® Programming for user selection of operating modes. IPX7- waterproof to 1m for 30 minutes. 2m impact resistance tested. They conveniently fit in your pocket making them easy to carry so you'll always have light when you need it.

PROTAC 1L

BATTERY: 1 CR123A lithium

SIZE: 3.43"(8.71 cm)

WEIGHT: 2.0 oz (57 g)

COLOR: Black

PROTAC 2L

BATTERY: 2 CR123A lithium

SIZE: 4.77"(12.12 cm)

WEIGHT: 2.8 oz (79 g)

COLOR: Black



TEN-TAP®

Programmable - choose from three programs:

- high/strobe/low
- high only
- low/high

[(STROBE)]

Double tap tailswitch to activate

PROTAC 1L	HIGH	LOW
LUMENS:	275	22
CANDELA:	5,100	420
DISTANCE:	143m	41m
RUN TIME:	2h	24h

Strobe runs 3.5 hours

PROTAC 2L	HIGH	LOW
LUMENS:	350	30
CANDELA:	6,300	600
DISTANCE:	159m	49m
RUN TIME:	3h 15m	35h

Strobe runs 6 hours

PART#	DESCRIPTION
88030	PROTAC 1L - INCLUDES ONE CR123A LITHIUM BATTERY AND HOLSTER - CLAM
88031	PROTAC 2L - INCLUDES TWO CR123A LITHIUM BATTERIES AND HOLSTER - CLAM

PROTAC® 1L-1AA

The ProTac® 1L-1AA is a perfect everyday carry light. This dual fuel ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7-rated waterproof to 1 meter/30 minutes. 1 meter impact-resistance tested.

BATTERY: (1) 3V "CR123A" lithium or 1"AA" alkaline/lithium

SIZE: 4.25" x .95" x .850" (10.8 x 2.41 x 2.16 cm)

WEIGHT: CR123 2.5 oz (71 g), 2.8 oz (79 g) Alkaline, 2.4 oz (68 g) Lithium

COLOR: Black



[(STROBE)]

Double tap tailswitch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

DUAL FUEL DESIGN:

Runs on "AAA" lithium or alkaline batteries

PART#	DESCRIPTION
88061	INCLUDES ONE ALKALINE & LITHIUM BATTERIES AND HOLSTER — BLACK
88073	INCLUDES ONE ALKALINE & LITHIUM BATTERIES AND HOLSTER — COYOTE

CR123	HIGH	LOW
LUMENS:	350	40
CANDELA:	6,400	720
DISTANCE:	160m	53m
RUN TIME:	1h 30m	14h

Strobe runs 3 hours

AA alkaline/lithium	HIGH	LOW
LUMENS:	150	40
CANDELA:	2,750	720
DISTANCE:	105m	53m
RUN TIME:	1h 20m (alk)	7h 30m (alk)
	4h 15m (lith)	14h (lith)

Strobe runs 3.5 hours (alk) & 8 hours (lith)



PROTAC® 2AA

Small enough to carry in a pocket, lightweight, yet extremely bright. TEN-TAP® Programming for user selection of mode programs (high, low, strobe). IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

BATTERY: (2) "AA" alkaline

SIZE: 6.14" x .9" x .65" (15.60 x 2.29 x 1.65 cm)

WEIGHT: 3.4 oz (96 g)

COLOR: Black



TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

	HIGH	LOW
LUMENS:	250	18
CANDELA:	4,250	400
DISTANCE:	130m	40m
RUN TIME:	2h	43h

Strobe runs 4 hours

PART#	DESCRIPTION
88033	INCLUDES TWO ALKALINE BATTERIES AND HOLSTER — BLACK
88072	INCLUDES ONE CR123 BATTERY AND HOLSTER — COYOTE



PROTAC® 1AAA

Compact and powerful, this ProTac® series flashlight offers three different user selectable programs and the latest in power LED technology. The combination of small size and output from the white LED result in one of the brightest tactical personal carry lights for its size. Packaged with a removable pocket clip and holster.

BATTERY: (1) "AAA" alkaline or lithium

SIZE: 3.94" x .71" x .57" (10.0 x 1.80 x 1.44 cm)

WEIGHT: 1.3 oz (37 g)

COLOR: Black

AA alkaline/lithium	HIGH	LOW
LUMENS:	115	8
CANDELA:	890	65
DISTANCE:	60m	16m
RUN TIME:	1h 45m (alk)	17h (alk)
	2h 15m (lith)	23h (lith)

Strobe runs 1.5 hours [alk] & 3.75 hours [lith]

PART#	DESCRIPTION
88049	INCLUDES ONE ALKALINE BATTERY AND HOLSTER — BLACK



TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

DUAL FUEL DESIGN:
Runs on "AAA" lithium or alkaline batteries

PROTAC SERIES

PROTAC® 2AAA

Lightweight personal flashlight with three modes (high, low, and strobe), a removable pocket clip and a 13-hour run time on low. IPX7 waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life.

BATTERY: (2) "AAA" alkaline

SIZE: 5.62" x .72" x .5" (14.27 x 1.83 x 1.27 cm)

WEIGHT: 2.0 oz (57 g)

COLOR: Black



	HIGH	LOW
LUMENS:	130	20
CANDELA:	1,230	230
DISTANCE:	70m	30m
RUN TIME:	1h 45m	13h


Strobe runs 5 hours

PART#	DESCRIPTION
88039	INCLUDES TWO ALKALINE BATTERIES AND HOLSTER — BLACK

PROTAC ACCESSORIES

	PART #	GOES WITH
Li-ion Battery (Strion) 	74175	PROTAC HL USB, PROTAC HPL USB
CR123A Lithium Batteries 2pk/6pk/12pk/400pk 	85175 85177 85179 85180	PROTAC 1L-1AA, PROTAC 1L, PROTAC 2L, PROTAC 2L-X/ 2L-X USB, PROTAC HL, PROTAC HL-X/HL-X USB, PROTAC HL USB, PROTAC HPL USB, PROTAC HL 3, PROTAC HL 4, PROTAC HL 5-X/ 5-X USB, PROTAC 90
SL-B26 Li-Ion USB Battery Pack Charge Cradle (batteries & cord sold separately) 	22100 22010 22011	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X/HL-X USB, PROTAC 2L-X/2L-X USB, PROTAC HL 4, PROTAC HL 5-X/5-X USB, PROTAC 90 X USB
8-Unit Li-ion Bank Charger - 12V DC 	20220	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X/HL-X USB, PROTAC 2L-X/2L-X USB, PROTAC HL 4, PROTAC HL 5-X/5-X USB, PROTAC 90 X USB
SL-B26 Battery Packs - 1pk/2pk 	22101 22102	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X/HL-X USB, PROTAC 2L-X/2L-X USB, PROTAC HL 4, PROTAC HL 5-X/5-X USB, PROTAC 90 X USB
120V AC USB Charge Cord 	22071	PROTAC HL USB, PROTAC HPL USB
40" (101.6 cm) USB Cord 22" (55.88CM) USB Cord 	22070 22081	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X/HL-X USB, PROTAC 2L-X/2L-X USB, PROTAC HL 4, PROTAC HL 5-X/5-X USB, PROTAC 90 X USB
Nylon Holster 	88037 88035 88036	PROTAC 1L-1AA, PROTAC 1L, PROTAC 2L
Nylon Holster 	88038 88045 88043 88048	PROTAC 2AA, PROTAC 2AAA, PROTAC HL, PROTAC HL 3

POLYTAC SERIES



SEE POLYTAC ACCESSORIES P. 33

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) 3V "CR123A" lithium
SIZE: 5.46" x 1.35" x 1" (13.87 x 3.43 x 2.54 cm)
WEIGHT W/SL-B26: 4.9 OZ (139 G)
WEIGHT W/(2)CR123A: 4.4 OZ (125 G)
COLOR: Black, Yellow or Coyote

POLYTAC® X USB // POLYTAC® X

The PolyTac® X is a 600 lumen tactical light that comes in 2 versions. The PolyTac X USB is a rechargeable system. It comes with our SL-B26 USB battery with integrated USB charging port. The PolyTac X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable batteries to power the light if the rechargeable battery is out of power and a charging source is not available. The PolyTac X is a bright and compact personal polymer light. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® Programming lets you choose the order of operating modes. IPX7-rated waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life.



SL-B26	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME:	3h 30m	5h 45m	36h

Strobe runs 8 hours

CR123	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME:	2h 45m	5h 30m	34h

Strobe runs 5.5 hours

[(STROBE)]

Double tap
tailswitch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A

NFPA

Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

	PART#	DESCRIPTION	COO	TAA
POLYTAC X USB	88610	INCLUDES SL-B26 BATTERY PACK & USB CORD — BLACK — CLAM	US	YES
POLYTAC X USB	88613	INCLUDES SL-B26 BATTERY PACK & USB CORD — BLACK — BOX	US	YES
POLYTAC X USB	88611	INCLUDES SL-B26 BATTERY PACK & USB CORD — YELLOW — CLAM	US	YES
POLYTAC X USB	88614	INCLUDES SL-B26 BATTERY PACK & USB CORD — YELLOW — BOX	US	YES
POLYTAC X USB	88612	INCLUDES SL-B26 BATTERY PACK & USB CORD — COYOTE — CLAM	US	YES
POLYTAC X USB	88615	INCLUDES SL-B26 BATTERY PACK & USB CORD — COYOTE — BOX	US	YES
POLYTAC X	88600	INCLUDES TWO CR123A LITHIUM BATTERIES — BLACK — CLAM	US	YES
POLYTAC X	88603	INCLUDES TWO CR123A LITHIUM BATTERIES — BLACK — BOX	US	YES
POLYTAC X	88601	INCLUDES TWO CR123A LITHIUM BATTERIES — YELLOW — CLAM	US	YES
POLYTAC X	88604	INCLUDES TWO CR123A LITHIUM BATTERIES — YELLOW — BOX	US	YES
POLYTAC X	88602	INCLUDES TWO CR123A LITHIUM BATTERIES — COYOTE — CLAM	US	YES
POLYTAC X	88605	INCLUDES TWO CR123A LITHIUM BATTERIES — COYOTE — BOX	US	YES

STINGER SERIES

TRUSTED BY ALL, EQUALED BY NONE

STINGER® 2020 — SEARCH, DETECT, DEFEND

SEE STINGER ACCESSORIES P. 57

STINGER® 2020

The next evolution in high-performance flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. A long-lasting SL-B26™ USB rechargeable battery pack offers multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. IPX7 waterproof to 1m submersion, corrosion-resistant sealed glass lens.

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs

SIZE: 7.67" x 1.62" (19.48 x 4.11 cm)

WEIGHT: 12.3 oz (350 g)

COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h

Strobe runs 3.25 hours

PART#	DESCRIPTION	COO	TAA
78100	LIGHT ONLY — BLACK	US	YES
78101	INCLUDES 120V AC/12V DC — 1 HOLDER — BLACK	US	YES
78102	INCLUDES 230V AC/12V DC — 1 HOLDER — BLACK	US	YES
78103	INCLUDES 240V AC/12V DC — 1 HOLDER — BLACK	US	YES
78104	INCLUDES 12V DC — 1 HOLDER — BLACK	US	YES



[(STROBE)]
Double tap
switch to activate



Uses two SL-B26™ protected Li-Ion
USB rechargeable battery packs



Mode switch for easy selection
of High, Medium or Low



Independently functioning
head-mounted and tail switches

STINGER® LED // STINGER DS® LED **TRADITION SERIES**

The Stinger® LED and Stinger DS® LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tailcap and head switch.

STINGER LED

BATTERY: 3-cell, 3.6V NiMH

SIZE: 8.41" x 1.62" x 1.17"
(21.36 x 4.11 x 2.97 cm)

WEIGHT: 12.4 oz (352 g)

COLOR: Black

STINGER DS LED

BATTERY: 3-cell, 3.6V NiMH

DS SIZE: 8.85" x 1.62" x 1.17"
(22.48 x 4.11 x 2.97 cm)

DS WEIGHT: 12.8 oz (364 g)

COLOR: Black



[(STROBE)]

Double tap
switch to activate



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES

	HIGH	MEDIUM	LOW
LUMENS:	425	200	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	322m	219m	155m
RUN TIME:	3h	5h 30m	10h

Strobe runs 7.5 hours

	PART#	DESCRIPTION	COO	TAA
STINGER LED	95303	INCLUDES 12V DC — BLACK	US	YES
STINGER LED	95304	INCLUDES 120V AC/12V DC — BLACK	US	YES
STINGER LED	75713	INCLUDES 120V AC/12V DC — SMART CHARGE — 2 HOLDERS — BLACK	—	—
STINGER LED	75711	INCLUDES 120V AC — SMART CHARGE — BLACK	—	—
STINGER LED	75712	INCLUDES 12V DC — SMART CHARGE — BLACK	—	—
STINGER LED	75732	INCLUDES 120V/100V AC/12V DC — PIGGYBACK SMART CHARGE — BLACK	—	—
STINGER LED	75710	WITHOUT CHARGER — BLACK	—	—
STINGER LED	95307	INCLUDES 230V AC/12V DC — BLACK	US	YES
STINGER LED	75962	INCLUDES 230V AC/12V DC — 2 HOLDERS — BLACK	—	—
STINGER DS LED	95305	INCLUDES 12V DC — BLACK	US	YES
STINGER DS LED	95306	INCLUDES 120V AC/12V DC — BLACK	US	YES
STINGER DS LED	75813	INCLUDES 120V AC/12V DC — SMART CHARGE — 2 HOLDERS — BLACK	—	—
STINGER DS LED	75866	INCLUDES 120V AC/12V DC — SMART CHARGE — 1 HOLDER — BLACK — CLAM	—	—
STINGER DS LED	75811	INCLUDES 120V AC — SMART CHARGE — BLACK	—	—
STINGER DS LED	75812	INCLUDES 12V DC — SMART CHARGE — BLACK	—	—
STINGER DS LED	75832	INCLUDES 120V/100V AC/12V DC 120V/100V AC/12V DC — SMART CHARGE PIGGYBACK — BLACK	—	—
STINGER DS LED	75810	WITHOUT CHARGER — BLACK	—	—
STINGER DS LED	75972	INCLUDES 230V AC/12V DC — BLACK	—	—

STINGER SERIES



**FAR REACHING BEAM +
1,100 LUMENS...
THERE'S A REASON IT'S CALLED THE
ULTRASTINGER LED**

STINGER LED HL® // STINGER DS LED HL® HL SERIES HL®

Everything you love about the Stinger® with more lumens for more brightness and a wider beam that lights up a whole area from side to side. Now you'll see the dangers that may be hiding in corners in rooms, tunnels, alleyways, cars, and more.

STINGER LED HL

BATTERY: NiMH Rechargeable

SIZE: 8.41" x 1.62" x 1.17" (21.36 x 4.11 x 2.97 cm)

WEIGHT: 12.4 oz (352 g)

COLOR: Black

STINGER DS LED HL

BATTERY: NiMH Rechargeable

SIZE: 8.85" x 1.62" x 1.17" (22.48 x 4.11 x 2.97 cm)

WEIGHT: 12.8 oz (364 g)

COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1h 30m	2h 30m	5h

Strobe runs 3 hours



[(STROBE)]
Double tap
switch to activate



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES

	PART#	DESCRIPTION	COO	TAA
STINGER LED HL	95301	LIGHT ONLY — BLACK	US	YES
STINGER LED HL	75430	INCLUDES 120V AC/12V DC — SMART CHARGE (NIMH) — 2 HOLDERS — BLACK	—	—
STINGER LED HL	75431	INCLUDES 120V AC — SMART CHARGE (NIMH) — BLACK	—	—
STINGER LED HL	75432	INCLUDES 12V DC — (NIMH) — BLACK	—	—
STINGER LED HL	75434	INCLUDES 120V AC/12V DC — SMART CHARGE PIGGYBACK (NIMH) — BLACK	—	—
STINGER LED HL	75429	WITHOUT CHARGER (NIMH) — BLACK	—	—
STINGER LED HL	75440	INCLUDES 230V AC/12V DC — 2 HOLDERS (NIMH) — BLACK	—	—
STINGER LED HL	75442	INCLUDES 230V AC (NIMH) — BLACK	—	—
STINGER DS LED HL	95302	INCLUDES 120V AC/12V DC — 2 HOLDERS — BLACK	US	YES
STINGER DS LED HL	75454	INCLUDES 120V AC/12V DC — SMART CHARGE (NIMH) — 2 HOLDERS — BLACK	—	—
STINGER DS LED HL	75455	INCLUDES 120V AC — SMART CHARGE (NIMH) — BLACK	—	—
STINGER DS LED HL	75456	INCLUDES 12V DC — SMART CHARGE (NIMH) — BLACK	—	—
STINGER DS LED HL	75458	INCLUDES 120V AC/12V DC — SMART CHARGE PIGGYBACK (NIMH) — BLACK	—	—
STINGER DS LED HL	75453	WITHOUT CHARGER (NIMH) — BLACK	—	—
STINGER DS LED HL	75464	INCLUDES 230V AC/12V DC — 2 HOLDERS (NIMH) — BLACK	—	—
STINGER DS LED HL	75466	INCLUDES 230V AC (NIMH) — BLACK	—	—

STINGER® HPL // STINGER DS® HPL HPL SERIES

The Stinger® HPL has combined two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and deep into the horizon. Its long distance beam reaches 438 meters and the 800 lumen beam provides side to side visibility to fill in up-close areas and corners.

STINGER HPL

BATTERY: NiMH Rechargeable

SIZE: 9.23" x 2.20" x 1.17" (23.44 x 5.59 x 2.97 cm)

WEIGHT: 13.6 oz (385 g)

COLOR: Black

STINGER DS HPL

BATTERY: NiMH Rechargeable

DS SIZE: 9.65" x 2.20" x 1.17" (24.51 x 5.59 x 2.97 cm)

DS WEIGHT: 14.0 oz (396 g)

COLOR: Black



[(STROBE)]
Double tap
switch to activate



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	48,000	24,000	12,000
DISTANCE:	438m	310m	219m
RUN TIME:	1h 30m	2h 30m	5h

Strobe runs 3 hours

	PART#	DESCRIPTION
STINGER HPL	75763	INCLUDES 120V AC/12V DC — SMART CHARGE (NIMH) — BLACK
STINGER HPL	75761	INCLUDES 120V AC — SMART CHARGE (NIMH) — BLACK
STINGER HPL	75799	INCLUDES 12V DC — (NIMH) — BLACK
STINGER HPL	75782	INCLUDES 120V AC/12V DC — SMART CHARGE PIGGYBACK (NIMH) — BLACK
STINGER HPL	75980	WITHOUT CHARGER (NIMH) — BLACK
STINGER HPL	75982	INCLUDES 230V AC/12V DC (NIMH) — BLACK
STINGER HPL	75981	INCLUDES 230V AC (NIMH) — BLACK
STINGER DS HPL	75863	INCLUDES 120V AC/12V DC — SMART CHARGE (NIMH) — BLACK
STINGER DS HPL	75861	INCLUDES 120V AC — SMART CHARGE (NIMH) — BLACK
STINGER DS HPL	75899	INCLUDES 12V DC — SMART CHARGE (NIMH) — BLACK
STINGER DS HPL	75882	INCLUDES 120V AC/12V DC — SMART CHARGE PIGGYBACK (NIMH) — BLACK
STINGER DS HPL	75900	WITHOUT CHARGER (NIMH) — BLACK
STINGER DS HPL	75918	INCLUDES 230V AC/12V DC SC (NIMH) — BLACK
STINGER DS HPL	75916	INCLUDES 230V AC (NIMH) — BLACK

ULTRASTINGER® LED

The UltraStinger® LED delivers a piercing 1,100 lumens, but that's not all... it also has a far-reaching beam, TEN-TAP® programming for its multiple intensities and strobe; plus we added a rubber sleeve for a better grip. It's IPX4 rated for water resistance and it works with existing Stinger® chargers and accessories.

ULTRASTINGER LED

BATTERY: NiMH Rechargeable

SIZE: 11.82" x 2.37" x 1.19"
(30 x 6.01 x 3 cm)

WEIGHT: 19.9 oz (564 g)

COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	1,100	350	90
CANDELA:	65,000	21,000	5,000
DISTANCE:	510m	290m	141m
RUN TIME:	1h 30m	4h 30m	16h

Strobe runs 3 hours 15m

PART#	DESCRIPTION
77553	INCLUDES 120V AC/12V DC — SMART CHARGE (NIMH) — BLACK
77551	INCLUDES 120V AC — SMART CHARGE (NIMH) — BLACK
77555	INCLUDES 12V DC — SMART CHARGE — (NIMH) — BLACK
77550	WITHOUT CHARGER (NIMH) — BLACK
77559	INCLUDES 230V AC/12V DC (NIMH) — BLACK
77557	INCLUDES 230V AC (NIMH) — BLACK



[(STROBE)]
Double tap
switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION SERIES

THE STRION SERIES

SMALL FORM FACTOR BIG PERFORMANCE

STRION® LED // STRION DS®

TRADITION SERIES

The Strion LED/Strion DS are compact, rechargeable professional lights designed for the broadest range of lighting needs at the best value. They provide a bright, far-reaching beam and ample peripheral light, as well as long run times. IPX4-rated for water-resistance. The Strion LED features an anti-roll ring and the Strion DS features Dual Switch Technology.

STRION LED

BATTERY: Lithium-ion 3.75V

SIZE: 5.9" x 1.25" x .95" (14.99 x 3.18 x 2.41 cm)

WEIGHT: 5.2 oz (148 g)

COLOR: Black

STRION DS

BATTERY: Lithium-ion 3.75V

SIZE: 6.4" x 1.25" x .95" (16.26 x 3.18 x 2.41 cm)

WEIGHT: 5.4 oz (153 g)

COLOR: Black



[(STROBE)]

Double tap
switch to activate

STRION LED	HIGH	MEDIUM	LOW
LUMENS:	375	175	80
CANDELA:	12,000	6,500	3,200
DISTANCE:	219m	161m	113m
RUN TIME:	2h 30m	4h 45m	9h 30m

Strobe runs 6.5 hours

STRION DS	HIGH	MEDIUM	LOW
LUMENS:	375	150	40
CANDELA:	12,000	5,000	1,300
DISTANCE:	219m	141m	72m
RUN TIME:	2h 30m	6h 15m	24h

Strobe runs 5 hours



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES

STRION LED	STRION DS PART#	DESCRIPTION
74300	74410	WITHOUT CHARGER — BLACK
74301	74411	INCLUDES 120V/100V AC/12V DC — 1 HOLDER — BLACK
74302	74412	INCLUDES 120V/100V AC/12V DC — 2 HOLDERS — BLACK
74303	74413	INCLUDES 120V/100V AC — BLACK
74304	74414	INCLUDES 12V DC — BLACK
74308	74421	INCLUDES 120V/100V AC/12V DC — 1 HOLDER — BLACK — CLAM
74309	74420	INCLUDES GRIP RING — 120V/100V AC — BLACK
74353	74419	INCLUDES 120V/100V AC/12V DC — PIGGYBACK — BLACK
74312	74416	INCLUDES 230V AC/12V DC — 2 HOLDERS — BLACK
74311	74415	INCLUDES 230V AC/12V DC — 1 HOLDER — BLACK
74313	74417	INCLUDES 230V AC — BLACK

TEN-TAP® programmable switch
allows user selection of one of
three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION LED HL® // STRION DS HL® HL SERIES HL®

Get extraordinary brightness in a wide beam pattern with the Strion LED HL/Strion DS HL. This rechargeable, high lumen professional flashlight provides maximum illumination for searching a large area. The Strion DS features Dual Switch Technology.

STRION LED HL

BATTERY: Lithium-ion 3.75V

SIZE: 5.90" x 1.25" x .95" (14.99 x 3.18 x 2.41 cm)

WEIGHT: 5.2 oz (148 g)

COLOR: Black

STRION DS HL

BATTERY: Lithium-ion 3.75V

SIZE: 6.33" x 1.25" x .95" (16.08 x 3.18 x 2.41 cm)

WEIGHT: 5.4 oz (153 g)

COLOR: Black



[(STROBE)]
Double tap
switch to activate



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES

STRION LED HL	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	12,000	6,000	3,000
DISTANCE:	219m	155m	110m
RUN TIME:	1h 15m	2h 30m	4h 30m

Strobe runs 3 hours

STRION DS HL	HIGH	MEDIUM	LOW
LUMENS:	700	300	40
CANDELA:	12,000	5,000	800
DISTANCE:	219m	141m	57m
RUN TIME:	1h 15m	3h 30m	24h

Strobe runs 2.5 hours

TEN-TAP® programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

STRION LED HL	STRION DS HL PART#	DESCRIPTION
74750	74610	WITHOUT CHARGER — BLACK
74751	74611	INCLUDES 120V/100V AC/12V DC — 1 HOLDER — BLACK
74752	74612	INCLUDES 120V/100V AC/12V DC — 2 HOLDERS — BLACK
74753	74613	INCLUDES 120V/100V AC — BLACK
74754	74614	INCLUDES 12V DC — BLACK
74755	74621	INCLUDES 120V/100V AC/12V DC — 1 HOLDER — BLACK — CLAM
74509	74620	INCLUDES GRIP RING — 120V/100V AC — BLACK
74778	74619	INCLUDES 120V/100V AC/12V DC — PIGGYBACK — BLACK
74761	74616	INCLUDES 230V AC/12V DC — 2 HOLDERS — BLACK
74760	74615	INCLUDES 230V AC/12V DC — 1 HOLDER — BLACK
74762	74617	INCLUDES 230V AC — BLACK

STRION SERIES

STRION® HPL // STRION DS® HPL HPL SERIES

Lightweight and ultra-compact, yet extremely powerful. It throws its long beam far out in the distance while casting plenty of peripheral light along the way. Features three intensities plus strobe. Rechargeable battery and powerful illumination result in one of the lowest operating costs of any flashlight. Easy, one-handed operation with multi-function push-button tailswitch.

STRION HPL

BATTERY: Lithium-ion
Rechargeable

SIZE: 7.00" x 2.2" x .95"
(17.78 x 5.59 x 2.41 cm)

WEIGHT: 7.1 oz (202 g)

COLOR: Black

STRION DS HPL

BATTERY: Lithium-ion
Rechargeable

SIZE: 7.56" x 2.2" x .95"
(19.2 x 5.59 x 2.41 cm)

WEIGHT: 6.9 oz (196 g)

COLOR: Black

[(STROBE)]

Double tap
switch to activate



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES



TEN-TAP® programmable switch
allows user selection of one of
three different programs:

- High/medium/low with strobe
(factory default)
- High only without strobe
- High/medium/low without strobe

STRION HPL	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	40,000	20,000	10,000
DISTANCE:	400m	283m	200m
RUN TIME:	1h 15m	2h 30m	4h 30m

Strobe runs 3 hours

STRION DS HPL	HIGH	MEDIUM	LOW
LUMENS:	700	300	40
CANDELA:	44,000	18,000	2,600
DISTANCE:	420m	268m	102m
RUN TIME:	1h 15m	3h 30m	24h

Strobe runs 2.5 hours

STRION HPL	STRION DS HPL PART#	DESCRIPTION
74500	74810	WITHOUT CHARGER — BLACK
74501	74811	INCLUDES 120V/100V AC/12V DC — 1 HOLDER — BLACK
74502	74812	INCLUDES 120V/100V AC/12V DC — 2 HOLDERS — BLACK
74503	74813	INCLUDES 120V/100V AC — BLACK
74504	74814	INCLUDES 12V DC — BLACK
74536	74819	INCLUDES 120V/100V AC/12V DC — PIGGYBACK — BLACK
74512	74816	INCLUDES 230V AC/12V DC — 2 HOLDERS — BLACK
74511	74815	INCLUDES 230V AC/12V DC — 1 HOLDER — BLACK
74513	74817	INCLUDES 230V AC — BLACK

STRION ACCESSORIES

Strion Accessories	STRION / DS LED HL	STRION HPL / DS HPL	STRION / STRION DS
6 Unit Bank Charger 120V	74400	74400	74400
6 Unit Bank Charger DC	74401	74401	74401
Piggyback Charger Holder	74115	74115	74115
Smart Charger Holder	74102	74102	74102
Li-ion Battery	74175	74175	74175
12V DC1 Charge Cord	22051	22051	22051
12V DC2 Charge Cord	22050	22050	22050
120V USB Charge Cord	22071	22071	22071
Rail Mount	74200	74200	74200
Vertical Grip	69114	69114	69114
Leather Plain Holster	74059	—	74059
Leather Weave Holster	74060	—	74060
Std. Nylon Holster	—	75910	—
Nylon Option Holster	85905	—	85905
Tactical Holster	88051	88051	88051
Red Flip Lens	85115	—	85115
Green Flip Lens	85117	—	85117
Blue Flip Lens	85116	—	85116
Red Wand	74903	75946	74903
White Wand	—	75949	—
Blue Wand	—	75947	—
Yellow Wand	74904	75948	74904
Glow Wand	74913	75950	74913

STINGER ACCESSORIES

		STINGER 2020	DS LED HL LED HL	DS HPL HPL	DS LED LED	UltraStinger LED
5 Unit Bank Charger 		75400	75400	75400	75400	75400
Smart Charger 		75105	75105	75105	75105	75105
Steady PiggyBack® 		—	75277	75277	75277	—
NiMH Battery Stick 		—	75375	75375	75375	77375
Li-Ion Battery Stick 		—	75176	75176	75176	—
NiCd Battery Stick 		—	—	—	—	—
SL-B26 Battery Pack 		78105	—	—	—	—
12V CarCharge Cord 		22051	22051	22051	22051	22051
12V DC Charge Cord 		22050	22050	22050	22050	22050
120V AC Charge Cord 		22071	22071	22071	22071	22071
Leather Plain Holster 		—	75133	—	75133	—
Leather Weave Holster 		—	75134	—	75134	—
Std. Nylon Holster 		—	75927	75927	75927	—
Loop Nylon Holster 		—	75928	75928	75928	75928
Duty Holster 		—	88053	88053	88053	88053
Ring Holder 		—	75906	75906	75906	75906
Nylon Holster 		78107	—	—	—	—
Leather holster Basketweave 		78114	—	—	—	—
Red Flip Lens 		75115	75115	—	75115	—
Green Flip Lens 		75117	75117	—	75117	—
Blue Flip Lens 		75116	75116	—	75116	—
Red Wand 		75903	75903	75946	75903	78903
White Wand 		75908	75908	75949	75908	—
Blue Wand 		75902	75902	75947	75902	—
Yellow Wand 		75904	75904	75948	75904	78904
Glow in the Dark Wand 		75913	75913	75950	75913	78913
USB Cord 22" & 40" 		22081 - 22" 22070 - 40"	—	—	—	—
"Y" USB Cord 		22082	—	—	—	—
12V DC USB Adapter 		22069	—	—	—	—
Facecap Ring Kit 		78113	—	—	—	—
SL-B26 Battery Holder 		78106				

WAYPOINT SERIES

THE WAYPOINT FAMILY FEATURES DUALIE FUNCTIONALITY

WAYPOINT 300® RECHARGEABLE

The rechargeable Waypoint 300 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

BATTERY: Lithium Ion with on-board safety control circuit

SIZE: 6.75" x 7.14" x 3.62"
(17.15 x 18.14 x 9.29 cm)

WEIGHT: 1.52 lb (691 g)

COLOR: Yellow or Black

	HIGH	MEDIUM	LOW
LUMENS:	1,000	550	35
CANDELA:	270,000	135,000	10,000
DISTANCE:	1,039m	735m	200m
RUN TIME:	3h 45m	7h 30m	87h

PART#	DESCRIPTION
44910	INCLUDES 120V AC CHARGE CORD — YELLOW
44911	INCLUDES 120V AC CHARGE CORD — BLACK
PART#	ACCESSORIES
44909	120V AC CHARGE CORD
44915	RED FILTER
44916	GREEN FILTER
44918	POLYMER STORAGE MOUNT
44923	12V DC CHARGE CORD



Green Filter
reduces
shadows



Red Filter
preserves
night vision



Includes 120V
Charge Cord



The Waypoint rechargeable
holder allows for secure storage
(included with product and also
offered as an accessory)

WAYPOINT®

This long-distance, pistol-grip lantern is the light you need to inspect a power line from the ground, find a dock from the interior of a lake or to see whatever is way up ahead. Its beam reaches about the length of 6 football fields! It also has plenty of peripheral light, so you can see what's all around you. Set it down to illuminate an entire area or aim it to check on trees or power lines far away. Features 3 modes including a strobe for signaling. IPX4 water-resistant.

BATTERY: (4) "C" batteries (not included). Can also be powered by 12V DC power cord (included)

SIZE: 6.75" x 7.14" x 3.5" (17.15 x 18.14 x 8.89 cm)

WEIGHT: 1.8 lb (816 g)

COLOR: Yellow or Black

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

Unlimited run time when using 12V DC power cord. Emergency signal run time 82 hours.

PART#	DESCRIPTION
44900	INCLUDES 12V DC POWER CORD* — W/POLYMER STORAGE — YELLOW
44902	INCLUDES 12V DC POWER CORD* — W/POLYMER STORAGE — BLACK
44904	INCLUDES 12V DC POWER CORD* — YELLOW
44905	INCLUDES 12V DC POWER CORD* — BLACK
PART#	ACCESSORIES
44903	12V DC POWER CORD*
44908	POLYMER STORAGE MOUNT
44924	RED FILTER
44925	GREEN FILTER

*12V DC power cord does not recharge batteries



Trigger style switch with momentary operation.



Green Filter reduces shadows



Red Filter preserves night vision



Includes 12V Charge Cord

DUALIE WAYPOINT®

The Dualie Waypoint® light offers dual light technology with a forward facing spot beam and a bottom facing flood light that can be used individually or at the same time. See what's ahead of you and right in front of your feet with the Dualie Waypoint. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Multiple hands-free uses - hang it over a door, stand it on its kickstand or hang it with integrated D-ring. The ergonomic handle hooks over any door, pipe, bar, cable or ladder rung for hands free operation. It also includes an integrated stand to make the light perfect for any lighting need. The light is sealed and floats, so it's great for wet applications. IPX7 waterproof to 1m.

BATTERY: (4) "C" alkaline batteries

SIZE: 6.75" x 6.5" x 3.55" (17.14 x 16.5 x 9.0 cm)

WEIGHT: 2.06 lbs (934 g) w/o batteries

COLOR: Yellow



Push button switch with momentary and click on operation. The rotary switch selects the main/ front beam, bottom/ area light, or both



LED bottom facing flood light can be used individually or with the forward facing spot beam



Integrated stand and D-ring for hands-free lighting

SPOT BEAM	HIGH	MEDIUM	LOW
LUMENS:	750	500	35
CANDELA:	75,000	45,000	3,200
DISTANCE:	548m	426m	113m
RUN TIME:	3h 30m	6h	125h

FLOOD BEAM	HIGH	MEDIUM	LOW
LUMENS:	500	230	25
CANDELA:	250	120	10
DISTANCE:	31m	22m	6m
RUN TIME:	5h	12h 30m	170h

BOTH LIGHTS	HIGH	MEDIUM	LOW
LUMENS:	1,000	600	75
RUN TIME:	3h	6h	55h

PART#	DESCRIPTION
44940	YELLOW — WRAP
44955	YELLOW — BOX

SIEGE SERIES

SIEGE® X USB

The Siege® X USB is a multi-function, ultra-compact USB rechargeable lantern and flashlight that works in all settings. It features multiple lighting modes, including smooth lantern lighting; a red LED setting to preserve night vision; and a front spot light to use the lantern as a handheld flashlight. The D-ring at its base allows the users to easily hang the light for large area lighting needs. The compact lantern is powered by one Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack or two CR123 batteries and includes a battery level indicator built into the on/off button. IPX7 waterproof to 1m submersion.

BATTERY: (1) SL-B26 USB Rechargeable Battery Pack or (2) CR123
SIZE: 2.12" x 4.35" (5.38 x 11.05 cm)
WEIGHT W/SL-B26: 7.2 oz (204.12 g)
WEIGHT W/CR123A: 6.8 oz (192.78 g)
COLOR: Coyote

LANTERN	HIGH	MEDIUM	LOW
LUMENS:	325	170	30
RUN TIME:	4h 30m	7h 45m	25h

Red LED: 22 hours of continuous run time, 90 hours of SOS

FLASHLIGHT	HIGH	LOW
LUMENS:	300	40
CANDELA:	6,000m	900
DISTANCE	155m	60m
RUN TIME:	3h 30m	25h

PART#	DESCRIPTION
44956	INCLUDES SL-B26 BATTERY PACK & 22" USB CORD — COYOTE



Top of lantern features incorporated flashlight



MULTI-FUEL DESIGN:
Runs on (1) SL-B26™ battery pack or (2) CR123A

SIEGE® AA LANTERN

The Siege® AA lantern features one white LED, and two red LEDs. There are five output modes and a battery level indicator built into the on/off button. With the outer lantern globe in place, the light will float. Use the lantern with or without the outer globe cover. Remove the outer globe and hang the body upside down by the D ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time. IPX7 waterproof to 1m submersion; 2m impact resistance tested.

BATTERY: (3) "AA" size alkaline
SIZE: 2.37" x 5.44" (6.00 x 13.82 cm)
WEIGHT: 8.8 oz (249.47 g)
COLOR: Coyote or Yellow

PART#	DESCRIPTION
44941	SIEGE AA LANTERN — COYOTE
44943	SIEGE AA LANTERN — YELLOW W/MAGNETIC BASE
PART#	DESCRIPTION
44942	MAGNETIC BASE — COYOTE

(1) WHITE LED	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15h 30m	37h

Light output with outer globe removed

(2) RED LEDS	HIGH	FLASH/SOS MODE
LUMENS:	.7	.7
RUN TIME:	192h	288h



The yellow Seige AA has three strong magnets in the base. It's now a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.



SUPER SIEGE® LANTERN

The Super Siege® lantern features five white LEDs, one white and four red LEDs with six output modes and a battery level indicator built into the on/off button. A 10,400 mAh rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port. With the outer lantern globe in place, the light will float. Use the lantern with or without the outer globe cover. Remove the outer globe and hang the body upside down by the D ring for large area lighting needs. Utilize the included Glare Guard™ to shield light from 1/2 the globe, allowing you to direct light on your work zone. A small storage area is provided in the base of the light for all your “keep dry” needs. Simply rotate the bottom cover counter clockwise to remove and access the storage compartment. IPX7 waterproof to 1m submersion; 2m impact resistance tested.

BATTERY: Rechargeable Lithium Ion Battery

SIZE: 3.8" x 7.5" (9.65 x 19.05 cm)

WEIGHT: 1 lb 14 oz (867 g)

COLOR: Coyote or Yellow

10,400 mAh rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port



(1) WHITE LED	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5h 45m	11h 30m	35h 15m

Light output with outer globe removed

(4) RED LEDS	HIGH	FLASH/SOS MODE	LOW
LUMENS:	2.7	2.7	1
RUN TIME:	140h	320h	348h

PART#	DESCRIPTION
44947	INCLUDES 120V AC POWER CORD — COYOTE
44945	INCLUDES W/ 120V AC POWER CORD — YELLOW
44951	INCLUDES MAGNETIC BASE — BLACK
PART#	ACCESSORIES
44951	MAGNETIC BASE — BLACK
44950	GLARE GUARD



Magnetic Accessory Base



A small dry storage area is provided in the light's base for all your “keep dry” needs

THE SIEGE® LANTERN

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high, and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. IPX7 waterproof to 1m submersion; 2m impact resistance tested.

BATTERY: (3) “D” size alkaline (not included)

SIZE: 3.8" x 7.25" (9.65 x 18.41 cm)

WEIGHT: 1 lb 15 oz (878 g)

COLOR: Coyote

(4) WHITE LEDS	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h

Light output with outer globe removed

(1) RED LED	HIGH	FLASH/SOS MODE
LUMENS:	10	10
RUN TIME:	235h	430h



[(RED SOS)]

Hold on/off button to activate

Versatile design features rugged carry handle and D-rings clip to hang virtually anywhere.

Special Features:

- Floats for easy retrieval
- Waterproof to 1 meter
- 2 meter impact-resistance tested
- Unbreakable lens
- Rugged, non-slip base



Shown with outer globe removed.



Magnetic Accessory Base

PART#	DESCRIPTION
44931	THE SIEGE LANTERN — COYOTE
PART#	ACCESSORIES
44952	MAGNETIC BASE — BLACK

HEADLAMPS

BANDIT® USB RECHARGEABLE HEADLAMP

The Bandit® USB headlamp is an ultra lightweight, low-profile and weather resistant headlamp designed just for you! It is USB rechargeable and provides 180 lumens of widespread white light. It features High, Low and Emergency flash modes.

BATTERY: Lithium Polymer

SIZE: 2.7" x 1.13" x .75" (6.85 x 2.87 x 1.9 cm)

WEIGHT: 1.3 oz (36.8 g)

COLOR: Coyote or Black

WHITE LED	HIGH	LOW
LUMENS:	180	35
RUN TIME:	2h	9h 30m

GREEN LED	HIGH	LOW
LUMENS:	135	25
RUN TIME:	3h	13h 30m

RED LED	HIGH	LOW
LUMENS:	45	10
RUN TIME:	2h 30m	10h

Multi-function push-button switch with charge indicator



Charging



Charged

Battery charges in approx. 2.5 hours



Coyote Models: White/Red LED or White/Green LED



Yellow, Black, Red & Blue Models: White LED



Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

PART#	DESCRIPTION
61702	INCLUDES HEADSTRAP — USB CORD — BLACK/WHITE LED
61706	INCLUDES HEADSTRAP — USB CORD — COYOTE/RED LED
61707	INCLUDES HEADSTRAP — USB CORD — COYOTE/GREEN LED

BANDIT® PRO USB RECHARGEABLE HEADLAMP

The Bandit® Pro USB headlamp includes an extended runtime and a low runtime battery function. It includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband. It produces bright, even, diffused light with less shadow than spot beams and floods work areas with light making it Ideal for up-close tasks.

BATTERY: Lithium Polymer Rechargeable

SIZE: 2.7" x 1.13" x .97" (6.85 x 2.87 x 2.46 cm)

WEIGHT: 1.6 oz (45.4 g)

COLOR: Yellow or Black

	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4h 30m	21h



Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

Multi-function push-button switch with charge indicator



Charging



Charged

PART#	DESCRIPTION
61710	INCLUDES USB CORD — HAT CLIP — ELASTIC HEADSTRAP — CLAM — YELLOW
61711	INCLUDES USB CORD — HAT CLIP — ELASTIC HEADSTRAP — BOX — YELLOW
61714	INCLUDES USB CORD — HAT CLIP — ELASTIC HEADSTRAP — CLAM — YELLOW
61715	INCLUDES USB CORD — HAT CLIP — ELASTIC HEADSTRAP — BOX — YELLOW

QB® USB RECHARGEABLE HEADLAMP

The QB is an ultra-lightweight USB rechargeable headlamp that is big on power. It produces a concentrated beam of light that shines 85 meters. A large, easy-to-use push-button switch features a charge status indicator. Snap-in clip adaptor attaches to pocket or to the visor of a ball cap and it also adds downward adjustability. High, low and emergency flash modes.

BATTERY: Lithium Polymer Rechargeable

SIZE: 1.57" x 1.44" x 1.4" (4.0 x 3.66 x 3.55 cm)

WEIGHT: 1.5 oz (42.5 g)

COLOR: Yellow or Black

	HIGH	LOW
LUMENS:	200	95
CANDELA:	1,800	750
DISTANCE:	85m	55m
RUN TIME:	2h	4h



Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.



Multi-function push-button switch with charge indicator



Charging



Charged

PART#	DESCRIPTION
61430	INCLUDES HAT CLIP — ELASTIC HEADSTRAP — USB CORD — CLAM — YELLOW
61431	INCLUDES HAT CLIP — ELASTIC HEADSTRAP — USB CORD — BOX — YELLOW
61432	INCLUDES HAT CLIP — ELASTIC HEADSTRAP — USB CORD — CLAM — BLACK
61433	INCLUDES HAT CLIP — ELASTIC HEADSTRAP — USB CORD — BOX — BLACK

ENDURO® PRO

A low-profile multi-function headlamp with the performance you've come to expect from Streamlight headlamps. Three lighting modes to cover a variety of tasks: spot beam for a focused beam, flood for soft area illumination that won't tire your eyes and red or green LEDs to preserve night vision.

BATTERY: (3) "AAA" alkaline

SIZE: 1.85" x 2.19" x 1.45" (4.70 x 5.56 x 3.68 cm)

WEIGHT: 3.4 oz (96.38 g)

COLOR: Yellow or Coyote



Yellow Model:
White /Red LED

Coyote Model:
White /Green LED



Remove yellow or coyote fascia to switch to black

WHITE SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h

RED LED	HIGH	LOW
LUMENS:	.37	.08

WHITE FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h

GREEN LED	HIGH	LOW
LUMENS:	1.25	.25

PART#	DESCRIPTION
61420	INCLUDES (3) ALKALINE — ELASTIC HEADSTRAP — CLAM — YELLOW
61421	INCLUDES (3) ALKALINE — ELASTIC HEADSTRAP — BOX — YELLOW
61425	INCLUDES (3) ALKALINE — ELASTIC HEADSTRAP — BOX — COYOTE/GREEN LED

ENDURO® PRO USB

Save money over the cost of standard batteries with the Enduro Pro USB rechargeable headlamp. You'll always have the light you need with Spot and Flood beams, each with high, medium and low modes. Spot gives you a bright, focused beam and Flood gives you soft, area illumination that won't tire your eyes on a long job.

BATTERY: Lithium Polymer Cell

SIZE: 1.85" x 2.19" x 1.7" (4.70 x 5.56 x 4.32 cm)

WEIGHT: 3.6 oz (102 g)

COLOR: Black with Yellow Fascia



PART#	DESCRIPTION
61435	INCLUDES USB CORD — ELASTIC HEADSTRAP — BOX — YELLOW

WHITE SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	90	25
CANDELA:	2,080	890	250
DISTANCE:	91m	60m	32m
RUN TIME:	6h 15m	19h	48h

WHITE FLOOD	HIGH	MEDIUM	LOW
LUMENS:	145	50	15
CANDELA:	220	80	30
DISTANCE:	30m	18m	11m
RUN TIME:	7h	21h	48h

SCENE LIGHTING

PORTABLE SCENE LIGHT II

Turn to a higher power with the Portable Scene Light II. With zero deployment time, it features a compact footprint, a 360° rotating head, and it's stackable for "light tower" capability with multi-level lighting.

BATTERY: Two (2) Lithium Ion Battery Packs

SIZE: 16" x 11" x 12" (40.6 x 28.9 x 30.5 cm)

WEIGHT: 15.38 lb (6.10 kg)

COLOR: Red

INTENSITY	LUMENS	RUN TIME
100%	10,000	2h
80%	8,300	2h 75m
60%	6,300	3h 75m
40%	4,500	5h 75m
20%	2,300	11h

PART#	DESCRIPTION
46000	120V AC/12V DC PORTABLE SCENE LIGHT II — RED



Toggle switch - choose from 5 intensity levels



Digital display shows intensity level and run time



Stackable for "light tower" capability



IPX7 rated; waterproof to 1m for 30 minutes



Hooked feet to hang over doors, guide rails, fences, etc.

PORTABLE SCENE LIGHT

The Portable Scene Light series continues to grow - the original model features a 72" extension pole and the Portable Scene Light EXT features an 84" extension pole. Rapidly deployed and easily stowed, they feature a narrow footprint that lets you bring this light almost anywhere from wide open places to tight, confined spaces.


BATTERY: Zero-maintenance 12V, 14.4 Ah sealed lead acid
Can also be powered by 12V DC power cord

SIZE: Portable Scene Light: (22"; 55.88cm);
Portable Scene Light EXT: (25.5 in.; 64.8 cm)

WEIGHT: Portable Scene Light: 25 lb (11.3 kg);
Portable Scene Light EXT: 25.5 lbs. (11.6 kg)

COLOR: Yellow

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h



Selectable diffuser settings for two beam widths
Works with both modes

90° swivel neck allows you to aim the beam where you need it



Portable Scene Light EXT
packs to a compact size
(25.5 in.; 64.8 cm) for easy storage



Portable Scene Light
packs to a compact size
(22 in.; 55.88 cm) for easy storage

Pole extends to 84" (213.36 cm) - EXT model
72" (182.88cm) original model



Stabilization legs provide balance on uneven surfaces; fully deploy and lock in less than 30 seconds

WORK LIGHTS

SYCLONE®

Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or high CRI light with Streamlight's Color-Rite Technology™ for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook.

BATTERY: Lithium Polymer Rechargeable

SIZE: 2.97" x 2.79" x 1.42" (7.54 x 7.08 x 3.60 cm)

WEIGHT: 5.3 oz (150 g)

COLOR: Red

SPOT	HIGH	MED	LOW
LUMENS:	400	200	100
CANDELA:	5,000	2,250	1,300
DISTANCE:	141m	95m	72m
RUN TIME:	2h	4h 30m	9h 30m

FLOOD	HIGH	MED	LOW
LUMENS:	300	150	75
CANDELA:	580	300	150
DISTANCE:	48m	35m	24m
RUN TIME:	2h	4h	8h

PART#	DESCRIPTION
61510	SYCLONE WITH USB CORD — RED



Hands-free applications:
1.) Magnetic base
2.) Stowable hang hook

Special Features:
360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools



CHARGING



CHARGED

Multi-function push-button switch with charge indicator.
Battery charges in approx. 4.5 hours

FLIPMATE®

Inspect, identify and repair with the super-compact FlipMate. It produces bright white light for everyday use or high CRI light with Streamlight's Color-Rite Technology™ to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash. Go hands-free with the flat, magnetic base and stowable hook.

BATTERY: Lithium Ion Rechargeable

SIZE: 2.37" x 5.44" (6.00 x 13.82 cm)

WEIGHT: 8.7 oz (247 g)

COLOR: Black, Red, or Blue

COOL WHITE LED	HIGH	LOW
LUMENS:	500	250
RUN TIME:	2h 30m	5h 45m

90 CRI LED	HIGH	LOW
LUMENS:	400	200
RUN TIME:	2h 30m	6h

PART#	DESCRIPTION
61500	FLIPMATE WITH USB CORD — BLACK
61501	FLIPMATE WITH USB CORD — RED
61502	FLIPMATE WITH USB CORD — BLUE



Double-function light bar:

- 1.) 90 CRI LEDs - Color-Rite Technology™ - distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) Cool white LEDs for bright, white light
Each with high and low modes



Hands-free applications:
1.) Magnetic base
2.) Stowable hang hook



270° rotating light bar aims the beam where you need it



USB rechargeable
Lithium ion battery
recharges in 4.5 hours

EVERY DAY CARRY

EXTRAORDINARY Every Day Carry

WEDGE™

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO™ (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.

BATTERY: (1) Lithium Polymer Rechargeable
SIZE: 5.46" x 0.60" x 1.00" (13.87 x 1.52 x 2.54 cm)
WEIGHT: 3.3 oz (93.5 g)
COLOR: Black or Coyote

	THRO MODE	CONSTANT ON
LUMENS:	1,000	300
CANDELA:	3,000	1,200
DISTANCE	110m	69m
RUN TIME:	35 sec	3h

PART#	DESCRIPTION
88810	INCLUDES USB-C CORD — LANYARD — BOX — BLACK
88811	INCLUDES USB-C CORD — LANYARD — BOX — COYOTE
PART#	ACCESSORIES
22084	USB C 22" CORD



Battery charge indicator located on the on/off switch
Charge indication:
Red - Charging
Green - Charged



USB-C rechargeable lithium polymer battery charges in 3 hours

Removable/reversible deep carry pocket clip attaches on either side of light



Securely attaches to MOLLE, turnout gear, harnesses, etc.



Designed for concealed, deep pocket carry



Outfitted with an intuitive rotating thumb switch providing tactile control over the constant-on and THRO modes.



Width: 0.60" (1.52 cm)

MICROSTREAM/MACROSTREAM SERIES

MACROSTREAM® USB

High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4 water-resistant.

BATTERY: Li-Ion rechargeable

SIZE: 4.50" x .83" (11.43 x 2.1 cm)

WEIGHT: 2.2 oz (62.4 g)

COLOR: Black

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,000	220
DISTANCE	90m	30m
RUN TIME:	2h	8h

PART#	DESCRIPTION
66320	INCLUDES WRIST LANYARD — USB CORD — CLAM — BLACK



Metal sleeve protects charge port; slide sleeve forward to reveal charge port

MICROSTREAM® USB

This compact USB lithium ion battery powered flashlight features a tail cap switch, momentary or constant on operation, high and low beams, a combination pocket/hat clip for convenience, and amazing brightness and run time for a light of its size. The aluminum housing with Type II Military Spec anodizing helps make the light extremely durable and abrasion resistant. To charge the light, slide the head cover forward to expose the micro USB port.

BATTERY: Li-Ion 350mAh rechargeable

SIZE: 3.87" x .61" (98.2 x 15.6 cm)

WEIGHT: 1.2 oz (34.1 g)

COLOR: Black or Coyote

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150m	250
DISTANCE	68m	31m
RUN TIME:	1h 30m	3h 30m

PART#	DESCRIPTION
66601	INCLUDES WRIST LANYARD — 5" USB CORD — CLAM — BLACK
66604	INCLUDES WRIST LANYARD — 5" USB CORD — BOX — BLACK
66608	INCLUDES WRIST LANYARD — 5" USB CORD — CLAM — COYOTE
66609	INCLUDES WRIST LANYARD — 5" USB CORD — BOX — COYOTE



MICROSTREAM®

So small, you can keep it in your pocket or clip it to a cap for hands-free lighting. Ideal if you carry a lot of gear and don't want to be weighed down. Unbreakable lens. O-ring sealed. IPX4-rated for water-resistance. 1 meter impact-resistance tested. Removable pocket/hat clip.

BATTERY: (1) "AAA" alkaline

SIZE: 3.6" x .6"(9.15 x 1.5 cm)

WEIGHT: 1.04 oz (29.7 g)

COLOR: Matte Black or Red

LUMENS:	45
CANDELA:	420
DISTANCE	41m
RUN TIME:	2h 15m



PART#	DESCRIPTION
66318	INCLUDES WRIST LANYARD — ONE "AAA" ALKALINE BATTERY — CLAM — BLACK

STYLUS SERIES

STYLUS PRO® USB UV

The Stylus Pro USB UV features a 400nm UV LED that is ideal for HVAC leak detection, forensic investigations or identifying fraudulent documents.

BATTERY: Lithium Ion

SIZE: 5.95" x .63" (15.1 x 1.6 cm)

WEIGHT: 1.8 oz (51 g)

COLOR: Black

UV LED OUTPUT: 250mW
UV RUN TIME: 2h 30m

PART#	DESCRIPTION
66148	INCLUDES 120V AC ADAPTER — USB CORD — NYLON HOLSTER — BLACK
66149	INCLUDES USB CORD — NYLON HOLSTER — BLACK
PART#	ACCESSORIES
22070	USB CORD
22071	120V AC USB CORD
66029	NYLON HOLSTER



Sliding metal sleeve protects micro USB port

STYLUS PRO® USB

You won't want to be without this sleek, compact penlight that recharges at any USB port or with optional AC wall adaptor. Consistent light output throughout battery life. IPX4 water-resistant. 1 meter impact-resistance tested.

BATTERY: Lithium ion

SIZE: 5.95" x .63" (15.1x1.6cm)

WEIGHT: 1.8 oz (51 g)

COLOR: Black

	HIGH	LOW
LUMENS:	350	90
CANDELA:	2,950m	840
DISTANCE:	109m	58m
RUN TIME:	1h 30m	3h 30m

PART#	DESCRIPTION
66134	BLACK WITH WHITE LED — INCLUDES USB CORD — NYLON HOLSTER — CLAM



Sliding metal sleeve protects micro USB port

STYLUS PRO®

The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room — it provides a beam distance of 62 meters.

BATTERY: 2 "AAA" alkaline

SIZE: 5.3" (13.4 cm)

WEIGHT: 1.64 oz (46.9g)

COLOR: Matte Black

LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h

PART#	DESCRIPTION
66118	BLACK WITH WHITE LED — CLAM



STYLUS PRO® 360

This sleek, compact penlight has a lantern feature that provides hands-free use of 360° of light. Small enough to fit in your pocket, it's convenient to take with you anywhere. IPX4 water resistant.


BATTERY: 2 "AAA" alkaline

SIZE: 5.9" (15 cm)

WEIGHT: 1.9 oz (53.8 g)

COLOR: Black

LUMENS:	65
CANDELA:	430
DISTANCE	41m
RUN TIME:	6h 30m



BEZEL
CLOSED

BEZEL
OPEN



Rubber tail boot allows
the light to stand upright

PART#	DESCRIPTION
66218	BLACK WITH WHITE LED — INCLUDES USB CORD — NYLON HOLSTER — CLAM

STYLUS PRO® COB

A sleek, compact, USB rechargeable worklight that you can wear. Clip it to your pocket for hands-free lighting. Don't have a pocket? Stick it to a steel surface using its integrated magnet. Slim profile fits into tight spaces to flood the work area with light.

BATTERY: Lithium Ion

SIZE: 6.64" x .55" (168.6 x 14 mm)

WEIGHT: 2.2 oz (62.4 g)

COLOR: Black

	HIGH	LOW
LUMENS:	160	40
CANDELA:	130	30
DISTANCE	23m	11m
RUN TIME:	3h	8h 30m

Flash mode: 7 hours of run time

PART#	DESCRIPTION
66700	INCLUDES POCKET CLIP AND USB CORD — CLAM — BLACK
66702	INCLUDES POCKET CLIP AND USB CORD — BOX — BLACK
PART#	ACCESSORIES
22059	INTERNATIONAL WALL ADAPTER
22069	12V DC USB ADAPTER
66143	LITHIUM ION BATTERY (STYLUS PRO USB/COB)
22070	40" USB CORD
22071	120V AC USB CORD
22081	22" USB CORD
66029	NYLON HOLSTER



Integrated
magnet for
hands-free use

COB LED floods
work area with
bright, diffused light



Push-button switch
with charge indicator
Red = charging
Green = charged

STYLUS® // STYLUS® UV

This bright, long-running LED penlight has a long battery life, and goes anywhere you need it. IPX4-rated for water-resistance. Removable pocket clip. Also available in a UV model.

BATTERY: (3) "AAAA" alkaline

SIZE: 6.21" x .375" (15.17 x .95 cm)

WEIGHT: 1.1 oz (31.19 g)

COLOR: Black

LED COLOR	WHITE
LUMENS:	11
CANDELA:	140m
DISTANCE	24m
RUN TIME:	24h

PART#	DESCRIPTION	COO	TAA
65018	WHITE LED — BLACK	US	YES
65069	365NM UV LED — BLACK	US	YES
PART#	ACCESSORIES		
65030	AAAA BATTERIES — 6 PACK	—	—
65905	HOLSTER	—	—
72024	LANYARD WITH PUSH BUTTON SLIDE	—	—
65031	GLARE GUARD	—	—



UV LED OUTPUT:	3.8 mW
UV RUN TIME:	60h

JR. SERIES

STREAMLIGHT JR.® LED

Cutting edge technology makes this lightweight flashlight super-bright and super-convenient. Unbreakable lens. Regulated light output throughout battery life. IPX4 rated for water-resistance. All openings are O-ring sealed. 1 meter impact-resistance tested.

BATTERY: (2) "AA" alkaline or lithium

SIZE: 6.5" x 1.00" x .73" (16.51 x 2.54 x 1.85 cm)

WEIGHT: 4.1 oz (117 g)

COLOR: Black

LUMENS:	225
CANDELA:	2,700
DISTANCE	62m
RUN TIME:	8h

PART#	DESCRIPTION
71500	INCLUDES ALKALINE BATTERIES — BLACK
PART#	ACCESSORIES
71503	NYLON HOLSTER
71510	MAGNETIC CLIP HOLDER
99075	RUBBER HELMET STRAP



STREAMLIGHT JR. F-STOP®

Ultra-compact lightweight 2AA flashlight features a power LED and Spot to Flood technology! This feature makes the light very versatile for every lighting need. With the bezel forward (for Spot mode) the light has a piercing beam. When the bezel is slid backwards, the beam opens up into a smooth flood pattern for area lighting.

BATTERY: (2) "AA" alkaline or lithium

SIZE: 6.5" x 1.12" x .75" (16.51 x 2.84 x 1.90 cm)

WEIGHT: 4.4 oz (125 g)

COLOR: Black

	SPOT	FLOOD
LUMENS:	220	250
CANDELA:	5,600m	360
DISTANCE	150m	38m
RUN TIME:	6h	6h

PART#	DESCRIPTION
71700	INCLUDES ALKALINE BATTERIES — HOLSTER — CLAM — BLACK
71701	INCLUDES ALKALINE BATTERIES — HOLSTER — BOX — BLACK
PART#	ACCESSORIES
71503	NYLON HOLSTER
99075	RUBBER HELMET STRAP



With the bezel forward (for Spot mode) the light has a piercing beam. When the bezel is slid backwards, the beam opens up into a smooth flood pattern for area lighting.



POCKET LIGHT SERIES

CLIPMATE® USB

This multi-function light clips to a pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adaptor. IPX4 water-resistant. 1 meter impact-resistance tested.

BATTERY: Lithium polymer cell

SIZE: 3.20" x 1.39" x .65" (8.1 x 3.5 x 1.7 cm)

WEIGHT: 1.9 oz (53.8 g)

COLOR: Black



Dual LEDs:
High-intensity white LED
Night vision red LED



Flexible, extension cable targets the beam where you need it

WHITE LED	HIGH	LOW
LUMENS:	70	10
CANDELA:	500	50
DISTANCE	44m	14m
RUN TIME:	3h 30m	24h

RED LED	HIGH	LOW
LUMENS:	.5	.2
CANDELA:	9	3
DISTANCE	6m	3m
RUN TIME:	16h	65h

PART#	DESCRIPTION
61125	LIGHT ONLY — WITH WHITE AND RED LEDS — BLACK
61126	120V AC — WITH WHITE AND RED LEDS — BLACK

KEYMATE® USB

This weather resistant, personal area light features a recessed button to prevent accidental activation, a lithium polymer rechargeable battery and a low battery power warning indicator. It also includes a snap hook for attachment to a key ring, zipper pull, or ball cap.

BATTERY: Lithium polymer cell

SIZE: 2.9" x 1.08" x .5" (7.3 x 2.74 x 1.27 cm)

WEIGHT: .5 oz (14.2 g)

COLOR: Black

WHITE LED:	HIGH	LOW
LUMENS:	35	16
RUN TIME:	1h	2h

2 hours on Flash mode



PART#	DESCRIPTION
73200	INCLUDES 5" (12.7CM) USB CORD — BLACK

NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

BATTERY: (4) alkaline button cell

SIZE: 1.47" x .51" x .43" (3.73 x 1.3 x 1.09 cm)

WEIGHT: .36 oz (10 g)

COLOR: Black, Blue, Pink, or Red

LUMENS:	10
RUN TIME:	8h



PART#	DESCRIPTION
73001	WHITE LED — BLACK
73002	WHITE LED — BLUE (COPS)
PART#	ACCESSORIES
61205	4 PACK COIN CELL NANO LIGHT BATTERIES



Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A. 19403-3996

streamlight.com // streamlightgear.com
(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax



NFPA®



STAY CONNECTED WITH US:



©2021 Streamlight, Inc. ISO 9001:2015 certified 991166 Rev A 1/21 asi/89871

All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.