

THE WORLD'S FINEST ILLUMINATION TOOLS, SUPPRESSORS, AND TACTICAL PRODUCTS  $^{\mbox{\tiny{M}}}$ 



#### **ICON KEY**

A quick guide to the features in our illumination products included on all product pages.



RECHARGEABLE Included battery can be easily recharged



DUAL FUEL Powered by Li-ion, 123A, or other battery or power sources



Indicates battery charge level



IR / WHITE LED Features infrared and white light from one LED head



SOS

MULTIPLE SETTINGS Selects output levels, spectrum, or other modes

S.O.S. MODE

Selectable

emergency



Features integrated laser sight in various spectrums



STROBE MODE Selectable strobing light for tactical applications



**PROGRAMMABLE** User-programmable light



INTELLIBEAM Auto-adjusting



COMBAT GRIP For tactical use



MASTERFIRE® Holster Compatible






**USB CHARGING PORT** Cable Included -

### **OPTICS / BEAM PATTERN**




REFLECTOR



Parabolic reflector creates versatile beam with bright center and significant surround light



TIR LENS



Total Internal Reflection (TIR) lens creates far-reaching, high-intensity beam with ample surround light



MAXVISION BEAM"



MaxVision Beam™ (MVB) is a smooth, broad light pattern perfect for close- to mid-range tasks



HIGH INTENSITY

DISCHARGE

High Intensity Discharge (HID)emitter paired with reflector produces farthestreaching beam

ANSI/NEMA FL1 Standards: Runtimes until output drops below 10% of initial output for a given setting.

Useful Runtime: Runtime until output drops below one lumen. The basis for some flashlight / headlamp medium - and low-setting runtimes, where noted.

Most runtimes included conform to ANSI standards, but some conform, where noted, to established SureFire "tactical" and "useful" runtime standards.

#### TO LOCATE A DEALER

www.surefire.com/dealer-locator

Follow us on Facebook, YouTube, Twitter, and Instagram - and even share your experiences via the True Stories section on our website. We look forward to hearing from you!











## INNOVATION NEVER GOES OUT OF STYLE

● Things have changed a lot since we invented the Weapon mounted Laser/Light and the tactical flashlight over three decades ago. Once prolific incandescent lamps are now all but extinct, and technological breakthroughs—many developed and patented by SureFire—now make it possible to achieve outputs and runtimes never fathomed from compact, ergonomic packages.

But we at SureFire have never stopped imagining what might be possible and then doing whatever it takes to get there. No matter what the product, its use, or who it's for, along with the highest-quality materials, components, and craftsmanship, there's always one other key ingredient in everything we make: innovation. We've led the way in our industry with innovative firsts for nearly 40 years now, and we'll continue to push the envelope of innovation and the limitations of technology.

You can count on SureFire for innovations that make the products you're familiar with a cut above the rest—and to continue to innovate with all new genres and products like the Dual Fuel Scoutlight and the SOCOM II suppressor. Technology changes, and trends and styles may come and go, but our commitment to innovation—and quality—will never waiver.

All SureFire illumination products are designed, perfected, and manufactured in the U.S.A. with the finest materials and components sourced worldwide. SureFire is a proud American company that employs hundreds of hardworking Americans who loyally serve those who go in harm's way—and we intend to keep it that way.

# CONTENTS //

"	CI	ID.	CC	IDE	DDD	DUC	TC
//	aL	JR		IRE	PRU	uu <sub>L</sub>	13

- 2 THE SUREFIRE WAY
- 4 SUREFIRE KITS
- 10 WEAPONLIGHTS
- 12 MASTERFIRE™
- 16 COMPACT
- 18 X-SERIES
- 24 M300 SCOUT LIGHT SERIES
- 26 M600 SCOUT LIGHT SERIES
- 34 SCOUT LIGHT SWITCHES
- 36 MOUNTING OPTIONS
- 40 SHOTGUN FORENDS
- 42 SUB-MACHINE GUN FORENDS
- 43 HELLFIGHTER 4
- 44 FLASHLIGHTS
- 45 FURY DFT / UDR DOMINATOR
- 46 EDCL1-T / EDCL2-T
- 48 TACTICIAN
- 49 E1B BACKUP™
- 50 MULTI-SPECTRUM / INFRARED
- 52 NEXT GEN MODELS
- 54 SIDEKICK™
- 55 STILETTO / TITAN® SERIES
- 56 GUARDIAN™
- 58 HANDS-FREE
- 59 MINIMUS™ / MAXIMUS HEADLAMPS
- 60 2211® WRISTLIGHT SERIES
- 64 HELMET LIGHTS
- 66 SUPPRESSORS
- 67 SOCOM SERIES
- 71 SF RYDER™ SERIES
- 74 MUZZLE DEVICES
- 78 SAFETY DEVICES & TRAINERS
- 79 SF OPTIMIZED BOLT CARRIER
- BO HIGH-CAPACITY MAGAZINES
- 83 DUECK DEFENSE
- 84 EARPRO PRODUCTS
- 88 BATTERIES / COUNTERFEIT WARNING
- 89 SUREFIRE NO-HASSLE GUARANTEE



#### **ELITE EMITTERS & ELECTRONICS //**

An illumination tool is only as good as its light source, also known as an emitter. We use only the very best state-of-the art emitters, primarily light emitting diodes, or LEDs as they're commonly known. Then we regulate these LEDs with sophisticated electronics that help squeeze out every lumen of output and monitor the power source to maximize the useful runtime of the illumination tool. So you get the light you need when you need it.

#### OPTIMIZED OPTICS //

Our precision optics — many of them patented — take an emitted light and shape it to create just the right beam for the task at hand. Parabolic reflectors, depending on their shape and depth, project beams ranging from broad with a wide field of vision, for closer-range tasks, to narrow with extended reach, for longer-range applications. The broad, perfectly tapered MaxVision Beam™ used on some of our illumination tools, such as our headlamps and WristLights, is created by a tiny reflector with precisely engineered facets and undulations. Proprietary Total Internal Reflection (TIR) lenses — which we spent years and millions of dollars perfecting — focus and project most all of an LED's light forward, creating a near-perfect mix of reach and surround illumination not possible with similarly sized reflectors.

### **OPTIMAL PERFORMANCE THROUGH** SOPHISTICATED ELECTRONICS //

Our LED illumination tools contain sophisticated microprocessors programmed to harness the variable-output capabilities inherent in LED technology. Set by our knowledgeable engineers, they deliver the ultimate balance of light output and runtime — to optimize the performance traits of a given model — and take full advantage of our advanced switching technology.

These same microprocessors also carefully monitor batteries for charge level and safety while also managing thermal issues associated with LEDs, which produce significant heat. So power input is continuously monitored and adjusted to manage a light's operating temperature. Expertly crafted heat sink designs that take on and rapidly dissipate heat also help minimize operating temperatures.

### **ROBUST BODIES //**

Whether hewn from strong, lightweight aerospace-grade aluminum; molded from non-conductive, corrosion-proof polymer; or assembled with both materials, the bodies of our illumination tools are tough as nails and heavy-duty, but never heavy! SureFire bodies feature knurling, sculpting, or molding for a secure grip in most any conditions, and all of our aluminum bodies are coated with a tough, attractive Mil-Spec Type III hard-anodized finish. To protect the electronics inside, which are conformal coated and feature goldplated and other non-corroding metals, bodies are O-ring and gasket sealed to keep out moisture, dust, and dirt. Beautiful and functional — it's enough to give all other flashlights body-image disorders.

#### SENSIBLE, SUPERB SWITCHING //

In the 1980s, we revolutionized flashlight switching by introducing the tactical tailcap switch, and we've been setting the gold standard ever since. Today our illumination tools feature a wide variety of switching, each and every type ergonomic, intuitive, and the right choice for the products they grace. Whether it's a push-button switch, a head switch, a rotating bezel, or a pressure-activated remote switch, SureFire switching ensures there's no fumbling around to power up the light, and that the light delivers the desired output each and every time it's activated.

### POTENT POWER PACKS & BETTER BATTERIES //

We pioneered the use of compact, energy-dense 123A batteries, and the majority of our illumination tools continue to be powered by them to this day. That's because there are multiple advantages to using these batteries so long as they're SureFire-brand batteries purchased from SureFire or an authorized SureFire retailer. SEE COUNTERFEIT & **INFERIOR-QUALITY BATTERY WARNING ON PAGE 88.** 

We also use several other power sources suited for our illumination tools, including 18650 lithium ion batteries, and NiMH batteries; rechargeable lithium-ion batteries; and rechargeable Eneloop AAA NiMH batteries. For added convenience, we even make illumination tools that are dual-fuel capable, meaning they can run off of rechargeable or disposable batteries.





# TACTICAL KIT //



SureFire WeaponLights have been critical kit for elite military units around the globe for over three decades. We have been building mission specific tools to keep those who go into harm's way safe and always at a tactical advantage against any threat in the shadows of evil. Whatever the mission Surefire WeaponLights are purpose built to endure and prevail in any environment, and in the harshest of conditions.



M622V //

SCOUT LIGHT

NEW













PROVEN

TARGET


HEAT TREATED STAINLESS STEEL

SOCOM 556-RC2 // SUPPRESSOR





IR LASER





X400VH-IRC // WEAPONLIGHT





1200 LUMENS





TIR LENS

MULTI-SETTING

EDCL2-T // FLASHLIGHT





EXTREMELY DURABLE



INTERFACES WITH MOST SUPPRESSOR & WEAPONLIGHT CONFIGURATIONS

MASTERFIRE // RAPID DEPLOY HOLSTER



EWP-04 // SUREFIRE PEN





COMBAT PROVEN



STAY ON



HEAT TREATED STAINLESS STEEL TARGET

RYDER 9M-Ti // SUPPRESSOR





COMBAT PROVEN

EXTREMELY DURABLE



MAG-60 // HIGH-CAPACITY MAGAZINE







MULTI-SETTING DUAL OUTPUT TIR LENS






V1-C VAMPIRE // FLASHLIGHT







\*CAPS OPEN FOR AIR/WATER EQUALIZATION





# LAW ENFORCEMENT KIT //



A good weapon-mounted light provides unparalleled ergonomics, a tactical advantage, and the illumination you need to make split-second critical decisions. A SureFire WeaponLight provides all of the above and the durability and reliability to take that light from good to great. We ought to know—we invented the WeaponLight over three decades ago and have been advancing the technology ever since.









BEAM









XH35 // WEAPONLIGHT

NEW









800 LUMENS MAXVISION BEAM

MULTI-SETTING





INTERFACES WITH MOST SUPPRESSOR & WEAPONLIGHT CONFIGURATIONS

TACTICIAN // FLASHLIGHT

NEW









V-70 // FLASHLIGHT HOLSTER











PROGRAMMABLE RECHARGEABLE



SIGNATURE // WRISTLIGHT





EXTREMELY DURABLE

**EWP-04** // SUREFIRE PEN







\*Caps open for air/water equalization.



**EP4** EAR PRO // HEARING PROTECTION













MAXVISION

RECHARGEABLE RED LASER



XC2 // WEAPONLIGHT & RED LASER

NEW



EDCL1-T // FLASHLIGHT





500 LUMENS

NEW







MAXVISION

FUEL GAUGE MULTI-SETTING







LUMINOX // WRISTLIGHT





300 LUMENS

MAXVISION

RECHARGEABLE



XC1 // WEAPONLIGHT



**MVB** 

MAXVISION

BEAM





















MVB

MAXVISION



FUEL GAUGE



USB

MULTI-SETTING PROGRAMMABLE RECHARGEABLE





STILETTO // POCKET LIGHT

NEW



## CHOOSING THE RIGHT WEAPON LASER/LIGHT //

Use the matrix below to help find the right SureFire WeaponLight for your firearm type and intended use.





**HOLSTER HANDGUNS** 



RAILED RIFLES / CARBINES



SHOTGUNS

SUREFIRE.COM



**ULTRA-COMPACT** 



X300 ULTRA HOLSTER





M600 ULTRA SCOUT LIGHT





M600 DUAL FUEL



**CREW SERVED WEAPONS HEAVY GUNS** 





XC2 ULTRA-COMPACT + RED LASER



X300 ULTRA - A ULTRA-HIGH OUTPUT



X300 ULTRA - B **ULTRA-HIGH OUTPUT** 



X300V-B DUAL-SPECTRUM



X400 ULTRA ULTRA-HIGH OUTPUT + RD / GN LASER



X400V-IRc DUAL-SPECTRUM + IR LASER





ULTRA-HIGH OUTPUT



**X400 ULTRA HOLSTER** ULTRA-HIGH OUTPUT + RD / GN LASER



XH35 DUAL OUTPUT + STROBE



XH55G ULTRA-HIGH OUTPUT + GN LASER



M300V SCOUT LIGHT COMPACT DUAL-SPECTRUM





M600V SCOUT LIGHT DUAL-SPECTRUM



**AUTO-ADJUSTING VARIABLE-OUTPUT LED** 



M600 INTELLIBEAM SCOUT LIGHT AUTO-ADJUSTING VARIABLE-DUTPUT LED





LMG-A SINGLE-OUTPUT SHOTGUN FOREND







328LMF-A DEDICATED FOREND





EXTENDED RANGE





# **XH35**

ULTRA-HIGH DUAL-OUTPUT HANDGUN HOLSTER LIGHT



1000 LUMENS

3K CANDELA









Designed to interface with the Masterfire® Rapid Deploy Holster, the XH35 generates 1000 blinding lumens of light in a broad, MaxVision Beam™. The XH35 features two mode selector switches. One for toggling between high and low output, and one for continuous light operation and a disorienting strobe mode.



Integral ambidextrous momentaryand constant-on switching



Cam-slotted bezel and rear locking lugs on battery housing interface with MASTERFIRE™ holster for secure weapon retention

Two mode selector switches: One for toggling between high/low output, and one for strobe

#### **FEATURES**

- 1 Masterfire holster positions pistol at special angle for rapid deployment
- 2 Level 3 retention secures pistol with primary and secondary locking systems
- 3 Auto-activation switch activates weaponlight when pistol is drawn
- 4 Open design accommodates most any pistol as well as suppressor & red-dot optics

		MASTERFIRE	XH35
	ОИТРИТ	N/A	High: 1000 Low: 300 lumens
	RUNTIME	N/A	High: 1.25 Low: 2.5 hours
	PEAK BEAM INTENSITY	N/A	3,000 candela
SPECIFICATIONS	DISTANCE	N/A	110 meters
	CONSTRUCTION	Fiber Reinforced Polymer	Aluminum
	FINISH	Black	Mil-Spec Hard Anodized
	WEIGHT (w/batteries)	8.75 oz (248 g)	4.8 oz (136 g)
	LENGTH	L: 8.25 in (21 cm) W: 4.48 in (11.4 cm) D: 3.34 in (8.5 cm)	3.7 in (9.4 cm)
	BEZEL DIAMETER	N/A	1.25 in (3.17 cm)
	BATTERIES	N/A	Two 123A lithium (incl.)
	SWITCHING	N/A	Ambidextrous push/toggle



## XH15

POLYMER LED HANDGUN HOLSTER LIGHT

350 LUMENS





XH15

1.2K CANDELA

The XH15 interfaces with the Masterfire® holster to automatically activate the light, if the holster is set to do so, when the weapon is drawn, unleashing 350 blinding lumens of light in a broad, MaxVision Beam™. This polymer-bodied WeaponLight is lightweight, durable, and available at an attractive price point.



ULTRA-HIGH-OUTPUT HANDGUN HOLSTER LIGHT

600 LUMENS





X300UH-B

16.5K

Six hundred lumens of TIR lens-focused light in a hardanodized aluminum package that seamlessly interfaces with the Masterfire® Rapid Deploy Holster.

# X400UH

ULTRA-HIGH-OUTPUT HANDGUN HOLSTER LIGHT + RED/GREEN LASER

600









16.5K CANDELA




Designed to interface with the Masterfire® Rapid Deploy Holster, the X400UH generates 600 lumens of TIR lensfocused light and a high-visibility red or green laser sight for aiming.







Ambidextrous push/toggle



# XHSSG

ULTRA-HIGH-OUTPUT HANDGUN HOLSTER LIGHT + GREEN LASER

















SPECIFICATIONS

Designed to interface with the Masterfire® Rapid Deploy Holster, the XH55G features a green laser that is highly visible to the human eye, and an ultra-high MaxVision Beam™ that generates 1000 lumens of blinding broad light. The XH55G features two selector switches — one white light, and one for laser.

Ambidextrous push/toggle

	XH15	X300UH	X400UH - RED	X400UH - GREEN	XH55G
ОИТРИТ	350 lumens	600 lumens	600 lumens / < 5 mW (635 nm)	600 lumens / < 5 mW (515 nm)	1000 lumens / < 5 mW (515 nm)
RUNTIME	1.25 hours	1.75 hours	1.75 hours / 24 hours (laser)	1.75 hours / 24 hours (laser)	1.25 hours / 24 hours (laser)
PEAK BEAM INTENSITY	1,200 candela	16,500 candela	16,500 candela	16,500 candela	3,000 candela
DISTANCE	70 meters	260 meters	260 meters	260 meters	110 meters
CONSTRUCTION	Polymer / Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
WEIGHT (w/batteries)	4.2 oz (119 g)	4.4 oz (125 g)	5.5 oz (156 g)	5.5 oz (156 g)	4.8 oz (136 g)
LENGTH	3.78 in (9.6 cm)	3.7 in (9.4 cm)	3.6 in (9.1 cm)	3.6 in (9.1 cm)	3.7 in (9.4 cm)
BEZEL DIAMETER	1.2 in (3 cm)	1.25 in (3.175 cm)	1.187 in (3.0 cm)	1.187 in (3.0 cm)	1.25 in (3.17 cm)
BATTERIES	One 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)

Ambidextrous push/toggle

Ambidextrous push/toggle

All performance claims tested to ANSI/NEMA FL1-2009 Standard.

Ambidextrous push/toggle



ULTRA-COMPACT HANDGUN LIGHT

UPGRADED

XC1-B

300 LUMENS

MVB



820 CANDELA

SPECIFICATIONS

The smallest, lightest WeaponLight we make, the XC1 is big on performance and attitude. Mount one to your pistol for a broad MaxVision Beam  $^{\text{TM}}$  with enough power to provide a tactical advantage and plenty of peripheral illumination for better threat assessment.

Ambidextious momentary/constant on switches —



MADE: IN AUSTRIA GROOK, INC., SHITEMA, GA

Gasket-sealed battery compartment

	XC1	XC2
ОИТРИТ	300 lumens	300 lumens / 5mW; 635 nm; Class IIIa
RUNTIME	45 minutes	0.5 hours
PEAK BEAM INTENSITY	820 candela	820 candela
DISTANCE	54 meters	54 meters
CONSTRUCTION	Aluminum	Aluminum
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
WEIGHT (w/batteries)	1.6 oz (45.4 g)	2.1 oz (59.5 g)
LENGTH	2.375 in (6 cm)	2.46 in (6.25 cm)
BEZEL DIAMETER	.375 in (0.95 cm)	.375 in (.95 cm)
BATTERIES	One AAA rechargeable NiMH (incl.) lithium* or alkaline*	One AAA rechargeable NiMH (incl.) lithium* or alkaline
SWITCHING	Ambidextrous momentary/constant; constant-on push through	Ambidextrous momentary / constant-on-push-through

<sup>\*</sup>runtime and output will be reduced when using a lithium or alkaline battery





ULTRA-COMPACT HANDGUN LIGHT + RED LASER



300 LUMENS

820 CANDELA





XC2-A

The XC2 is based on the top-selling XC1, the smallest and lightest SureFire WeaponLight. The XC2 features the MaxVision Beam, but the added laser feature makes it twice as nice.

### • FEATURES

- Lightweight and ultra-compact; ideal for concealed-carry use
- XC2 Securely attaches to most Universal-railequipped handguns
- Improved constant-on activation by tapping either one of the momentary switches. To turn off, simply tap either one of the momentary switches again





#### **FEATURES**

- 1 Patented TIR lens beam is optimized for reach and surround light
- 2 Recoil-proof LED generates 600 lumens of light
- 3 High-strength Aerospace Aluminum body, Mil-Spec Hard Anodized for extreme durability
- 4 0-ring & gasket sealed to keep out moisture & dirt
- 5 Patented toggle switch provides ambidextrous one-finger activation; press for momentary-on, rotate for constant on
- 6 T-slot or rail mounting system provides secure attachment to more pistol models than ever before

#### O DG GRIP SWITCH FOR X-SERIES WEAPONLIGHTS

SureFire DG grip switches replace the rear plate on X-Series WeaponLights for precision activation without altering your grip on the weapon.

TO SEE WHICH DG SWITCH FITS YOUR WEAPON, VISIT: www.surefire.com/dgswitches





### **X**300U

ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT

600 LUMENS



See color options below

16.5K

Features a precision TIR lens, creating a farreaching high-intensity beam — with a larger center spot — that offers the power to positively identify threats at significant distances while temporarily impairing an adversary's vision.

SUREFIRE.COM







X300U-A



X300U-A can attach securely to Universal & Picatinny rails with its Lever Latch or Rail-Lock® system



X300U-B can attach securely to Universal and Picatinny rails with its T-slot thumbscrew clamp



Selectable V-Series head provides white & infrared illumination with no filter required.

SPECIFICATIONS

# X300V

INFRARED/WHITE LED HANDGUN LIGHT

350 LUMENS







X300V-B

120 MILLIWATTS

The X300V-B is a compact WeaponLight for pistols and long guns featuring a high-output white-light and infrared LED in one sealed unit. In white-light mode, its recoil-proof LED generates a far-reaching 350-lumen tactical beam.

#### **X300V BEZEL SELECTOR RING:**

Just twist to select white light, infrared, or to disable the system.




	X300U - A/B	X300V
OUTPUT	600 lumens	350 lumens / 120mW / 860 nm (IR beam)
RUNTIME	1.75 hours	2.5 hours / 16.75 hours (infrared)
PEAK BEAM INTENSITY	16,500 candela	13,000 candela
DISTANCE	260 meters	155 meters
CONSTRUCTION	Aluminum	Aluminum
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
WEIGHT (w/batteries)	4.1 oz (116 g)	4.0 oz (113 g)
LENGTH	3.6 in (9.1 cm)	4.0 in (10.0 cm)
BEZEL DIAMETER	1.125 in (2.9 cm)	1.06 in (2.7 cm)
BATTERIES	Two 123A lithium (incl.)	Two 123A lithium (incl.)
SWITCHING	Ambidextrous push/toggle	Ambidextrous push/toggle



#### **FEATURES**

- 1 Patented TIR lens beam is optimized for reach and surround light
- 2 Recoil-proof LED generates blinding white light
- 3 Laser sight with adjustable NYLOK® screws that won't loosen
- 4 High-strength Aluminum body, Mil-Spec Hard Anodized for extreme durability
- 5 O-ring & gasket sealed to keep out moisture & dirt
- 6 Patented toggle switch provides ambidextrous one-finger activations; press for momentary-on, rotate for constant on
- 7 Rail mounting system provides secure attachment to more pistol models than ever before

#### **2** X400 SELECTOR SWITCH



	X400U - RED	X400U - GREEN	X400V
ОИТРИТ	600 lumens / < 5 mW (635 nm)	600 lumens / < 5 mW (515 nm)	350 lumens / 120 mW (IR beam) < 0.7 mW (850 nm)
RUNTIME	1.75 hours / 24 hours (laser)	1.75 hours / 24 hours (laser)	2.5 hours / 16.75 hours (infrared) / 20 hours (laser)
PEAK BEAM INTENSITY	16,500 candela	16,500 candela	13,000 candela
DISTANCE	260 meters	260 meters	155 meters
CONSTRUCTION	Aluminum	Aluminum	Aluminum
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
WEIGHT (w/batteries)	4.9 oz (139 g)	4.9 oz (139 g)	4.9 oz (139 g)
LENGTH	3.6 in (9.1 cm)	3.6 in (9.1 cm)	4.0 in (10.1 cm)
BEZEL DIAMETER	1.125 in (2.9 cm)	1.125 in (2.9 cm)	1.06 in (2.7 cm)
BATTERIES	Two 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)
SWITCHING	Ambidextrous push/toggle	Ambidextrous push/toggle	Ambidextrous push/toggle

All performance claims tested to ANSI/NEMA FL1-2009 Standard.

\*Nylok is a trademark of Nylok LLC.



## **X**400U

ULTRA-HIGH-OUTPUT LED HANDGUN LIGHT + RED OR GREEN LASER

600 LUMENS







X400U-A-RD X400U-A-GN

16.5K



The X400 Ultra is a compact WeaponLight for pistols and long guns featuring an ultra-highoutput white-light LED and a red or green laser sight that's optimized for human eyesight.







Commercially available <0.7 mW infrared laser is ideal for stealth missions using NVDs and suitable for force-on-force training.

## **X**400V

INFRARED/WHITE LED HANDGUN LIGHT + INFRARED LASER

350 LUMENS













The highly versatile X400V IRc dual-spectrum WeaponLight for handguns and long guns features an integral Class 1 infrared-laser aiming device and our innovative V-Series head, which provides both white-light and infrared illumination suitable for virtually any mission

### **X400V BEZEL SELECTOR RING:**

Just twist to select white light, infrared, or to disable the system.











25



M300C

COMPACT LED SCOUT LIGHT

UPGRADED

500 LUMENS



M300C-Z68-BK

7.6K

The M300C Mini Scout is a powerful, lightweight weapon-mounted light — powered by a single 123A lithium battery — that features a virtually indestructible LED, which generates 500 lumens of light focused by a TIR lens into a high-intensity beam with plenty of reach for close- to mid-range operations.





M300C-Z68-BK

M300C-Z68-TN



M300C & M330V models come

standard with click-on/off tailcap

switch; momentary-on tape switches also available (sold separately).

M300V

COMPACT INFRARED / WHITE LED SCOUT LIGHT

250 LUMENS

100







M300V-B-768-BK

The combat-ready M300V Mini Scout Light is an ultra-compact, dual-spectrum WeaponLight that produces high-intensity white light and vibrant infrared illumination from a sealed V-Series head containing both a white and infrared LED.





M300V-R-768-RK

M300C-768-TN

COLOR 500 lumens WH: 250 lumens IR: 100 mW OUTPUT 1.0 hour WH: 1.5 hours IR: 6 hours RUNTIME PEAK BEAM INTENSITY 7,600 candela 9,300 candela SPECIFICATIONS 175 meters 138 meters DISTANCE CONSTRUCTION Aluminum Aluminum Mil-Spec Hard Anodized Mil-Spec Hard Anodized FINISH WEIGHT [w/batteries] 4.1 oz. (116 g) 4.1 oz. (116 g) 4.1 in (10.4 cm) 4.1 in (10.4 cm) LENGTH 1.125 in (2.9 cm) 1.125 in (2.9 cm) BEZEL DIAMETER One 123A lithium (incl.) One 123A lithium (incl.) BATTERIES SWITCHING Click tailcap Click tailcap

M300V

All performance claims tested to ANSI/NEMA FL1-2009 Standard.

маппс

#### GENERATES WHITE & INFRARED ILLUMINATION

Twist to select infrared, off, or white light.







M600U & M600V models come

standard with click-on/off tailcap

also available (sold separately).

switch; momentary-on tape switches

MEDOU

ULTRA-HIGH-OUTPUT LED SCOUT LIGHT

600 LUMENS



M600U-Z68-TN

16.5K

The M600 Ultra Scout Light is a lightweight, compact WeaponLight featuring an ultra-high-output LED that delivers 600 lumens of blinding white light. A proprietary TIR lens shapes the recoil-proof LED's light into a beam with plenty of reach but enough surround light to accommodate peripheral vision, making the M600U ideal for close to longer-range applications.





M60011-768-RK

M600U-768-TN



M600V

INFRARED / WHITE LED SCOUT LIGHT

350

120







M600V-B-Z68-BK

The M600V Scout Light is a lightweight, compact WeaponLight featuring a high-output white-light and infrared LED in one sealed unit. In white-light mode, its recoil-proof LED generates a versatile, 350-lumen tactical beam capable of temporarily blinding and disorienting an aggressor. In infrared mode, the 120-milliwatt LED produces a beam that's invisible to the naked eye, for use on stealth operations involving night vision devices — no filter required.





M600V-B-Z68-BK

M300V-B-Z68-TN

#### GENERATES WHITE & INFRARED ILLUMINATION

Twist to select infrared, off, or white light.



		M600U	M600V
	COLOR		
	OUTPUT	600 lumens	WH: 350 lumens IR: 120 mW
	RUNTIME	1.75 hour	WH: 2.5 hours IR: 16.75 hours
0	PEAK BEAM INTENSITY	16,500 candela	13,000 candela
SPECIFICATIONS	DISTANCE	260 meters	155 meters
	CONSTRUCTION	Aluminum	Aluminum
	FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
	WEIGHT (w/batteries)	4.8 oz. (136 g) w/ tailcap switch	4.8 oz. (136 g) w/ tailcap switch
,	LENGTH	5.5 in (13.9 cm)	5.5 in (13.9 cm)
	BEZEL DIAMETER	1.125 in (2.9 cm)	1.125 in (2.9 cm)
	BATTERIES	Two 123A lithium (incl.)	Two 123A lithium (incl.)
	SWITCHING	Click tailcap	Click tailcap



# MEDODF

**DUAL FUEL LED SCOUT LIGHT** 



M600DF-BK M600DF-TN

1500\* LUMENS

5.8K







The M600DF-BK Ultra Scout Light is a lightweight, compact WeaponLight featuring an ultra-high-output LED that delivers 1,200 lumens of blinding white light with the included SF123A batteries and 1,500 lumens of light with the optional SF18650A rechargeable lithium-ion battery.

		M600DF	
	COLOR		
	ОИТРИТ	1500 lumens w/18650 / 1200 lumens w/123A	
	RUNTIME	1 hour	
S	DISTANCE	151 meters w/18650 / 136 meters w/123A	
NO	CANDELA	1500 lumens - 5800 / 1200 lumens 4600 candela	
CAT	CONSTRUCTION	Aluminum	
SPECIFICATIONS	FINISH	Mil-Spec Hard Anodized	
	WEIGHT (w/batteries)	5.15 oz (146 g)	
	LENGTH	5.56 in (14.1 cm)	
	BEZEL DIAMETER	1.125 in (2.9 cm)	
	BATTERIES	Two 123A lithium (incl.) or One 18650 lithium-ion	
	SWITCHING	Click tailcap	

<sup>\*18650</sup> battery required for 1500 lumen output. Battery and charge kit are not included.







#### INTELLIBEAM™ TECHNOLOGY,

An intelligent sensor and microprocessor-based system that continuously evaluates the environment where the beam is aimed — to automatically adjust the light output to the optimal level, between 100 and 600 lumens, faster than the human eye can detect.

# M600IB

AUTO-ADJUSTING VARIABLE-OUTPUT LED SCOUT LIGHT

600 LUMENS







M600IB-Z68-BK

14.75K

The revolutionary SureFire M600IB is the most sophisticated, most innovative member of our best-selling Scout Light Family. It utilizes SureFire's proprietary IntelliBeam™ Technology. Its highperformance LED and parabolic reflector create a smooth, highly useful beam with far-reaching center and significant surround light for maintaining situational awareness no matter to which output level the M600IB's beam is automatically set.

		MGOOIB	
	OUTPUT	High: 600 Low: 100 lumens	
	RUNTIME	High: 1.5 Low: 5 hours	
	PEAK BEAM INTENSITY	14,750 candela	
SN	DISTANCE	243 meters	
SPECIFICATIONS	CONSTRUCTION	Aluminum	
	FINISH	Mil-Spec Hard Anodized	
	WEIGHT (w/batteries)	6.2 oz (176 g)	
	LENGTH	5.8 in (14.7 cm)	
	BEZEL DIAMETER	1.37 in (3.48 cm)	
	BATTERIES	Two 123A lithium (incl.)	
	SWITCHING	Click-type	











#### UEO7

SCOUT LIGHT REMOTE SWITCH ASSEMBLY

The UE07 provides reliable remote activation for Scout Light WeaponLights.

Fits: Scout Light WeaponLights



### ST07

WEAPONLIGHT REMOTE TAPE SWITCH

Provides momentary-on activation only on any SureFire WeaponLight equipped with a switch socket.

Fits: Scout Light WeaponLights with plug sockets, including Millennium Universal, Classic Universal, Scout Light fitted with socketed tailcap, X300, X400 with XT tailcap assembly.



### 0507

SCOUT LIGHT REMOTE/PUSH-BUTTON SWITCH

Redundant, reliable activation for Scout Light models featuring an integrated click-on/off push-button tailcap switch and a standard socket that accepts a remote tape switch.

Fits: Scout Light WeaponLights

WEAPONLIGHTS



#### **SR07**

MILLENNIUM WEAPONLIGHTS REMOTE DUAL SWITCH

Enjoy remote momentary and constant -on activation with any switch-socketequipped SureFire WeaponLight.

Fits: Millennium Universal, Classic Universal, Scout Light with UE-BK, UE-TN or DS00 tailcap, and X200, X300, and X400 with XT tailcap.



### DS-SR07-D-IT

WATERPROOF SWITCH ASSEMBLY AND ATPIAL LASER SWITCH

Waterproof dual-action 7" switch provides remote momentary activation of a SureFire Scout Light and an Insight ATPIAL laser illuminator. The DS-SR07-D-IT includes a system disable feature, click on/ off pushbutton switch. The integrated pushbutton and remote switch assembly operates independently, providing switch redundancy.

Fits: Scout Light WeaponLights



### DS-SR07

WATERPROOF SWITCH ASSEMBLY FOR SCOUT LIGHT WEAPONLIGHTS

Enjoy remote momentary-and constant -on activation with any switch-socketequipped SureFire Scout Light.

Fits: Scout Light WeaponLights

### SR07-0-IT

REMOTE DUAL SWITCH FOR WEAPONLIGHT + ATPIAL LASER DEVICE

This dual-action switch provides remote momentary activation of a SureFire WeaponLight and an Insight\* ATPIAL laser illuminator.

Fits: Millennium Universal, Classic Universal, Scout Light with socketed tailcap, and X200, X300, and X400 with XT tailcap.

\*Insight is a trademark of L-3 Communications.





### **XMD7**

MILLENNIUM WEAPONLIGHTS REMOTE **DUAL SWITCH TAILCAP ASSEMBLY** 

The XM07 is a waterproof switch assembly for SureFire's Millennium Universal and Classic Universal WeaponLights. Includes system disable feature, click on/off pushbutton switch, and plug-in momentary-on remote tape switch. The pushbutton and pressure-activated tape switch operate independently, providing switch redundancy.

Fits: Millennium Universal and Classic Universal WeaponLights



### 0500

WATERPROOF SWITCH ASSEMBLY FOR WEAPONLIGHTS

The DS00 is a waterproof switch assembly for SureFire's Scout Light WeaponLights. Includes system disable feature, click on/ off pushbutton switch. The integrated pushbutton and remote switch assembly operates independently, providing switch redundancy.

Fits: Scout Light WeaponLights





REPLACEMENT FOR Z68 CLICK STYLE TAILCAP -DOES NOT INCLUDE REMOTE TAPE SWITCH

Replace your Scout Light's Z68 rear pushbutton cap assembly with this cap in order to attach a SureFire tape switch. Lock-out feature positively prevents activation during tactical operations, transportation, or storage.

Fits: Scout Light WeaponLights; Compatible with ST07, SR07 and SR-D-IT pressure pad assemblies.

### WE HAVE YOU COVERED.

New Scout light models feature a DS dual switch system and one of three mounting options. Scout light configurations include a battle-proven M75 thumbscrew mount, the RM45 offset mount, and the American Defense Manufacturing mount for secure attachment to any MIL-STD-1913 rail system. Increase your long gun's effectiveness in close-to longer-range low-light situations without any sacrifice in weapon maneuverability!





### M75

THUMBSCREW SCOUT LIGHT MOUNT

M75

The SureFire M75 Thumbscrew Clamp Mount Assembly is designed for mounting a SureFire M300/M600 Series Scoutlight to a weapon rail. The M75 features a Mil-Spec Type III anodized finish and can be hand tightened without the use of tools on both in and out of spec rail systems.



### M-AD-SF

QD AUTO LOCK™ LEVER SCOUT LIGHT MOUNT

M-AD-SF

The American Defense Manufacturing (ADM) AD-SF mount is designed for mounting a SureFire M300/M600 Series Scoutlight to a weapon rail. The M-AD-SF features the ADM patented QD Auto Lock<sup>TM</sup> Lever system for both in and out of spec rail systems. It is precision machined from 6061 T6 aluminum and has a Mil-Spec Type III hard anodized finish.



### **RM45**

OFF-SET SCOUT LIGHT MOUNT

RM45-BK

Built from strong, lightweight Mil-Spec hard-anodized aluminum, the RM45 mount securely attaches any thumbscrew-equipped Scout Light in the off-set position between the rails of a MIL-STD-1913 rail, decreasing the light's profile.











### LMG SHOTGUN FOREND

ULTRA-HIGH-OUTPUT LED WEAPONLIGHT

600 LUMENS

618LMG-A 623LMG-A

16.5K

SureFire LMG WeaponLights replaces your factory forend with a tough polymer forend featuring a powerful integrated LED head featuring a momentary- and constant-on switching.



	DSF	LMG	
DOMBATIBILITY	Remington 870 (DSF-870)	Remington 870 (618LMG-A)	
COMPATIBILITY	Mossberg 500/590 (DSF-500/590)	Mossberg 500/590 (623LMG-A)	
OUTPUT	High: 600 Low: 200 lumens	600 lumens	
RUNTIME	High: 1.5 Low: 3 hours	1.75 hours	
PEAK BEAM INTENSITY	13,000 candela	16,500 candela	
DISTANCE	N/A	260 meters	
CONSTRUCTION	Nitrolon® polymer/Aluminum	Nitrolon® polymer/Aluminum	
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	
WEIGHT (w/batteries)	870: 17.8 oz (504.6 g) 500/590: 18.2 oz (516 g)	17.2 oz (487 g)	
LENGTH	9.2 in (23.4 cm)	10.3 in (26 cm)	
BEZEL DIAMETER	1.37 in (3.47 cm)	1.125 in (2.85 cm)	
BATTERIES	Two 123A lithium (incl.)	Two 123A lithium (incl.)	
SWITCHING	Momentary - & constant-on pressure switches	Pressure pad + constant-on rocker + disable rocker	

enough reach for medium to longerrange applications with significant surround light for peripheral vision

Total Internal Reflection (TIR) lens creates intense, versatile beam with





### 328LMF-A

COMPACT LED WEAPONLIGHT FOR HK MP5, HK53 & HK94


300 LUMENS

> 9K CANDELA



328LMF-A

This compact forend is powered by one battery and features a recoil-proof LED focused by a TIR lens for a far-reaching beam. Replaces the factory forend on the HK MP5, HK53, and HK94.



### 628LMF-A

HIGH-OUTPUT LED WEAPONLIGHT FOR HK MP5, HK53 & HK94

600 LUMENS

16.5K CANDELA TIR

628LMF-A

Fits the same models as the 328MLF-A but produces a beam with more output and runtime because it's powered by two batteries.



Features a constant-on/off rocker switch.

WEAPONLIGHTS



### HELLFIGHTER 4

ULTRA-HIGH / DUAL-OUTPUT WEAPONLIGHT / SEARCHLIGHT

3000 LUMENS

590K CANDELA









HF4A

This versatile handheld and heavy-weapon/vehiclemountable spotlight features a long-lasting, recoilresistant HID lamp that generates a 3,000-lumen beam capable of illuminating subjects nearly a mile away. It's rechargeable or runs off of a vehicle's DC power or military BA-5590 batteries.



	328LMF-A	628LMF-A	HELLFIGHTER 4
COMPATIBILITY	HK MP5 / HK53 / HK94	HK MP5 / HK53 / HK94	N/A
ОИТРИТ	300 lumens	600 lumens	High: 3,000 Low: 1,000
RUNTIME	1.5 hours	1.75 hours	12 VDC vehicle system: continuous BA-5590 military battery: one, 90 minutes; two parallel, 3+ hour Integral rechargeable battery: 30 minutes
PEAK BEAM INTENSITY	9,000 candela	16,500 candela	590,000 candela
DISTANCE	191 meters	260 meters	1,536 meters
CONSTRUCTION	Nitrolon® polymer/Aluminum	Nitrolon® polymer/Aluminum	Nitrolon® polymer/Aluminum
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
WEIGHT (w/batteries)	9.6 oz (272.2 g)	17.6 oz (499 g)	6.5 lb (2.95kg)
LENGTH	N/A	N/A	11.0 in (27.9 cm)
BEZEL DIAMETER	1.125 in (2.85 cm)	1.125 in (2.85 cm)	4.1 in (10.4 cm)
BATTERIES	One 123A lithium (incl.)	Two 123A lithium (incl.)	Integral rechargeable battery & DC power
SWITCHING	Pressure pad + constant-on rocker + system disable	Pressure pad + constant-on rocker + system disable	N/A



WEAPONLIGHTS

UDR



### FURY® DFT

**DUAL FUEL TACTICAL LED FLASHLIGHT** 



FURY-DFT









The Dual Fuel Tactical (DFT) represents the natural evolution of our best-selling Fury Tactical flashlight into a single-output, 1,500\* lumen light which can be powered by one 18650 or two 123A batteries.



Powered by one 18650 or two 123A batteries



### UDR DOMINATOR®

RECHARGEABLE ULTRA-HIGH VARIABLE-OUTPUT LED FLASHLIGHT

2400 LUMENS

200K











Dominator is ideal for long range illumination and the most remote locations. With dual fuel capability and an impressive beam distance of 903 meters the Dominator will conquer any environment. It features an 11-position selector ring, a strobe mode, a fuel gauge, and head switches that offer momentary-and constant-on activation - as well as our MaxBlast™ option, which delivers max output when pressed.



	FURY-DFT	UDR DOMINATOR
ОИТРИТ	1500 lumens w/18650 / 1200 lumens w/123A	High: 2,400 Low: 14 lumens
RUNTIME	1 hour	High: 2.25 Low: 22.75 hours
PEAK BEAM INTENSITY	1500 lumens - 5800 / 1200 lumens 4600 candela	200,000 candela
DISTANCE	151 meters w/18650 / 136 meters w/123A	903 meters
CONSTRUCTION	Aluminum	Aluminum
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
WEIGHT (w/batteries)		2.4 lb (108 kg)
LENGTH	5.6 in (14.2cm)	11.6 in (29.5 cm)
BEZEL DIAMETER	1.39 in (3.5cm)	3.0 in (7.7 cm)
BATTERIES	Two 123A lithium (incl.) or One 18650 lithium-ion*	One lithium-ion (incl.) / Twelve 123A lithium
SWITCHING	Click tailcap	Head switch / selector ring

<sup>\*18650</sup> battery required for 1500 lumen output. Battery and charge kit are not included.





### **EDCL1-T**

DUAL-DUTPUT EVERYDAY CARRY FLASHLIGHT



EDCL1-T

500 LUMENS

TIR

7.6K

R O

The Everyday Carry Light 1 is an upgraded version of our best-selling EB1 Backup®. Otherwise it's all about bold, in-your-face performance, with its high-output LED delivering 500 lumens of blinding white light on high and a useful 5 lumens on low. Press the tailcap switch lightly for the low output or press fully for the high output. Highly versatile light serves as a fighting light and a task light.

		EDCL1-T
	OUTPUT	High: 500 Low: 5 lumens
	RUNTIME	High: 1.0 Low: 45 hours
	PEAK BEAM INTENSITY	7,600 candela
	DISTANCE	175 meters
	CONSTRUCTION	Aluminum
	FINISH	Mil-Spec Hard Anodized
	WEIGHT (w/batteries)	3.3 oz (95 g)
5	LENGTH	4.5 in (11.43 cm)
	BEZEL DIAMETER	1.125 in (2.85 cm)
	BATTERIES	One 123A lithium (incl.)
	SWITCHING	Dual stage tactical tailcap





### EDCL2-T

DUAL-OUTPUT EVERYDAY CARRY FLASHLIGHT



EDCL2-T

1200 LUMENS

24K CANDELA





The Everyday Carry Light 2, an upgraded version of our popular EB2 Backup®. Otherwise it's all about bold, in-your-face performance, with its high-output LED delivering 1,200 lumens of blinding white light on high and a useful 5 lumens on low. Press the tailcap switch lightly for the low output or press fully for the high output. Highly versatile light serves as a fighting light and a task light.

	OUTPUT	High: 1200 Low: 5 lumen
	RUNTIME	High: 1.0 Low: 60 hours
	PEAK BEAM INTENSITY	24,000 candela
	DISTANCE	450 meters
	CONSTRUCTION	Aluminum
2	FINISH	Mil-Spec Hard Anodized
	WEIGHT (w/batteries)	4.1 oz (118 g)
;	LENGTH	5.84 in (14.8 cm)
	BEZEL DIAMETER	1.125 in (2.85 cm)
	BATTERIES	Two 123A lithium (incl.)
	SWITCHING	Dual stage tactical tailcap

EDCL2-T



### TACTICIAN\*

DUAL-OUTPUT MAXVISION BEAM™ LED FLASHLIGHT



E2T-MV

800 LUMENS





3.2K CANDELA

SPECIFICATIONS

This highly versatile light serves as a fighting light and a task light. Hand-tighten its front bezel to set the light to deliver all 800 lumens for longer-range or tactical tasks; rotate counterclockwise a quarter-turn for 5 lumens of light for those tasks requiring less light and more runtime. The dual-output LED is paired with a proprietary reflector that shapes the output of light into our wide, useful MaxVision Beam™ optimized for your field of vision.

	TACTICIAN	E1B BACKUP	
ОИТРИТ	High: 800 Low: 5 lumens	High: 400 Low: 5 lumens	
RUNTIME	High: 1.5 Low: 94 hours	High: 1.25 Low: 50 hours	
PEAK BEAM INTENSITY	3,200 candela	1,865 candela	
DISTANCE	115 meters	86 meters	
CONSTRUCTION	Aluminum	Aluminum	
FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	
WEIGHT (w/batteries)	3.5 oz (99 g)	2.95 oz (83.6 g)	
LENGTH	5.0 in (12.7 cm)	3.9 in (9.9 cm)	
BEZEL DIAMETER	1.0 in (2.54 cm)	1.13 in (2.8 cm)	
BATTERIES	Two 123A lithium (incl.)	One 123A lithium (incl.)	
SWITCHING	Tactical tailcap	Click tailcap	

All performance claims tested to ANSI/NEMA FL1-2009 Standard.

### • FEATURES

- Highly versatile light serves as a fighting light and a task light.
- Dual-output LED with MaxVision™ Beam, delivers a broad useful wall of light that fills in the space around you
- Powered by two energy-dense 123A batteries with 10-year shelf life

WEAPONLIGHTS



E1B-MV

### E18 BACKUP

DUAL-OUTPUT MAXVISION BEAM™ LED FLASHLIGHT

400 LUMENS

1.8K






The sleek, compact dual-output E1B-MV is designed as a backup light that is also an outstanding everyday-carry light for most any application.

## • FEATURES

- High-performance LED and specially developed reflector create a wide, smooth MaxVision Beam™
- Constructed of high-strength Mil-Spec Hard Anodized aerospace aluminum
- Powered by a single energy-dense 123A battery with 10-year shelf life





# AVIATOR

DUAL-OUTPUT MULTI-SPECTRUM LED FLASHLIGHT

250\*





See color options below

9.3K CANDELA

Dual-output handheld that provides white light and one of four colored LED options.

\*White light only

LED COLOR	OUTPUT (lumens)		RUNTIME (hours)	
WHITE	High: 250	Low: 5	High: 1.5	Low: 20.5
AMBER (590 nm)	High: 20 (50 mW)	Low: 5 (10 mW)	High: 2.75	Low: 29
BLUE (450 nm)	High: 4 (110 mW)	Low: .4 (10 mW)	High: 12	Low: 49
RED (635 nm)	High: 39 (240 mW)	Low: 1 (1.3 mW)	High: 3	Low: 57
YELLOW/GREEN (568 nm)	High: 39 (85 mW)	Low: 3 (7 mW)	High: 12	Low: 58
PEAK BEAM INTENSITY	9,300 candela			
DISTANCE	138 meters			
CONSTRUCTION	Aluminum			
FINISH	Mil-Spec Hard Anoc	dized		
WEIGHT (w/batteries)	3.1 oz (88 g)			
LENGTH	4.18 in (10.6 cm)			
BEZEL DIAMETER	1.06 in (2.7 cm)			
BATTERIES	One 123A lithium (i	incl.)		
SWITCHING	Click tailcap			
1 1 1 1 1 1 1 1 1	WHITE  AMBER [590 nm]  BLUE [450 nm]  RED [635 nm]  YELLOW/GREEN [568 nm]  PEAK BEAM INTENSITY  DISTANCE  CONSTRUCTION  FINISH  WEIGHT [w/batteries]  LENGTH  BEZEL DIAMETER  BATTERIES	### High: 250  #### High: 250  ###################################	High: 250   Low: 5	High: 250   Low: 5   High: 1.5

All performance claims tested to ANSI/NEMA FL1-2009 Standard.





AVIATOR-AM (AMBER)
Improves contrast and does not degrade scotopic or night adapted vision



Clearly defines shapes in the outdoors and helps identify blood and hydraulic fluid



**AVIATOR-RD** (RED)
Red improves contrast and aids in reading red-light-readable topographic maps



AVIATOR-YG (YELLOW-GREEN)
Complimentary to the color spectrum used in most cockpits



# V1-B V∕MPIRE

IR/WHITE DUAL-OUTPUT LED FLASHLIGHT

250 LUMENS

100 MILLIWATTS









V1-B-BK

Two light spectrums — white and infrared — from one small package, with no filter required!

# V1-C VAMPIRE

IR/RED DUAL-OUTPUT LED FLASHLIGHT


0.4 LUMENS





100 MILLIWATS

Two light spectrums — red and infrared — from one small package, with no filter required! The low output of red light is perfect when



		V1-B VAMPIRE	V1-C VAMPIRE
	OUTPUT (white light) (infrared)	White: High: 250 Low: 5 lumens IR: High: 100 Low: 5 mW	Red: 0.4 lumens IR: 100 mW / 860nm
	RUNTIME (white light)	White: High: 1.5 Low: 6 hours	Red: 100 hours
	(infrared)	IR: High: 20.5 Low: 57 hours	IR: 8.75 hours
SZ	PEAK BEAM INTENSITY	9,300 candela	N/A
SATIONS	DISTANCE	138 meters	N/A
-ICA	CONSTRUCTION	Aluminum	Aluminum
SPECII	FINISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
SP	WEIGHT (w/batteries)	3.1 oz (88 g)	3.1 oz (88 g)
	LENGTH	4.18 in (10.6 cm)	4.18 in (10.6 cm)
	BEZEL DIAMETER	1.06 in (2.7 cm)	1.06 in (2.7 cm)
	BATTERIES	One 123A lithium (incl.)	One 123A lithium (incl.)
	SWITCHING	Click tailcap	Click tailcap



### G2Z"MV COMBATLIGHT

SINGLE-OUTPUT MAXVISION BEAM™ LED FLASHLIGHT

UPGRADED

800 LUMENS







G2Z-MV

3.3K CANDELA

Designed and built specifically for tactical use — features a proprietary reflector that shapes the output of light into our wide, useful MaxVision Beam™ optimized for your field of vision.



### G2ZX COMBATLIGHT

SINGLE-OUTPUT LED FLASHLIGHT

UPGRADED

600 LUMENS







8.7K

Designed and built specifically for tactical use — its microtextured reflector evenly blends light to project a tightly focused beam with a soft corona of light.





DUAL-OUTPUT MAXVISION BEAM™ LED FLASHLIGHT



800 LUMENS




G2X-MV

3.3K

Features a lightweight polymer body and an aluminum head with a proprietary reflector that shapes the output of light into our wide, useful MaxVision Beam™ optimized for your field of vision.







### 6PX\*PRO / 6PX\*TACTICAL

DUAL- / SINGLE-OUTPUT LED FLASHLIGHT

UPGRADED

600 LUMENS



6PX-D-BK

8.7K

Features a high-strength aerospace aluminum body that's been hard anodized to military specifications and our classic click tailcap switch. A micro-textured reflector evenly blends light to project a tightly focused beam with a soft corona of light.



### G2X LE

**DUAL-OUTPUT LED FLASHLIGHT** 

JPGRADEO

600 LUMENS



G2XLE-BK

8.7K

Features a lightweight polymer body and an aluminum head. A microtextured reflector evenly blends light to project a tightly focused beam with a soft corona of light. The LE is dual-output and leads with high output, then low output — just the way law enforcement and tactical professionals like it!



### G2X\*PRO / G2X\*TACTICAL

DUAL- / SINGLE-OUTPUT LED FLASHLIGHT



600 LUMENS





G2X-D-BK NSN 6230-01-617-9616 See color options below

8.7K CANDELA

Features a lightweight polymer body and an aluminum head. The Tactical is single-output only; the Pro is dual-output and leads with low output, then high output. A micro-textured reflector evenly blends light to project a tightly focused beam with a soft corona of light.



G2X-D-BK / G2X-C-BK (PRO - BLACK) / (TACTICAL - BLACK)



G2X-D-YL (PRO - YELLOW)



(PRO - FOLIAGE GREEN)



(PRO - TAN)



		G2Z MV COMBATLIGHT	G2ZX COMBATLIGHT	G2X MV	6PX PRO / TACTICAL*	G2X LE	G2X PRO / TACTICAL*
OU.	TPUT	800 lumens	600 lumens	High: 800 Low: 15 lumens	High: 600 Low: 15 lumens	High: 600 Low: 15 lumens	High: 600 Low: 15 lumens
RUI	NTIME	1.5 hours	1.5 hours	High: 1.5 Low: 52 hours	High: 1.5 Low: 52 hours	High: 1.5 Low: 52 hours	High: 1.5 Low: 52 hours
PE/	AK BEAM INTENSITY	3,307 candela	8,700 candela	3,307 candela	8,700 candela	8,700 candela	8,700 candela
DIS	STANCE	115 meters	187 meters	115 meters	187 meters	187 meters	187 meters
COI	NSTRUCTION	Aluminum / Nitrolon® Polymer	Aluminum / Nitrolon® Polymer	Aluminum / Nitrolon® Polymer	Aluminum	Aluminum / Nitrolon® Polymer	Aluminum / Nitrolon® Polymer
FIN	IISH	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized	Mil-Spec Hard Anodized
WE	IGHT (w/batteries)	4.25 oz (120 g)	4.3 oz (121 g)	3.9 oz (110 g)	5.2 oz (147 g)	4.4 oz (125 g)	4.4 oz (125 g)
LEN	NGTH	4.75 in (12 cm)	5.2 in (13.2 cm)	4.87 in (12.3 cm)	5.2 in (13.2 cm)	5.2 in (13.2 cm)	5.2 in (13.2 cm)
BEZ	ZEL DIAMETER	1.1 in (2.8 cm)	1.25 in (3.175 cm)	1.1 in (2.8 cm)	1.25 in (3.175 cm)	1.25 in (3.2 cm)	1.25 in (3.2 cm)
BA	TTERIES	Two 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)	Two 123A lithium (incl.)
SW	ITCHING	Click tailcap	Tactical tailcap	Click tailcap	Click tailcap	Click tailcap	Click tailcap

All performance claims tested to ANSI/NEMA FL1-2009 Standard.

\*6PX & G2X Tactical models are single-output only





# SIDEKICK

ULTRA-COMPACT TRIPLE-OUTPUT LED FLASHLIGHT

300 LUMENS

1.1K CANDELA













See color options below

This rechargeable ultra-compact polymer-bodied light features three levels of output that will provide security and peace of mind, no matter what.







### • FEATURES

- High-performance LED and special faceted reflector produce broad, smooth MaxVision Beam<sup>™</sup> optimized for the human eye
- Easy push-button switch permits access to all 3 output levels with repeated presses
- Micro-USB charging port permits simple recharging of integral Li-ion battery
- Compact, lightweight polymer body is weather resistant; features a split ring for easy attachment to keys or carabiner clips



Headlamp Strap



**Z87** Pocket Clip



### STILETTO

MULTI-OUTPUT RECHARGEABLE POCKET LED FLASHLIGHT



650 LUMENS













PLR-A

1.8K

The Stiletto is an all-new, rechargeable pocket light, featuring multiple outputs (including a strobe), two switches and a MaxVision reflector.

# TITAN

ULTRA-COMPACT DUAL-OUTPUT LED FLASHLIGHT

125 LUMENS





TITAN-A

450 CANDELA

The dual-output Titan delivers 125 lumens of smooth, flawless light while measuring only three inches long and weighing a mere ounce.

## TITAN PLUS

ULTRA-COMPACT TRIPLE-OUTPUT LED FLASHLIGHT

300 LUMENS

1.1K CANDELA

WE LENGTH

BEZEL DIAMETER BATTERIES

SWITCHING

SPECIFICATIONS







The Titan Plus features three levels of output, a nickel-plated

TITAN-B

brass	brass body, and a removable pocket clip for secure pocket carry.				
	SIDEKICK	TITAN	TITAN PLUS	STILETTO	
ОИТРИТ	Low: 5 Med: 60 High: 300 lumens	Low: 15 High: 125 lumens	Low: 15 Med: 75 High: 300 lumens	Low: 5 Med: 200 High: 650 lumens	
RUNTIME	Low: 45 Med: 4 High: 1.25 hours	Low: 8.0 High: 1.0 hours	Low: 7.0 Med: 2.0 High: 1.0 hours		
PEAK BEAM INTENSIT	Y 1,100 candela	450 candela	1,100 candela	1,800 candela	
DISTANCE	66 meters	43 meters	66 meters	85 meters	
CONSTRUCTION	Polymer + high-strength aluminum core	Aluminum	Brass	Aluminum / Polymer	
FINISH	Black / White / Pink	Mil-Spec Hard Anodized	Nickel-plated brass	Black	
WEIGHT (w/batteries)	1.2 oz (34 g)	1.0 oz (28 g)	2.0 oz (58 g)	2.8 oz (79 g)	

3.375 in (8.6 cm)

0.58 in (1.47 cm)

One AAA NiMH (incl.)

Twist bezel to activate

4.45 in (11.3 cm)

Body and Tailcap

Lithium polymer rechargeable (integrated)

0.8 in (2.03 cm)

3 in (7.62 cm)

0.58 in (1.47 cm)

One AAA NiMH (incl.)

Twist bezel to activate

Push-button All performance claims tested to ANSI/NEMA FL1-2009 Standard.

2.5 in (6.35 cm)

0.58 in (1.47 cm)

Lithium polymer rechargeable (integrated)

SUPPRESSORS

HIGH-CAP MAGAZINES

HEARING PROTECTION



# **GUARDIAN**

AUTO-ADJUSTING RECHARGEABLE ULTRA-HIGH LED FLASHLIGHT



1000 LUMENS

12.9K



















The rechargeable Guardian was designed and built with the Great Outdoors in mind. This dual-beam hand-held flashlight features two separate LED/reflector assemblies to deliver two very different beams, both incorporates our auto-adjusting output IntelliBeam™ Technology.

		GUARDIAN			
	ОИТРИТ	19mm   High: 800 Med: 250 Low: 15 lumen			
	UUIPUI	12mm   High: 1000 Med: 300 Low: 15 lumen			
	RUNTIME	19mm   High: 2.75 Med: 4.25 Low: 60 hours			
	RUNTIME	12mm   High: 2.5 Med: 4.25 Low: 62 hours			
	PEAK BEAM INTENSITY	12,900 candela			
N N	DISTANCE	19mm   227 meters			
ATI	DISTANCE	12mm   105 meters			
문	CONSTRUCTION	Polymer / Aluminum Core			
SPECIFICATIONS	WEIGHT (w/batteries)	4.7 oz (133 g)			
S	LENGTH	4.35 in (11.0 cm)			
	BEZEL DIAMETER	19mm   1.15 in (2.92 cm)			
	BEZEL DIAMETER	12mm   0.9 in (2.29 cm)			
	BATTERIES	Lithium polymer rechargeable (integrated)			
	SWITCHING	Push-button			





# HANDS-FREE //

SureFire hands-free lighting literally lends a hand — yours — when you need it most. Our best-in-class headlamps, Helmet Lights, and WristLights free up both of your hands so you can give your all to the task in front of you. Enjoy a smooth, wide, useful MaxVision Beam™ optimized for your field of vision, as well as ergonomic switching, all-day comfort, and the peace of mind that the rugged hands-free light you're wearing can take most anything you or Mother Nature can dish out.

HANDS-FREE





**SWITCHING:** Click on and rotate to select from 13 output levels

### MINIMUS"

VARIABLE-OUTPUT LED HEADLAMP







HS2-MV-A-BK

1.1K CANDELA

The gold standard in headlamps, Minimus features 13 preset outputs and a rotatable housing to put just the right amount of light precisely where you need it.



### MAXIMUS

ULTRA-HIGH VARIABLE-OUTPUT LED HEADLAMP

1000 LUMENS









HS3-A-BK

**4.1K**CANDELA

NSN 6230-01-622-0311

Rechargeable headlamp lets you dial in any output up to 1,000 lumens.

### • FEATURES

- 1 Grooved dial provides one-handed control with cold or gloved fingers
- <sup>2</sup> Magnesium body is lightweight and durable
- 3 Light assembly rotates vertically 180° degrees
- 4 Built-in LED fuel gauge indicates battery level
- 5 Adjustable headband fits over head or helmet

		MINIMUS	MAXIMUS	
	ОИТРИТ	5-300 lumens	1-1000 lumens	
	RUNTIME	Low: 75 High: 1.5 hours	Low: 550 High: 1.5 hours	
co	PEAK BEAM INTENSITY	1,100 candela	4,100 candela	
IONS	DISTANCE	66 meters	1-128 meters	
SAT	CONSTRUCTION	Aluminum / Polymer	Magnesium	
SPECIFICAT	FINISH	Mil-Spec Hard Anodized	ANOMAC + E-Coat Black	
PE	WEIGHT (w/batteries)	4.0 oz (113 g)	5.1 oz (145 g)	
U.J	DIMENSIONS	4.46 in x 1.65 in x 1.45 in	2.55 in x 4.24 in x 1.5 in	
	BATTERIES	One 123A lithium (incl.)	One lithium-ion rechargeable (integrated)	
	SWITCHING	Click on/off & Adjustable output knob	Adjustable output knob	

All performance claims tested to ANSI/NEMA FL1-2009 Standard.

Custom reflector shapes wide MaxVision Beam™ with impressive reach at maximum output.





VARIABLE-OUTPUT RECHARGEABLE LED WRISTLIGHT

300 LUMENS

1.1K CANDELA









2211-A-BK-PLM

The rechargeable 2211's specially designed mini reflector shapes a wide, intense MaxVision Beam™ at three useful output levels. Perfect for a multitude of uses, the rugged 2211 was originally designed for police officers, to align with a pistol when using a two-handed firing grip to illuminate potential threats and throw a 300-lumen wall of blinding light directly into their eyes.



VARIABLE-OUTPUT 123A-POWERED LED WRISTLIGHT

300

1.1K CANDELA







2211X-A-BK

2211X features the same precision reflector to create a MaxVision Beam™, but it has a lightweight, rugged polymer body and is powered by a single disposable 123A lithium battery. It generates the same three useful outputs, but it's the lightest-weight, most affordable member of the WristLight family.

Pushbutton switching Perfect for pairing with your pistol



HANDS-FREE



### 2511 LUMINOX®

VARIABLE-OUTPUT RECHARGEABLE LED WRISTLIGHT

300 LUMENS

1.1K CANDELA







2211-B-BK-LMX

The versatile, rechargeable 2211 Luminox\* WristLight produces our LED-generated MaxVision Beam™, ideal for positively identifying threats and a myriad of other non-tactical tasks, at three levels. It also contains a fully integrated, self-illuminated Luminox watch that features Luminox Light Technology, so it can be easily read in darkness.

\*Luminox is a trademark of Lumondi, Inc., dba Luminox Watch Company.

Micro-USB charging port and fuel gauge

Self-illuminated Luminox watch face





### 2211° SIGNATURE

VARIABLE-OUTPUT RECHARGEABLE LED WRISTLIGHT

300 LUMENS

1.1K CANDELA











2211-B-BK-SF

The 2211 Signature WristLight features a custom SureFire timepiece instead of a self-illuminating Luminox watch. Enjoy all the same functionality and features.

	2211	2211X	2211 LUMINOX	2211 SIGNATURE	
ОИТРИТ	High: 300 Med: 60 Low: 15 lumens	High: 300 Med: 60 Low: 15 lumens	High: 300 Med: 60 Low: 15 lumens	High: 300 Med: 60 Low: 15 lumens	
RUNTIME	High: 1.0 Med: 4.0 Low: 13 hours	High: 1.5 Med: 7.0 Low: 13 hours	High: 1.0 Med: 4.0 Low: 13 hours	High: 1.0 Med: 4.0 Low: 13 hours	
PEAK BEAM INTENSITY	1,100 candela	100 candela	1,100 candela	1,100 candela	
DISTANCE	66 meters	66 meters	66 meters	66 meters	
CONSTRUCTION	High-impact polymer	High-impact polymer	Aluminum	High-impact polymer	
FINISH	N/A	N/A	Mil-Spec Hard Anodized	N/A	
WEIGHT (w/batteries)	2.3 oz (65.2 g)	3.5 oz (99 g)	5.0 oz (141.7 g)	3.75 oz (106 g)	
LENGTH	2.23 in x 2.0 in x 1.25 in	1.3 in x 2.6 in x 1.8 in	2.4 in x 2.0 in x 1.08 in	2.36 in x 2.02 in x 1.03 in	
BATTERIES	One lithium-ion rechargeable battery (integrated)	One 123A lithium (incl.)	One lithium-ion rechargeable battery (integrated)	One lithium-ion rechargeable battery (integrated)	
SWITCHING	Push-button	Push-button	Push-button	Push-button	

SPECIFICATIONS








# **WHITE / BLUE**TAN / HL1-A-TN / NSN: 6220-01-549-4174 BLACK / HL1-A-BK





WHITE / INFRARED
TAN / HL1-B-TN / NSN: 6220-01-549-4184





**WHITE / RED**TAN / HL1-C-TN / NSN: 6220-01-549-4203





YELLOW-GREEN / INFRARED TAN / HL1-D-TN / NSN: 6220-01-549-4218









**Z71** HELMET LIGHT MOLLE CLIP NSN: 6220-01-549-4288



### **FEATURES**





- 1 Main toggle switch (not visible); Up position turns on primary LED light, Down position turns on secondary-color LED Lights, Center position is off.
- <sup>2</sup> Push-button switch: cycles primary & secondary lights through low, medium, and high output
- 3 Infrared IFF toggle switch (not visible); Up position is on, down is off
- 4 Infrared IFF beacon
- 5 Rotating helmet mount
- 6 Battery compartment

LED COLOR	OUTPUT (lumens)	RUNTIME (hours)		
WHITE YELLOW/GREEN	High: 19.2 Med: 5.0 Low: 1.4	High: 6 Med: 28 Low: 48		
RED E	High: 2.5 Med: 0.8 Low: 0.3	High: 20 Med: 48 Low: 96		
IR	High: 30.5 Med: 10 Low: 2.0 mW	High: 6 Med: 17 Low: 44		
IR IFF STROBE	1.7 mW	120 hours		
BODY COLOR				
LIGHT SOURCE	LEDs: Three 5 mm (white or yellow-green) Two 5 mm colored (blue, red, or infrared) One 3 mm infrared			
CONSTRUCTION	High-impact polymer			
WEIGHT (w/batteries)	LIGHT: 2.4 oz (68 g) LIGHT + MOUNT: 4.0 oz (113g)			
DIMENSIONS	2.2 in x 3.2 in x 2.4 in (5.6 cm x 8.1 cm x 6.1 cm)			
BATTERIES	One 123A lithium (incl.)			
SWITCHING	Toggle and dome switch			



# SUPPRESSORS //

SureFire reinvented the suppressor and took it to uncharted heights, to the point where our name is the gold standard of suppressors. Whether it's our battle-proven SOCOM or SOCOM2 suppressors, or our innovative SF RYDER Series, every SureFire suppressor is designed and built right here in the U.S. to exceed your needs and expectations.

MADE IN **USA** 



# AMERICAN BUILT. AMERICAN STRONG.

CONTINUING TO SET THE STANDARD FOR MILITARY SUPPRESSORS WORLDWIDE.

SOCOM Series Fast-Attach suppressors are the chosen suppressors for the US Army, US Navy, US Air Force and US Marine Special Operations. Because they are built for combat, these battle-proven suppressors provide unmatched performance, durability and reliability. In addition to providing

remarkable sound attenuation, these best-in-class suppressors also reduce muzzle blast, provide minimal and consistent point-of-impact shift, securely attach/detach with no tools, minimize gas blowback, and effectively reduce flash with near-total elimination of first-round flash.



# 1. MINIMAL & CONSISTENT POINT-OF-IMPACT SHIFT

Maintains strict standards for accuracy even with repeated attachment and removal of suppressor



### 2. UNMATCHED DURABILITY

Extended service-life with units surpassing 100,000 rounds



# 3. COMBAT-PROVEN FAST-ATTACH® SYSTEM

Provides rock-solid attachment in seconds



#### 4. NEXT-GEN DESIGN

Increased structural integrity and effectively eliminates first-round flash



### 5. ENHANCED GAS-FLOW DYNAMICS

Reduced back pressure and gas blowback while greatly increasing suppressed cyclic rate



### 6. HIGH-PERFORMANCE BAFFLES

Significantly attenuates sound



### 7. HIGH-TEMP CERTIFIED ALLOYS

Resists extreme temperatures and erosion from super-heated gasses and particles



### 8. FACTORY TEST FIRED

Less than 1 MOA shift & 1 MOA group







AFTER 6 YEARS OF SUPERIOR QUALITY AND COMBAT PROVEN PERFORMANCE, NAVAL SURFACE WARFARE CENTER CRANE CHOSE TO RENEW THE SOCOM SUPPRESSORS CONTRACT IN 2017 FOR AN ADDITIONAL 5 YEARS.





### SOCOMSS6-MINIZ

5.56 mm RIFLES & CARBINES



DARK EARTH

optimized for 14.5" or longer barrels.

### SOCOMSS6-MG

5.56 mm MACHINE GUNS



DARK EARTH SOCOM556-MG-DE

Optimized for belt-fed Machine Guns.

### SOCOMSS6-RC2

5.56 mm RIFLES & CARBINES





BLACK

SOCOM556-RC2-DE

The Workhorse 556 Suppressor - quietest, lowest flash signature, optimized for 10" or longer barrels.

### 50C0M556-5B2

5.56 mm SHORT BARREL RIFLES AND PISTOLS





BLACK SOCOM556-SB2-BK

DARK EARTH SOCOM556-SB2-DE

Lowest back pressure, optimized for 7"-9" barrels.

		SOCOM556-MG	SOCOM556-RC2	SOCOM556-MINI2	SOCOM556-SB2	
SPECIFICATIONS	CALIBER	5.56 mm	5.56 mm	5.56 mm	5.56 mm	
	WEIGHT	23 oz (652 g)	17oz (482 g)	15 oz (425 g)	17 oz (482 g)	
	DIAMETER	1.5" (3.8 cm)	1.5" (3.8 cm)	1.5" (3.8 cm)	1.5" (3.8 cm)	
	LENGTH	6.9" (17.5 cm)	6.3" (16.0 cm)	5.0" (12.7 cm)	6.3" (16.0 cm)	
	ADDED TO WEAPON*	4.4 in (11.1 cm)	3.8 in (9.7 cm)	2.5 in (6.4 cm)	3.8 in (9.7 cm)	
	CONSTRUCTION	High-temp Alloy & Stainless				

<sup>\*</sup>Actual length may vary, depending on which SureFire adapter is used



### 50C0M300-SP5

.300 BLACKOUT/ .300 MAG RIFLES





SUREFIRE.COM

- This best-in-class suppressor provides the ultimate sound suppression for .300 Blackout weapon systems.
- Also compatible with 5.56 mm to .300 Winchester Magnum.



### 50C0M762-RC2

7.62 mm RIFLES & CARBINES



BLACK



- Military grade dual-role suppressor
- excels for use on 7.62 Select Fire Carbines, as well as .300 Mag Sniper Rifles
- high durability and lower back pressure

### SOCOM762-MINI2

7.62 mm RIFLES & CARBINES





- SOCOM762-MINI2-DE - Military grade dual-role suppressor
- Smallest, lightest in the 7.62 family, optimized for 16" or longer barrels in 7.62x51 and 7.62x39

### 50C0M762-MG

7.62 mm MACHINE GUNS






Optimized for belt-fed Machine Guns.

### 50C0M338-Ti

.338 LAPUA / NORMA MAG RIFLES





**BLACK** SOCOM338-Ti-BK

SOCOM338-Ti-DE

Lightweight, high-precision military grade titanium suppressor with combat-proven performance.

### BORE ALIGNMENT RODS

5.56 mm, 6.5 mm, 6.8 mm, 7.62 mm, .338 caliber





PROPER ALIGNMENT

**OUT OF ALIGNMENT** 

The SureFire Bore Rods are intended for checking concentricity prior to firing suppressed on a new platform. The rod closely represents the bullet flight path and will show any issue of alignment, if present.

	SOCOM762-RC2	SOCOM762-MINI2	SOCOM762-MG	SOCOM300-SPS	SOCOM338-Ti
CALIBER	7.62 mm	7.62 mm	7.62 mm	300 BLK to 300 WM	.338 Caliber
WEIGHT	21 oz (595 g)	17 oz (482 g)	29 oz (822 g)	20 oz (566 g)	22 oz (623 g)
DIAMETER	1.5" (3.8 cm)	1.5" (3.8 cm)	1.5" (3.8 cm)	1.5" (3.8 cm)	2.0" (5.1 cm)
LENGTH	8.4" (21.3 cm)	6.3" (16.0 cm)	9.3" (23.6 cm)	7.9" (20.0 cm)	9.9" (25.1 cm)
ADDED TO WEAPON*	5.9 in (14.9 cm)	3.8 in (9.6 cm)	6.2 in (15.7 cm)	5.4 in (13.7 cm)	6.9 in (17.5 cm)
CONSTRUCTION	High-temp Alloy & Stainless	Titanium Alloy			

<sup>\*</sup>Actual length may vary, depending on which SureFire adapter is used

SPECIFICATIONS



THREAD-ON SUPPRESSOR FOR RIFLES & PISTOLS



### SF RYDER 22-5

SUPPRESSOR FOR .22 LR RIFLES & PISTOLS

Quiet, lightweight with an easy disassembly feature. Its heavy-duty, heat-treated stainless steel baffles are built to handle .17 HMR and .22 WMR ammo-full-auto rated.

SUREFIRE.COM

### SF RYDER™ 22-MINI

SUPPRESSOR FOR .22 LR RIFLES & PISTOLS

The compact, ultra-lightweight 22-MINI comes with an easy disassembly feature and is optimized for .22 caliber rimfire rifles.

### SF RYDER™ 9-MP5



BLACK SF RYDER 9-MP5

### **FEATURES**

- Stainless steel construction for increased strength
- High durability heat-treated stainless steel baffles which provide superior sound attenuation and eliminate muzzle blast
- Numbered and indexed baffles for easy reassembly
- Included assembly/disassembly tool for cleaning
- Attaches to Tri-Lug MP5 barrels

		SF RYDER 22-S	SF RYDER 22-MINI	SF RYDER 9-MP5
SPECIFICATIONS	CALIBER	.22 LR	.22 LR	9 mm
	WEIGHT	5 oz (141 g)	4 oz (113 g)	16 oz (453 g)
	DIAMETER	1.0" (2.5 cm)	1.0" (2.5 cm)	1.3" (3.3 cm)
	LENGTH	5.4" (13.7 cm)	3.9" (9.9 cm)	8" (20.3 cm)
	ADDED TO WEAPON*	5.0" (12.7 cm)	3.5" (8.9 cm)	6.5 in (16.5 cm)
	CONSTRUCTION	Stainless, Aluminum	Stainless, Aluminum	Stainless Steel

<sup>\*</sup>Actual length may vary, depending on which SureFire adapter is used

SS	
TIONS	
AT	
SPECIFICAT	
5	
出	
S	











### SF RYDER™ 9M-Ti

SUPPRESSOR FOR 9 mm PISTOLS & CARBINES



# **BLACK** SF RYDER 9M-Ti-1/2-28-BK SF RYDER 9M-Ti-M13.5X1 LH-BK

# **DARK EARTH** SF RYDER 9M-Ti-1/2-28-DE SF RYDER 9M-Ti-M13.5X1 LH-DE

Keep it short when you want less length and weight; add the modular component when you need to maximize sound suppression.



### MUSIC SINID™

THE GUNFIGHTER'S FLASH HIDER (AVAILABLE IN 5.56 mm & 7.62 mm)

### FEATURES


- World's most shootable Flash Hider
- 98% flash elimination with muzzle control
- Sights staying on target during recoil reducing time for follow-up shots by 50%
- Muzzle blast comparable to flash hider, with performance of a muzzle break
- Port direction may be timed to optimize for right hand, left hand or neutral
- Serves as a rock-solid mount for SOCOM Series
   Fast-Attach suppressors

### **URRC®MP™CTN**

FLASH HIDER - SOCOM SUPPRESSOR ADAPTER (AVAILABLE FOR 5.56 mm)

For those that prefer a shorter closed tine flash hider, we have the WARCOMP-556-CTN. This flash hider serves as a rock-solid mount for SOCOM Series Fast-Attach suppressors and is neutrally ported to eliminate vertical muzzle rise.







### FLASH HIDERS

WORLD'S MOST EFFECTIVE FLASH HIDER

SureFire's SF3P eliminates over 99.8% of muzzle flash, making it nearly invisible.

**SOCOM ADAPTER FEATURES** 

WARCOMPS

**MUZZLE BRAKES** 

**FLASH HIDERS** 

- Heat-treated stainless steel construction precision CNC machined from U.S. certified bar stock
- High-precision single-point barrel interface threads
- DLC Coating provides maximum protection against harsh environmental conditions and facilitates cleaning after extreme use
- Inspected for all critical dimensions, to ensure concentricity and bore alignment
- Multiple bearing surfaces to ensure superior suppressor alignment
- Made in the USA

# SureFire Closed Tine

### **MUZZLE BRAKES**

PROVEN IN COMBAT, PROVEN IN COMPETITION

### **•** FEATURES

- Minimal blast on shooter
- Diffused side blast
- Eliminates up to 50% of rearward thrust
- Tuned porting facilitates target tracking during recoil

### SF-ACST

FOR 5.56 mm & 7.62 mm RIFLE

The Adapter Carbon Scraping Tool removes carbon from the corresponding adapter to an adequate level for proper attachment of the suppressor.



**Empty** Cleaning Tool



Adapter inserted in **Cleaning Tool** 



### PROCOMP" MUZZLE BRAKE

MUZZLE BRAKE STAND-ALONE (NON-SOCOM ADAPTER)

Note: Cannot be used as mount for SOCOM Series suppressors.

### **•** FEATURES

- Minimal blast on shooter
- Diffused side blast
- Eliminates up to 50% of rearward thrust
- Nitride QPQ coating provides maximum protection against harsh environmental conditions and facilitates cleaning after extreme use
- Made in the USA




### 3P ELIMINATOR" FLASH HIDERS

FLASH HIDER STAND-ALONE (NON-SOCOM ADAPTER)

Note: Cannot be used as mount for SOCOM Series suppressors.

### **•** FEATURES

- Eliminates over 99.8% of muzzle flash
- Nitride QPQ coating provides maximum protection against harsh environmental conditions and facilitates cleaning after extreme use
- Made in the USA





### WARDEN

**BLAST DIFFUSER** 







Directs the concussive blast of the muzzle forward instead of out the side, reducing overpressure and flash typically felt by those on either side of you with a stand-alone muzzle brake. Also reduces your dust signature when firing from the prone position in sand or dirt.

Note: To be used with SOCOM Series muzzle devices.



Shooting with SureFire Warden



Without SureFire Warden

### RBC

REINFORCEMENT BAR CUTTER

The SureFire RBC was developed at military request to cut through reinforcement rebar. It slides over a SureFire WARCOMP-556-CTN and securely attaches to the adapter for rock-solid mounting via the same patented Fast-Attach® mechanism used on our best-in-class, battle-proven SOCOM suppressors.







### BLANK FIRING ADAPTER (BFA)

FIRING ADAPTER - SAFER AND REALISTIC FOR WEAPONS TRAINING

These training devices duplicate the SureFire sound suppressors in size and weight for blank ammunition weapons training. These products can come in any color required by contract and can be optimized for specific weapon types. The BFA is for blank firing only.

### BLANK SAFETY DEVICE (BSD)

FIRING ADAPTER - SAFER AND REALISTIC FOR WEAPONS TRAINING

Unlike the BFA, the BSD can trap up to three negligently fired live rounds and releases a loud blast to alert those in the area that a live round has been fired. These products can come in any color required by contract and can be optimized for specific weapon types.





### SF TRAINER-556 / SF TRAINER-762

TRAINING AIDS

Designed at the request of USSOCOM, these trainers have been invented to imitate the length and weight of SureFire SOCOM suppressors to be used in training with marking cartridge.

		SF TRAINER 556	SF TRAINER 762	
SPECIFICATIONS	CALIBER	5.56 mm (.223 caliber)	7.62 mm (.308 caliber)	
	CONSTRUCTION	High-Temp Alloy & Stainless Steel	High-Temp Alloy & Stainless Steel	
	COATING	Ionbond and Cerakote™ Finish	lonbond and Cerakote™ Finish	
	DIAMETER	1.5 in (3.8 cm)	1.5 in (3.8 cm)	
	LENGTH	6.2 in (15.7 cm)	8.4 in (21.3 cm)	
	ADDED TO WEAPON*	4 in (10.2 cm)	5.6 in (14.2 cm)	
	WEIGHT	17 oz (482 g)	21 oz (595 g)	









### SF-08C-556

USE IN DIRECT-IMPINGEMENT M4/M16/AR-VARIANT CARBINES


Invented by the legendary Jim Sullivan, the designer of the M16, the SureFire Optimized Bolt Carrier (OBC) improves functioning of the weapon system during both unsuppressed and suppressed firing. The patented design makes numerous improvements to the standard Mil-Spec full-auto bolt carrier group by allowing more time for reliable feeding of ammunition from the magazine, while nearly eliminating bolt-over-base malfunctions. The OBC also delays unlocking of the bolt during the firing sequence, which allows expanding gases more time to exit the bore, in turn reducing back-pressure. Additionally, the neutrally balanced counterweight improves carrier and barrel extension lock-up, and eliminates bolt bounce.

### FEATURES

- Improved cam path allows the chamber pressure to drop another 15% before unlocking which permits more gasses to exit the bore
- SF-OBC-556 includes a Long-Stroke Buffer, and Improved Buffer Spring







# HIGH-CAPACITY MAGAZINES //



Get the reliability and extra firepower you need. SureFire High-Capacity Magazines are compatible with M4/M16/AR-15 variants and other firearms that accept STANAG 4179 magazines. Designed to feed smoothly and consistently, SureFire High-Cap Mags reduce reloads and keep you on target and in the fight or competition.





A SureFire High-Capacity Magazine is only 1.66" thick, less than two standard 30-round mags clipped together





HIGH-CAPACITY MAGAZINE

NSN: 1005-01-611-2183 (MAG5-60)

For 5.56 mm ammunition firearms that accept AR-15/M16-type magazines. Meet STANAG 4179 specifications. Easily disassembled without tools and fit in most dual-mag pouches.

		60-ROUND
	CALIBER	5.56 NATO/.223 Remington
SS	LENGTH	8.7 in (22.1 cm)
CATIONS	MAX WIDTH	1.66 in (4.2cm)
FIC/	WEIGHT (empty)	6.4 oz (181 g)
SPECI	WEIGHT (full)	32.0 oz (907.2 g)
S	BOX CONSTRUCTION	Mil-Spec Hard Anodized
	FOLLOWERS	Nylon



DD-RTS-SET DD-RTS-TRITIUM





Dueck Defense Rapid Transition Sights™ are the ultimate backup sight, designed the USA.



DD-RTS-TRITIUM



### DUECH DEFENSE

RAPID TRANSITION SIGHTS

to sharpen firearms performance while seamlessly mounting onto the rail of a standard rifle. The low-profile designs are easily mounted to the upper picatinny rail of a rifle at an offset of 45 degrees to allow for an alternate sighting system. These state-of-the-art sights are optimized for shooting close-up targets or as a backup sight and are available in right-hand or left-hand applications. All products are individually handcrafted with premium quality materials made in

### FEATURES

- Ultimate backup sight
- Ultra-durable: machined from 7075 aluminum alloy bar stock, light-weight and twice the strength of 6061 T6 aluminum
- Mil-spec hard anodized finish
- Mounts directly to the top picatinny rail of your rifle at a 45° degree offset
- Same height above bore as standard m4/m16a4 sights
- Low-profile design will not interfere with primary optic, only rising 2/10th of an inch over picatinny rail
- Compatible with military ir laser/illuminators, front sight designed to clear Beam path
- Will never fog up
- 1/2 MOA elevation/windage adjustments
- Ambidextrous: right-handed and left-handed versions are available
- No special tools required: only uses a flat head screw and can easily be done in the field
- Trijicon and fiber optic installation available
- Manufacture is ISO9001:2000 Certified
- Dueck Defense RTS is Berry Amendment compliant
- Made in the USA



# HEARING PROTECTION //



World-class hearing protection that's effective, durable and comfortable enough that you'll actually wear it. Our Sonic Defenders® earplugs come in two styles — full-block or filtered — so you can block out the maximum amount of noise or protect your hearing while preserving the ability to hear ambient sounds and important conversations or directions. Enjoy effective hearing protection, a superb fit, and all-day comfort that will make you forget you're even wearing earplugs!

SAFER SOUND



NRR - Noise Reduction Rating

TRAGUS LOCK

(Under Ridge)

SNR - Single Number Rating

Visit SUREFIRE.COM/EARPRO for complete impulse test data

- Are highly effective, with Noise Reduction Ratings (NRR) ranging from 24dB to 30dB Closed and 11dB to 14dB Open
- Come in filtered and full-block styles to accommodate your needs
- Provide a near-custom fit, with different types of stems and sizes available
- Are affordable, cost effective, and a "greener" reusable choice than disposable earplugs
- Don't require batteries or have sophisticated electronics that can break
- Come with convenient carrying cases and retention lanyards


### PATENTED EARLOCK® RETENTION RINGS & NOISE-REDUCING FILTERS

### 1. CONSTANT NOISE

(example: loud roar of an engine)

### 2. IMPULSE NOISE

(example: gunshot or explosion)



ANTI-TRAGUS LOCK

(Under Ridge)



### **EP3** SONIC DEFENDERS®

FILTERED, DOUBLE-FLANGED EARPLUGS

OPEN 11 dB NRR	CLOSED 24 dB NRR
OPEN 18 dB SNR	26 dB SNR

The Sonic Defenders that started it all. Their special noise-reducing filters allow safe sounds below 85dB to pass into the ear canal while potentially harmful noises above 85dB are reduced to lower, safer levels. When inserted, maximum attenuation protection is achieved.





CLEAR EP3-SPR EP3-MPR

EP3-BK-SPR EP3-BK-MPR

EP3-BK-LPR





medium size fits most people

\*Caps open for air/water equalization.



### EP4 SONIC DEFENDERS®PLUS

FILTERED, TRIPLE-FLANGED EARPLUGS

OPEN	CLOSED
12 dB	24 dB
NRR	NRR
OPEN 19 dB	CLOSED 27 dB
SNB	SNR

Same great functionality and protection as EP3s, only with a slightly longer, adjustable triple-flanged stem to increase range of fit and comfort.







EP4-BK-SPR

EP4-BK-MPR

FP4-RK-I PR









medium size fits most people

\*Caps open for air/water equalization.



### EPS SONIC DEFENDERS® MAX

FULL-BLOCK, TRIPLE-FLANGED EARPLUGS

CLEAR

EP4-SPR

EP4-MPR

FP4-I PR

26 dB

31 dB



Can be used in water



FP5-RK-LPR

BLACK ORANGE EP5-BK-SPR EP5-OR-MPR EP5-BK-MPR

A soft, adjustable, triple-flanged stem reduces loud noises before they enter the ear canal, providing an NRR of 26dB and all-day comfort. A solid choice for industrial, tactical, and general use.









### EP7 SONIC DEFENDERS®ULTRA

FILTERED, FOAM-TIPPED EARPLUGS

28 dB NRR 20 dB 32 dB

EP7s feature soft, memory-foam Comply® Canal Tips that conform to your ear canal, providing all-day comfort and an NRR of 28dB. EP7s feature noise-reducing filters that allow safe-level sounds below 85dB to be heard, and attached filter caps to achieve maximum attenuation protection.



EP7-MPR



EP7-BK-LPR







medium size fits most people

\*Caps open for air/water equalization.

Replacement memory-foam tips

available in small, medium, and large

in three-pair or bulk packaging.



### EPS SONIC DEFENDERS® COBALT MAX

FULL-BLOCK, METAL AND X-RAY-DETECTABLE, TRIPLE-FLANGED EARPLUGS

26 dB

33 dB

Sonic Defenders Cobalt Max earplugs are manufactured using a proprietary process of molding FDA-compliant stainless steel into all of its components, which makes it metal and x-ray detectable. Due to EarPro's design, it can help meet HACCP requirements.







medium size fits most people



EP10 SONIC DEFENDERS®ULTRA MAX

FULL-BLOCK, FOAM-TIPPED EARPLUGS

30 dB

29 dB SNR

Sonic Defenders Ultra Max earplugs offer the maximum protection of any SureFire model. They feature comfortable Comply® Canal foam tips that conform to your ear canal. They also use solid polymer stems, which work together with the tips, to greatly reduce loud noises before they enter the ear canal.



EP10-SPR

EP10-MPR

EP10-LPR



EP10-BK-LPR



EP10-OR-LPR

ORANGE BLACK EP10-BK-SPR EP10-OR-SPR EP10-BK-MPR EP10-OR-MPR









One additional pair of Comply® Canal Tips included





Z-90263

### EARLOCKS

**EARBUD ATTACHMENTS** 

2 MODELS

Patented EarLock® retention rings grip to key points of your ear to ensure a snug yet comfortable hold for most any activity. One size fits most ears.



ELA2-CLR-MPR (translucent) ELA2-BK-MPR (black)




ELU1-CLR-MPR (translucent) ELU1-BK-MPR (black)



Compatible with Apple®\* Earpods™



Fit original Apple® and most circular earbuds.



## BATTERIES //



We pioneered the use of compact, energy-dense 123A lithium batteries to create illumination tools that were smaller, brighter, and better. These batteries still power most of our lights today. SureFirebrand 123A batteries have advantages over common alkalines, including higher power density, superior voltage maintenance, operating over a wider environmental-temperature range, built-in heat/fault protection, a 10-year shelf life, and they are made in the U.S.A. We also offer rechargeable 123A lithium-phosphate (LFP 123A) and 18650 lithium-ion batteries that can also be used to power

SureFire LED illumination tools designed to run on disposable 123A lithiums, but they are not for use with incandescent models or WeaponLights. Some of our handhelds and WeaponLights use rechargeable AAA batteries to optimize output and runtime.

Optimize your illumination tool's performance, maximize your safety (see BATTERY WARNING below), and save money by using affordable batteries sold at www.surefire.com or an authorized SureFire dealer. For additional information on battery safety, usage, handling and storage, visit www.surefire.com/batteries.



# COUNTERFEIT and INFERIOR-QUALITY BATTERY WARNING:



WARNING: Do not use batteries purchased from online auctions and other websites not authorized by SureFire. These are known sources of counterfeit and inferior-quality imported batteries, which pose a serious safety hazard. Counterfeit and inferior batteries have been reported to have caused fires and/or explosions, resulting in property damage and personal injury.

SureFire-brand disposable batteries are manufactured in the U.S. to strict quality standards for use in high-drain devices and

contain built-in fault and heat protections for added safety. Their use will ensure that your warranty is not voided. You may also use batteries from well-known brands, such as Panasonic\*, Energizer\*, and Duracell\*, which are also manufactured to high standards.

To protect against these dangers, consumers should only purchase SureFire-brand batteries directly from SureFire at www.surefire.com or from authorized SureFire dealers found at www.surefire.com/dealer-locator.

<sup>\*</sup>Panasonic is a registered trademark of Panasonic Corporation; Energizer is a trademark of Eveready Battery Company, Inc; and Duracell is a trademark of the Gillette Company.

### MILITARY ORDERS / NSN INFORMATION

Cage code

**OBJZ8** 

Visit our website

www.surefire.com/nsn\_ordering



# TO ORDER OR LOCATE A DEALER

www.surefire.com/dealer-locator



### STANDARD DISCLAIMER

EXCEPT AS SPECIFIED ABOVE OR PROHIBITED BY APPLICABLE LAW: ALL EXPRESS OR IMPLIED CONDITIONS AND WARRANTIES, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ACCURACY OF ANY INFORMATIONAL CONTENT, ARE HEREBY EXCLUDED AND DISCLAIMED BY SUREFIRE; AND IN NO EVENT WILL SUREFIRE BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES HOWSDEVER ARISING AND REGARDLESS OF THE THEORY OF LIABILITY, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. PRODUCTS, PRICES, AVAILABILITY, SPECIFICATIONS, AND OFFERS ARE SUBJECT TO CHANGE OR CANCELLATION AT ANY TIME WITHOUT NOTICE.

### **EXPORT CONTROL STATEMENT**

THE PRODUCTS SHOWN IN THIS CATALOG ARE SUBJECT TO UNITED STATES GOVERNMENT (USG) EXPORT REGULATIONS. THE SALE, TRANSFER, OR SHIPMENT OF PRODUCTS IN THIS CATALOG EXPORTED OUTSIDE OF THE U.S. MUST COMPLY WITH USG EXPORT REGULATIONS. IT IS THE EXPORTER'S SOLE RESPONSIBILITY TO DETERMINE AND COMPLY WITH THE APPLICABLE USG EXPORT REGULATIONS INCLUDING, BUT NOT LIMITED TO, USG AUTHORIZATION, REPORTING, AND/OR RECORD KEEPING WHERE APPLICABLE. FURTHERMORE, ANY DIVERSION, RE-SALE, RE-EXPORT, RE-TRANSFER, OR TRANSSHIPMENT AFTER AN EXPORT THAT IS CONTRARY TO USG REGULATIONS IS PROHIBITED WITHOUT THE PRIOR WRITTEN AUTHORIZATION FROM USG. FAILURE TO COMPLY MAY RESULT IN FINES AND PENALTIES BY THE USG.



SUREFIRE:
18300 MT. BALDY CIRCLE · FOUNTAIN VALLEY
CA 92708 · U.S.A · WWW.SUREFIRE.COM





**EVERYDAY PROTECTION. ALL-DAY COMFORT.** 

# LOSING YOUR HEARING IS LIKE LOSING YOUR GOOD REPUTATION—YOU DON'T GET IT BACK ONCE IT'S GONE.


It's important to protect your hearing when shooting a firearm or operating a jackhammer. But it's also crucial anytime you're exposed to noise levels above 85dB, like when mowing the lawn or attending a concert. And just as a single exposure to very loud noise can lead to hearing loss, so too can continual exposure to less obvious but still dangerous noise levels.

# THE ONLY WAY HEARING PROTECTION WORKS IS IF YOU ACTUALLY WEAR IT.

Most hearing protection doesn't get worn on a regular basis. Perhaps it's too ineffective, too bulky, too uncomfortable, too expensive, doesn't fit right, or some combination of the above. Unfortunately, this can add up to too much exposure to noise. SureFire® Sonic Defenders® earplugs are effective, comfortable, low profile, durable, and affordable. And with different types, models, and sizes to choose from, you can select the hearing protection that best fits your needs and achieve a comfortable, near-custom fit. Which means you'll actually wear them.

PAIN BARRIER	150 dB	Rock music peak
T AIN DAMILLI	140 dB	Firearms, jet engine
	120 dB	Amplified rock music at 4-6 ft. / car stereo
EXTREMELY LOUD	110 dB	Remote-controlled plane
	100 dB	Chainsaw / pneumatic drill / power drill
	90 dB	Lawnmower 4
VERY LOUD		Alarm clock

• Even everyday noises can be dangerous to your hearing.



### LEGENDARY SUREFIRE QUALITY

SureFire hearing protection products were originally developed for hardcore tactical end-users. Our earplugs are built to satisfy the demanding needs of military and law enforcement professionals. Which means they're engineered to meet your needs as well.

### **Electronic Protection**



Too expensive

### Muffs



Too bulky

### Foam Earplugs



Difficult fitting & easily lost

### SureFire Sonic Defenders Plus Earpro



Effective, comfortable & affordable



### SUREFIRE® SONIC DEFENDERS® EARPRO (S)

- Are highly effective, with a Noise Reduction Rating (NRR) ranging from 24dB to 30dB.
- Come in filtered and full-block styles to accommodate your needs.
- Provide a near-custom fit, with different types of stems and sizes available.
- Are affordable, cost effective, and a "greener" choice than disposable earplugs.
- Don't require batteries or have sophisticated electronics that can break.
- Come with convenient carrying cases and retention lanyards.


EarPro Products are Fire Resistant based on its material specifications. In-ear type of earplugs (HPD's), such as EarPro, are required hearing protection for Arc Flashes, while earmuff protection is prohibited. EarPro does not initiate or conduct Arc Flashes.



### THE WORLD'S ULTIMATE HEARING PROTECTION™

### EARLOCK® RETENTION RING //

Only patented SureFire earplugs/pieces feature our EarLock retention ring, which locks the earplug/piece in place with seven "grab" points.




All SureFire earplugs and earpieces feature seven unique grab points.

### NOISE-REDUCING FILTERS //

Filtered Sonic Defenders® earplugs use established, non-electronic technology to reduce harmful loud noises while still allowing the hearing of safe-level conversations and ambient sounds. Here's how:

### PROTECTS AGAINST TWO TYPES OF NOISE...

SAFE SOUND



non-filtered Sonic Defenders® are a great choice.

But for tasks where it's desirable or imperative

to hear sounds and conversations-such as

working on a noisy job site or assembly line,

where it's important to hear a supervisor's

way to go. Filtered Sonic Defenders feature

attached filter caps, which can be inserted into

the filter for additional protection and situations

where you don't want to hear ambient sound.

such as sleeping on a plane.

# PROTECTION, COMFORT & FIT ORIGINATE FROM THE STEM //

Everyone's ear canals are different, as are everyone's needs, personal preferences, and comfort levels. That's why Sonic Defenders®—made in the U.S. from soft hypoallergenic polymer—come with three different types of stems with varying levels of protection: double-flanged, triple-flanged, and memory-foam Comply™ Canal Tips. So you can select the stem type that provides the protection you need, the best possible fit, and maximum comfort.



### Full-Block EP5 Sonic Defenders® Max

### Adjustable Triple-Flanged: 26dB NRR

Provide secure, comfortable fit for most people. Full-block protection provides higher NRR but not the hearing of ambient sounds.

\*With filter caps inserted

### Filtered EP7 Sonic Defenders® Ultra

### Comply™ Canal Tips: 28dB\* NRR

Provide secure, comfortable fit and additional protection for those who prefer foam tips. Allow hearing of ambient sounds with filter caps out.

Comply™ is a registered trademark of Hearing Components.



### Filtered EP3 Sonic Defenders®

### Adjustable Double-Flanged: 24dB\* NRR

Provide secure, comfortable fit for most people. Allow hearing of ambient sounds with filter caps out.



# Full-Block EP9 Sonic Defenders® Cobalt Max

### Adjustable Triple-Flanged: 26dB NRR

Molded with stainless steel for x-ray and metal detection. Helps meet HACCP requirements. Full-block protection provides higher NRR but not the hearing of ambient sounds.



### Filtered EP4 Sonic Defenders® Plus

### Adjustable Triple-Flanged: 24dB\* NRR

Triple-flanged stem increases range of fit & comfort. Allow hearing of ambient sounds with filter caps out.



# Full-Block EP10 Sonic Defenders® Ultra Max

### Comply™ Canal Tips: 30dB NRR

Provide secure, comfortable fit and additional protection for those who prefer foam tips. Full-block protection provided for highest NRR.

Comply™ Canal tips are made from foreign and domestic parts and are considered "American Made" under the Buy American Act.

### SONIC DEFENDERS® USES//

- **AT THE RANGE**
- MILITARY or L.E.O. DRILLS
- ROCK CONCERTS
- MOWING THE LAWN

- ENJOYING MOTORSPORTS
- ON CONSTRUCTION SITE
- **IN MACHINE SHOPS**
- FACTORY & INDUSTRIAL WORK

- **WHILE SWIMMING**
- USING POWER TOOLS
- ON MINING SITE
- **AIRLINE TRAVEL**



### EP3

### SONIC DEFENDERS®

FILTERED. DOUBLE-FLANGED EARPLUGS

The Sonic Defenders that started it all. Their special noise-reducing filters allow safe sounds below 85dB to pass into the ear canal while potentially harmful noises above 85dB are reduced to lower, safer levels. When inserted, attached filter caps block ambient sound. Available in individual or bulk packaging; in black or clear.



black

EP3-SPR EP3-MPR EP3-LPR

EP3-BK-SPR EP3-BK-MPR

R EP3-BK-LPR

Detachable 26" lanyard & carrying case included



### EP4

### SONIC DEFENDERS® PLUS

FILTERED. TRIPLE-FLANGED EARPLUGS

Same great functionality and protection as EP3s, only with a slightly longer, adjustable triple-flanged stem to increase range of fit and comfort. Available in individual or bulk packaging; in black, clear, and orange.



medium fits most people

clear EP4-SPR EP4-MPR EP4-LPR orange EP4-OR-MPR

R EP4-BK-SPR EP4-BK-MPR EP4-BK-LPR

Detachable 26" lanyard & carrying case included



### EP5

### SONIC DEFENDERS® MAX

**FULL-BLOCK. TRIPLE-FLANGED EARPLUGS** 

A soft, adjustable, triple-flanged stem reduces loud noises before they enter the ear canal, providing an NRR of 26dB and all-day comfort. A solid choice for industrial, tactical, and general use where primary exposure is to continuous noise and the need to hear ambient sound or conversation is not critical. Available in individual or bulk packaging; in black or orange.



S M

medium fits most people

orange

black EP5-BK-SPR EP5-BK-MPR EP5-BK-LPR



Comply™ is a registered trademark of Hearing Components.

SONIC DEFENDERS® ULTRA

FILTERED, FOAM-TIPPED EARPLUGS



medium, and large in three-pair or bulk packaging.

medium fits most people

clear EP7-MPR

black EP7-BK-SPR EP7-BK-MPR EP7-BK-LPR

EP7s feature soft, memory-foam Comply™ Canal Tips that conform to your ear canal, providing all-day comfort and an NRR of 28dB. EP7s feature noise-reducing filters that allow safe-level sounds below 85dB to be heard, and attached filter caps to block ambient sounds. Available in individual or bulk packaging; in black or clear.

Additional pair of Comply™ Canal Tips, detachable 26" lanyard & carrying case included

### EP9

### SONIC DEFENDERS® COBALT MAX

FULL-BLOCK, METAL AND X-RAY DETECTABLE, TRIPLE-FLANGED EARPLUGS

Sonic Defenders Cobalt Max earplugs are manufactured using a proprietary process of molding FDA compliant stainless steel into all of its components, which makes it metal and x-ray detectable by industrial scanners. Other competitive products use only a single metal ball, or metal ring leaving most of the earplug non-detectable if it were to separate from the metal. Due to EarPro's unique construction and design, it can help meet HACCP requirements. They're bright blue in color for easy detection and feature permanently attached lanyards for use in the food, pharmaceutical, and other similar industries. Available in individual or bulk packaging.



medium fits most people

blue EP9-BL-MPR

Permanently attached 26" lanyard & carrying case included





### EPlO

### SONIC DEFENDERS® ULTRA MAX

**FULL-BLOCK, FOAM-TIPPED EARPLUGS** 


Replacement memory-foam available in small medium, and large in three-pair or bulk packaging.

Sonic Defenders Ultra Max earplugs offer the maximum protection of any SureFire model. They feature comfortable Comply™ Canal foam tips that conform to your ear canal. They also use solid polymer stems, which work together with the tips, to greatly reduce loud noises before they enter the ear canal. EP10s are a perfect choice for those who are exposed to continuous noise and do not need to hear conversations or ambient sounds. Available in individual or bulk packaging; in black, orange or clear.



medium fits most people

urange	Clear	DIACK
EP10-OR-SPR EP10-OR-MPR EP10-OR-LPR	EP10-SPR EP10-MPR EP10-LPR	EP10-BK-SPR EP10-BK-MPF EP10-BK-LPR





\*Apple is a trademark of Apple Inc., registered in the U.S. and other countries.



Compatible with Apple  $^{\text{s}^*}$  Earpods  $^{\text{m}}$ 

Fit original Apple® and most circular earbuds.

# **EARLOCKS**

**EARBUD ATTACHMENTS** 

Patented EarLock® retention rings grip to key points of your ear to ensure a snug yet comfortable hold for most any activity. One size fits most ears.

SEE VIDEO www.surefire.com/vid/earlocks

- Designed to support an active lifestyle
- Better fit leads to superior audio fidelity
- Hypoallergenic polymer is soft yet durable
- Water/sweat-proof



ELA2-BK-MPR (black)







### **FILTERED SONIC DEFENDERS®**

\*With filter removed, reduced level of hearing protection is provided

Any Sonic Defenders earplug with a noise-reducing filter can be used as a radio communication kit earpiece simply by removing the filter\*. It provides a secure, comfortable fit and is ideal for clearly and covertly channeling audio directly into your ear from many popular radio communication systems.

### NSN INFORMATION FOR MILITARY ORDERING //

6515-01-606-4493

### **EP3 SONIC DEFENDERS NSN:**

EP3-BK-LPR LARGE, BLACK, 1 PAIR 6515-01-603-3453 EP3-BK-LPR-BULK LARGE, BLACK, 25 PAIR 6515-01-606-4547 EP3-BK-MPR MEDIUM, BLACK, 1 PAIR 6515-01-603-3450 EP3-BK-MPR-BULK MEDIUM, BLACK, 25 PAIR 6515-01-606-4544 EP3-BK-SPR SMALL, BLACK, 1 PAIR 6515-01-603-3448 EP3-BK-SPR-BULK SMALL, BLACK, 25 PAIR 6515-01-606-4516 EP3-LPR 6515-01-549-6457 LARGE, CLEAR, 1 PAIR EP3-LPR-BULK 6515-01-606-4499 LARGE, CLEAR, 25 PAIR MEDIUM, CLEAR, 1 PAIR 6515-01-549-6453 EP3-MPR-BULK MEDIUM, CLEAR, 25 PAIR 6515-01-606-4498 EP3-SPR SMALL, CLEAR, 1 PAIR 6515-01-549-6448 EP3-SPR-BULK

SMALL, CLEAR, 25 PAIR

### **EP4 SONIC DEFENDERS PLUS NSN:**

EP4-BK-LPR-BULK

EP4-MPR-BULK

SMALL, CLEAR, 25 PAIR

LARGE, CLEAR, 25 PAIR

LARGE, BLACK, 25 PAIR 6515-01-606-4558

EP4-BK-MPR-BULK
MEDIUM, BLACK, 25 PAIR 6515-01-606-4552

EP4-BK-SPR-BULK
SMALL, BLACK, 25 PAIR 6515-01-606-4549

EP4-LPR-BULK

LARGE, CLEAR, 25 PAIR 6515-01-606-4568

6515-01-606-4560

6515-01-622-2007

MEDIUM, CLEAR, 25 PAIR 6515-01-606-4565 > EP4-SPR-BULK

### **EP7 SONIC DEFENDERS NSN:**

EP7-BK-LPR-BULK
LARGE, BLACK, 25 PAIR 6515-01-622-2958
EP7-BK-MPR-BULK

MEDIUM, BLACK, 25 PAIR 6515-01-622-2539

EP7-BK-SPR-BULK
SMALL, BLACK, 25 PAIR 6515-01-622-2019
EP7-LPR-BULK

EP7-MPR-BULK
MEDIUM, CLEAR, 25 PAIR 6515-01-622-2001

EP7-SPR-BULK SMALL, CLEAR, 25 PAIR 6515-01-622-198






# SAFEGUARD YOUR HEARING WITH **EFFECTIVE, COMFORTABLE PROTECTION** YOU'LL ACTUALLY WEAR.

GET YOUR SUREFIRE® EARPLUGS & EARPIECES TODAY AT

# SUREFIRE.COM/EARPRO

OR AT YOUR AUTHORIZED LOCAL DEALER.



(1500)

For more information, or to purchase SureFire EarPro products, visit www.surefire.com/earpro or call 714.545.9444.

TO ORDER OR LOCATE A DEALER:

Web: www.surefire.com/dealer-locator

### THE SUREFIRE NO-HASSLE GUARANTEE

We'll do what it takes to keep your SureFire gear running smoothly. SureFire warrants that if you—our customer—purchase one of our products, and we determine that it is defective in material and/or workmanship, we will repair or replace it—no hassle! SureFire hearing-protection products are warranted for 90 days from the date of purchase. Our warranty does not cover consumables, or normal wear-and-tear, or damage resulting from abuse, alterations, unauthorized repairs, or use contrary to SureFire's user manuals.

### **WARRANTY CLAIMS**

For warranty claims, contact Customer Service at 714-545-9444 to obtain a Return Merchandise Authorization (RMA) number. Carefully pack your SureFire product and ship pre-paid (no CODs please) to the mailing address provided by Customer Service. SureFire will pay any reasonable cost to return the item to you.

### STANDARD DISCLAIMER

EXCEPT AS SPECIFIED ABOVE OR PROHIBITED BY APPLICABLE LAW: ALL EXPRESS OR IMPLIED CONDITIONS AND WARRANTIES, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ACCURACY OF ANY INFORMATIONAL CONTENT, ARE HERBEY EXCLUDED AND DISCLAIMED BY SURFIRE; AND IN NO EVENT WILL SURFIRE BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES HOWSOEVER ARISING AND REGARDLESS OF THE THEORY OF LIABILITY, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. PRODUCTS, PRICES, AVAILABILITY, SPECIFICATIONS, AND OFFERS ARE SUBJECT TO CHANGE OR CANCELLATION AT ANY TIME WITHOUT NOTICE. PRICES, AVAILABILITY, SPECIFICATIONS, AND PROMOTIONAL OFFERS ARE SUBJECT TO CHANGE OR CANCELLATION AT ANY TIME WITHOUT NOTICE.

USA =

2016 SureFire 11C, All rights reserved



### SUREFIRE'

18300 MT. BALDY CIRCLE • FOUNTAIN VALLEY
CA 92708 • U.S.A • WWW.SUREFIRE.COM/EARPRO





